

Page 1/9

Safety Data Sheet acc. to OSHA HCS

Printing date 06/30/2021

Revision date 06/30/2021

1 Identification

· Product identifier

· Trade name: FFA Assay Cofactor 2

· Article number: 700304, 006877

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

· Information department: Product safety department

Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H228 Flammable solid.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)

(Contd. from page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- Dangerous components: None

· Other ingredients		
CAS: 987-65-5 RTECS: AU7417000	Adenosine 5'-triphosphate (sodium salt)	80.1%
CAS: 77-86-1 RTECS: TY2900000	Trizma base	17.03%
CAS: 7791-18-6 RTECS: OM2975000	Magnesium chloride, hexahydrate	2.87%

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

US

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

(Contd. from page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
77-86-1	Trizma base	18 mg/m³
7791-18-6	Magnesium chloride, hexahydrate	
· PAC-2:		
77-86-1	Trizma base	190 mg/m³
7791-18-6	Magnesium chloride, hexahydrate	370 mg/m³
· PAC-3:		
77-86-1	Trizma base	1,200 mg/m ³
7791-18-6	Magnesium chloride, hexahydrate	1,600 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

· Specific end use(s) No further relevant information available.

(Contd. from page 3)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not applicable.

· Eye protection: Not required.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: lyophilized Color: Not determined.

Odor: Characteristic
Odor threshold: Not determined.

· pH-value:

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

(Contd. on page 5)

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

	(Contd. from	page
· Flammability (solid, gaseous):	Not determined.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	0.25 g/cm³ (2.08625 lbs/gal)	
· Bulk density:	250 kg/m³	
Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC content:	0.00 %	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values t	hat are relevant for classific	ation:	
987-65-5 Adenosine 5'-triphosphate (sodium salt)			
Oral LD50	>2 mg/kg (rat)		

(Contd. on page 6)

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

LD50 >2 g/kg (rat)
Subcutaneous LD50 >2 g/kg (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

110

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

(Contd. from page 6)

solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable.	4 Transport information	
UN proper shipping name DOT IMDG Flammable solids, organic, n.o.s. (Methanol) FLAMMABLE SOLID, ORGANIC, N.C (METHANOL) Flammable solid, organic, n.o.s. (METHANOL) Transport hazard class(es) DOT Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA II Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: F-A,S-G EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL7378 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g		
Flammable solids, organic, n.o.s. (Methanol) FLAMMABLE SOLID, ORGANIC, N.C. (METHANOL) Flammable solid, organic, n.o.s. (METHANOL) Transport hazard class(es) DOT Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: Stowage Category F-A,S-G Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Taximum net quantity per inner packaging: 30 g	· DOT, IMDG, IATA	UN1325
IMDG IATA Flammable solid, organic, n.o.s. (METHANOL) Transport hazard class(es) DOT Class Class Label Label Class Label Class Label Class Label Class Label Class A.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 IMDG, IATA IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	· UN proper shipping name	
IATA (METHANOL) Flammable solid, organic, n.o.s. (METHANOL) Transport hazard class(es) DOT Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA II Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable solids, self-reactive substances solid desensitised explosives Hazard identification number (Kemler code): 40 EMS Number: F-A,S-G Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (EQ) Take Total Park Total Packaging: 30 g	_	
Transport hazard class(es) DOT Class Label Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): Hazard identification number (Kemler code): Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Maximum net quantity per inner packaging: 30 g	· IMDG	
Transport hazard class(es) DOT Class	· IATA	
Class Label Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) 1 kg Code: E2 Maximum net quantity per inner packaging: 30 g		, , , , , , , , , , , , , , , , , , ,
Class Label - Class - Label - IMDG, IATA - Class - Label - Class - Label - Class - Label - Packing group - DOT, IMDG, IATA - Environmental hazards: - Special precautions for user - Hazard identification number (Kemler code): 40 - EMS Number: - Stowage Category - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code - Transport/Additional information: - DOT - Quantity limitations - On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Imited quantity per inner packaging: 30 g	• • • • • • • • • • • • • • • • • • • •	
Solid desensitised explosives 4.1 IMDG, IATA Class Label Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations Solid desensitised explosives 4.1 Flammable solids, self-reactive substances and solid desensitised explosives Warning: Flammable solids, self-reactive substances and solid desensitised explosives Hazard identification number (Kemler code): 40 F-A,S-G B Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Total Code: E2 Maximum net quantity per inner packaging: 30 g		
solid desensitised explosives 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Stowage Category I kg Code: E2 Maximum net quantity per inner packaging: 30 g	· Class	1 1 Flammable solids, self-reactive substances an
Label 4.1 IMDG, IATA Class 4.1 Flammable solids, self-reactive substances solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives Hazard identification number (Kemler code): 40 EMS Number: F-A,S-G Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g	V1433	
Class - Class - Class - Label - Packing group - DOT, IMDG, IATA - Environmental hazards: - Special precautions for user - Hazard identification number (Kemler code): 40 - EMS Number: - Stowage Category - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code - Transport/Additional information: - DOT - Quantity limitations - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - Late	· Label	· · · · · · · · · · · · · · · · · · ·
Solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Limited quantity per inner packaging: 30 g	· IMDG, IATA	
Solid desensitised explosives 4.1 Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) I kg Code: E2 Maximum net quantity per inner packaging: 30 g		
Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) I kg Code: E2 Maximum net quantity per inner packaging: 30 g	Class	4.1 Flammable solids, self-reactive substances an solid desensitised explosives
DOT, IMDG, IATA Environmental hazards: Not applicable. Warning: Flammable solids, self-reactive substate and solid desensitised explosives Hazard identification number (Kemler code): 40 EMS Number: Stowage Category F-A,S-G Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g	· Label	4.1
 Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 40 EMS Number:		
Special precautions for user Hazard identification number (Kemler code): 40 EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Warning: Flammable solids, self-reactive substat and solid desensitised explosives House Stowage Category B Not applicable. Not applicable. 1 kg On cargo aircraft/rail: 15 kg On cargo aircraft only: 50 kg	· DOT, IMDG, IATA	ll
Hazard identification number (Kemler code): 40 EMS Number: F-A,S-G Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g	· Environmental hazards:	Not applicable.
Hazard identification number (Kemler code): 40 EMS Number: F-A,S-G Stowage Category B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) 1 kg Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g	Special precautions for user	Warning: Flammable solids, self-reactive substance and solid desensitised explosives
 Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations IMDG Limited quantities (LQ) Excepted quantities (EQ) IMDG Maximum net quantity per inner packaging: 30 g 		: 40
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Table 1 kg Code: E2 Maximum net quantity per inner packaging: 30 g		
MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) 1 kg Code: E2 Maximum net quantity per inner packaging: 30 g		В
DOT Quantity limitations On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 g		Not applicable.
On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) I kg Code: E2 Maximum net quantity per inner packaging: 30 g	· Transport/Additional information:	
On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg IMDG Limited quantities (LQ) Excepted quantities (EQ) I kg Code: E2 Maximum net quantity per inner packaging: 30 g	· DOT	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g		
Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g	-	
Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 g		
Maximum net quantity per inner packaging: 30 g		
	Excepted quantities (EQ)	
maximum not quantity per dator publicating over q		
		(Contd. on page

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

	(Contd. from page 7)
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (METHANOL), 4.1, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

987-65-5	Adenosine 5'-triphosphate (sodium salt)	ACTIVE
77-86-1	Trizma base	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 06/30/2021 Revision date 06/30/2021

Trade name: FFA Assay Cofactor 2

(Contd. from page 8)

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 06/30/2021 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flam. Sol. 1: Flammable solids - Category 1