

Printing date 05/18/2023

Revision date 05/18/2023

Page 1/8

1 Identification

- · Product identifier
- · Trade name: sPLA2 Assay Buffer (5X)
- · Article number: 400587
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous compon	· Dangerous components:	
CAS: 77-86-1 RTECS: TY2900000	Tris base	1.514%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	94.203%
CAS: 7447-40-7 RTECS: TS8050000	Potassium chloride	3.728%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.555%

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.

(Contd. on page 3)

(Contd. from page 1)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

Do not allow	(Con to enter sewers/ surface or ground water.	td. from page 2)
	id material for containment and cleaning up:	
	liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu	st).
Reference t	o other sections	,
	7 for information on safe handling.	
	8 for information on personal protection equipment.	
	13 for disposal information.	
	Action Criteria for Chemicals	
PAC-1:		
77-86-1	Tris base	18 mg/m³
10043-52-4	Calcium chloride	12 mg/m³
PAC-2:		
77-86-1	Tris base	190 mg/m³
10043-52-4	Calcium chloride	130 mg/m³
PAC-3:		
77-86-1	Tris base 1	,200 mg/m³
10043-52-4	Calcium chloride 7	'90 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical proper	ties	
 Information on basic physical and chemical properties General Information 		
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor: · Odor threshold:	Characteristic Not determined.	
		_
· pH-value at 20 °C (68 °F):	7.4	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
 Flammability (solid, gaseous): 	Not applicable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
 Vapor pressure at 20 °C (68 °F): 	23 hPa (17.3 mm Hg)	
[·] Density at 20 °C (68 °F):	1.04064 g/cm³ (8.68414 lbs/gal)	
· Bulk density:	1,041 kg/m³	
Relative density	Not determined.	
· Vapor density	Not determined.	
 Evaporation rate 	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
	(Contd. on page	÷5)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from pa	age 4)
Not determined.	
94.2 %	
0.00 %	
0.0 g/l / 0.00 lb/gal	
5.8 %	
No further relevant information available.	
	Not determined. 94.2 % 0.00 % 0.0 g/l / 0.00 lb/gal 5.8 %

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

	-	
· LD/L	C50 values that are	relevant for classification:
77-8	6-1 Tris base	
Oral	TDLO	3,000 ml/kg (mouse)
	LD50	5,500 mg/kg (mouse)
		5,900 mg/kg (rat)
	Intraperitoneal LD50	3,350 mg/kg (mouse)

Intrapritoneal LD50 3,350 mg/kg (mouse) Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

 IARC (International Agency for Research on Cance 	r)
--	----

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated	
 UN proper shipping name DOT, IMDG, IATA 	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	ll of Not applicable.	
		(Contd. on page

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from page 6)

· UN "Model Regulation":

Printing date 05/18/2023

not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

(Contd. on page 8)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

Contact	(Contd. from page 7)
· Contact: -	
· Date of preparation / last revision 05/18/2023	
 Abbreviations and acronyms: 	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
	US



Printing date 06/02/2023

Revision date 06/02/2023

Page 1/8

1 Identification

- · Product identifier
- · Trade name: sPLA2 Assay Probe
- · Article number: 400590
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

US

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 1)

Trade name: sPLA2 Assay Probe

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: None

· Other ingredients	· Other ingredients	
CAS: 7732-18-5 RTECS: ZC0110000	Water	99.1343%
CAS: 7447-40-7 RTECS: TS8050000	Potassium chloride	0.3728%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0.3424%
	Trade Secret	≤2.5%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.0555%

· Additional information:

The specific chemical identity of composition and exact percentage is being withheld as a trade secret. The specific chemical identity and exact percentage is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 2)

Trade name: sPLA2 Assay Probe

- · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
77-86-1	Tris base	18 mg/m³
10043-52-4	Calcium chloride	12 mg/m³
· PAC-2:		
77-86-1	Tris base	190 mg/m³
10043-52-4	Calcium chloride	130 mg/m ³
· PAC-3:		
77-86-1	Tris base	1,200 mg/m³
10043-52-4	Calcium chloride	790 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US -

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

(Contd. from page 3)

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and General Information	cnemical properties
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)
Relative density	Not determined.

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

	(Contd. from	page 4
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/w	rater): Not determined.	
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	0.952 mPas Not determined.	
 Solvent content: Water: VOC content: 	99.1 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.9 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

JS -

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

(Contd. from page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated	
	not regulated	
· UN proper shipping name		
· DOT, IMDG, IATA	not regulated	
 Transport hazard class(es) 		
· DOT, ADN, IMDG, IATA		
Class	not regulated	
· Packing group		
· DOT, IMĎĠ, IATA	not regulated	
· Environmental hazards:	Not applicable.	
• Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	not regulated	

(Contd. on page 7)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

(Contd. from page 6)

5 Regulato	ry information
	Ith and environmental regulations/legislation specific for the substance or mixture elevant information available.
· Section 355	i (extremely hazardous substances):
None of the	ingredients is listed.
· Section 313	(Specific toxic chemical listings):
None of the	ingredients is listed.
· TSCA (Toxi	c Substances Control Act):
All compone	ints have the value ACTIVE.
· Hazardous	Air Pollutants
None of the	ingredients is listed.
· Propositior	
	known to cause cancer:
None of the	ingredients is listed.
	known to cause reproductive toxicity for females:
None of the	ingredients is listed.
	known to cause reproductive toxicity for males:
None of the	ingredients is listed.
· Chemicals	known to cause developmental toxicity:
None of the	ingredients is listed.
· Carcinogen	ic categories
· EPA (Enviro	onmental Protection Agency)
None of the	ingredients is listed.
· TLV (Thres	hold Limit Value)
None of the	ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the	ingredients is listed.
· Chemical s	afety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 06/02/2023
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 7)

Trade name: sPLA2 Assay Probe

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
* * Data compared to the previous version altered.

US



Printing date 05/18/2023

Revision date 05/18/2023

Page 1/8

1 Identification

- · Product identifier
- Trade name: sPLA2 Control Inhibitor
- Article number: 400592
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms None
- Signal word Warning
- · Hazard statements

H227 Combustible liquid.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

• NFPA ratings (scale 0 - 4)



Health = 0 Fire = 2 Reactivity = 0

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

(Contd. from page 1)

99.9619%

0.0381%

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-68-5 Dimethyl sulfoxide RTECS: PV6210000

Other ingredients

172732-68-2 LY315920

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

• **Environmental precautions:** Dilute with plenty of water.

(Contd. on page 3)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

	(Contd. from page 2)		
Do not allow to enter sewers/ surface or ground water.			
Methods and material for containment and cleaning up:			
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).			
Dispose contaminated material as waste according to section 13.			
Ensure adequate ventilation. • Reference to other sections			
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.			
See Section 13 for disposal information.			
· Protective Action Criteria for Chemicals			
· PAC-1:			
67-68-5 Dimethyl sulfoxide	150 ppm		
· PAC-2:			
67-68-5 Dimethyl sulfoxide	290 ppm		
· PAC-3:			
67-68-5 Dimethyl sulfoxide	1,800 ppm		

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- · Components with limit values that require monitoring at the workplace:
- 67-68-5 Dimethyl sulfoxide
- WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.

(Contd. on page 4)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

(Contd. from page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical pro	perties

 Information on basic physical and General Information 	chemical properties	
 Appearance: Form: Color: Odor: Odor threshold: 	Liquid According to product specification Odorless Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	18.45 °C (65.2 °F) 189 °C (372.2 °F)	
· Flash point:	89 °C (192.2 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto igniting:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
 Explosion limits: Lower: Upper: 	1.8 Vol % 63 Vol %	
· Vapor pressure at 20 °C (68 °F):	2.5 hPa (1.9 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapor density 	1.1 g/cm³ (9.1795 lbs/gal) Not determined. Not determined.	
		(Contd. on page s

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

	(Contd. from pa	age 4
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/w	rater): Not determined.	
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	198 mPas Not determined.	
 Solvent content: Organic solvents: VOC content: 	100.0 % 99.96 % 999.6 g/l / 8.34 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/L	 LD/LC50 values that are relevant for classification: 		
67-68	67-68-5 Dimethyl sulfoxide		
Oral	LD50	7,200 mg/kg (mouse)	
		14,500 mg/kg (rat)	
	Intraperitoneal LD50	2,500 mg/kg (mouse)	
	Subcutaneous LD50	14,000 mg/kg (mouse)	
	Intravenous LD50	3,100 mg/kg (mouse)	
· on th · on th · Sens · Addi	 Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: 		
· Carc	· Carcinogenic categories		
·IARC	C (International Agen	cy for Research on Cancer)	
None	None of the ingredients is listed.		
			(Contd. on page 6)

– ÚS

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
· UN-Number		
DOT	NA1993	
· IMDG, IATA	not regulated	
· UN proper shipping name		
DOT	COMBUSTIBLE LIQUID, N.O.S	
· IMDG, IATA	not regulated	
		(Contd. on page

(Contd. from page 5)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

	(Contd. from page 6)
· Transport hazard class(es)	
· DOT	
COMBUSTIBLE 3	
· Class	3 Combustible liquids
· Label	3
· ADN/R Class:	not regulated
· Packing group	
DOT	III
· IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
 Special precautions for user 	Not applicable.
 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	of Not applicable.
· Transport/Additional information:	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL, or
	1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimis
	Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as
	Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):
- 67-68-5 Dimethyl sulfoxide
- · Hazardous Air Pollutants
- None of the ingredients is listed.

(Contd. on page 8)

ACTIVE

US

Printing date 05/18/2023

· Proposition 65

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

(Contd. from page 7)

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

- · Date of preparation / last revision 05/18/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 4: Flammable liquids - Category 4



Printing date 06/02/2023

Revision date 06/02/2023

Page 1/8

1 Identification

- · Product identifier
- · Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer
- Article number: 400595
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

US

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 1)

Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: None

Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	98.5388%
CAS: 7447-40-7 RTECS: TS8050000	Potassium chloride	0.7456%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0.3028%
CAS: 3055-98-9	C12E8	0.3018%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.111%

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer

 Methods ar Absorb with Reference t See Section See Section See Section 	(Con tal precautions: Dilute with plenty of water. d material for containment and cleaning up: liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu o other sections 7 for information on safe handling. 8 for information on personal protection equipment. 13 for disposal information. Action Criteria for Chemicals	ntd. from page 2) Ist).
· PAC-1:		
77-86-1	Tris base	18 mg/m ³
10043-52-4	Calcium chloride	12 mg/m ³
· PAC-2:		
77-86-1	Tris base	190 mg/m ³
10043-52-4	Calcium chloride	130 mg/m ³
· PAC-3:		
77-86-1	Tris base	1,200 mg/m ³
10043-52-4	Calcium chloride	790 mg/m ³

7 Handling and storage

· Handling:

- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer

(Contd. from page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical prope	rties
 Information on basic physical and General Information 	chemical properties
 Appearance: Form: Color: 	Liquid According to product specification
· Odor: · Odor threshold:	Odorless Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	0 °C (32 °F) 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
[·] Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1 g/cm³ (8.345 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not determined.
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	0.952 mPas Not determined.
	(Contd. on page

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer

	(Contd. from page 4
 Solvent content: Water: VOC content: 	98.5 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	1.5 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer

(Contd. from page 5)

- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated
· UN proper shipping name · DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	notregulated
· DOT, ADN, IMDG, IATA · Class	not regulated
 Packing group DOT, IMDG, IATA 	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
 Transport in bulk according to Annex I MARPOL73/78 and the IBC Code 	Il of Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
TSCA (Toxic Substances Control Act):

7732-18-5 Water

ACTIVE (Contd. on page 7)

~ອິບັນ ____US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer

		(Contd. from page 6)
7447-40-7	Potassium chloride	ACTIVE
77-86-1	Tris base	ACTIVE
10043-52-4	Calcium chloride	ACTIVE
· Hazardous	Air Pollutants	
None of the	ingredients is listed.	
· Proposition	ı 65	,
· Chemicals	known to cause cancer:	
None of the	ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	ingredients is listed.	
· Carcinogen	ic categories	
· EPA (Enviro	onmental Protection Agency)	
None of the	ingredients is listed.	
· TLV (Thres	hold Limit Value)	
None of the	ingredients is listed.	
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the	ingredients is listed.	
	afety assessment: A Chemical Safety Assessment has not been carried a	Nut.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- Contact: -
- · Date of preparation / last revision 06/02/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Substrate Resuspension Buffer

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

(Contd. from page 7)

US



Printing date 06/02/2023

Revision date 06/02/2023

Page 1/9

1 Identification

- · Product identifier
- · Trade name: sPLA2 (Type IIa) Enzyme
- Article number: 400596
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH0Health = 0FIRE1Fire = 1REACTIVITY0Reactivity = 0

(Contd. on page 2)

US

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 1)

Trade name: sPLA2 (Type IIa) Enzyme

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous compon 	ents:	
CAS: 56-81-5 RTECS: MA8050000	Glycerol	20.0%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	78.1853%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0.6062%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	0.5845%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.555%
	sPLA2 Type IIA	0.069%

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Enzyme

(Contd. from page 2)

6 Accidenta	al release measures	
Environmer Dilute with p Do not allow Methods an Absorb with Reference t See Section See Section See Section	 recautions, protective equipment and emergency procedures Not require that precautions: lenty of water. to enter sewers/ surface or ground water. ind material for containment and cleaning up: liquid-binding material (sand, diatomite, acid binders, universal binders, sawd o other sections 7 for information on safe handling. 8 for information on personal protection equipment. 13 for disposal information. 	
· PAC-1:		
56-81-5	Glycerol	45 mg/m³
77-86-1	Tris base	18 mg/m ³
10043-52-4	Calcium chloride	12 mg/m ³
· PAC-2:		
56-81-5	Glycerol	180 mg/m ³
77-86-1	Tris base	190 mg/m ³
10043-52-4	Calcium chloride	130 mg/m ³
· PAC-3:		
56-81-5	Glycerol	1,100 mg/m ³
77-86-1	Tris base	1,200 mg/m ³
10043-52-4	Calcium chloride	790 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

(Contd. on page 4)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Enzyme

(Contd. from page 3)
TLV TLV withdrawn-insufficient data human occup. exp.
 Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
· Personal protective equipment:
General protective and hygienic measures:
The usual precautionary measures for handling chemicals should be followed.
 Breathing equipment: Not required.
· Protection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the
preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of
quality and varies from manufacturer to manufacturer. As the product is a preparation of several
substances, the resistance of the glove material can not be calculated in advance and has therefore to
be checked prior to the application.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has
to be observed.
 Eye protection: Goggles recommended during refilling.

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	Liquid According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	199 °C (390.2 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	400 °C (752 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Enzyme

	(Contd. fro	om page 4
· Vapor pressure at 50 °C (122 °F):	~0 hPa	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	20.0 %	
Water:	78.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.8 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values	· LD/LC50 values that are relevant for classification:		
56-81-5 Glycerol			
Oral	LD50	12,600 mg/kg (rat)	
Irritation of skin	Irritation	500 mg/24h (rabbit) mild	
Irritation of eyes	Irritation	500 mg/24h (rabbit) mild	
	Intraperitoneal LD50	4,420 mg/kg (rat)	
	Subcutaneous LD50	100 mg/kg (rat)	
· Primary irritant	Primary irritant effect:		

• on the skin: No irritant effect.

• on the eye: No irritating effect.

(Contd. on page 6)

⁻ US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Enzyme

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1760
· UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Glycerol)
·IMDG	CORROSIVE LIQUID, N.O.S. (Glycerol)

(Contd. from page 5)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Enzyme

	(Contd. from page
ΙΑΤΑ	Corrosive liquid, n.o.s. (Glycerol)
Transport hazard class(es)	
DOT	
CORROSIVE	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Stowage Category Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
2000.00 y	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
ΙΑΤΑ	
Remarks:	When sold in quantities of less than or equal to 1 m
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim
	Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
	· · · · · · · · · · · · · · · · · · ·
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL

(Contd. on page 8)

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Enzyme

Printing date 06/02/2023

(Contd. from page 7)

	th and environmental regulations/legislation spec levant information available.	ific for the substance or mixture
Section 355	(extremely hazardous substances):	
None of the	ngredients is listed.	
Section 313	(Specific toxic chemical listings):	
None of the	ngredients is listed.	
TSCA (Toxi	c Substances Control Act):	
7732-18-5	Water	ACTIVE
	Glycerol	ACTIVE
	Tris base	ACTIVE
	Sodium chloride	ACTIVE
	Calcium chloride	ACTIVE
	Air Pollutants	
	ngredients is listed.	
Proposition		
	known to cause cancer:	
	ngredients is listed.	
	nown to cause reproductive toxicity for females:	
None of the	ngredients is listed.	
	nown to cause reproductive toxicity for males:	
None of the	ngredients is listed.	
	nown to cause developmental toxicity:	
None of the	ngredients is listed.	
Carcinogen	ic categories	
•	onmental Protection Agency)	
None of the	ngredients is listed.	
TLV (Thres	nold Limit Value)	
None of the	ngredients is listed.	
	National Institute for Occupational Safety and Hea	alth)
None of the	ngredients is listed.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIa) Enzyme

	(Contd. from page 8)
· Department issuing SDS: Environment protection department.	
Contact: -	
Date of preparation / last revision 06/02/2023	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
	US-



Printing date 06/02/2023


Revision date 06/02/2023

Page 1/10

1 Identification

- Product identifier
- · Trade name: sPLA2 (Type IIA) Substrate
- · Article number: 400603
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

	(Contd. from page 1)
· Signal word D	
· Hazard statem	
H225 Highly fla	ammable liquid and vapor.
	serious eye irritation.
· Precautionary	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 Classification NFPA ratings 	
Fi	ealth = 2 ire = 3 eactivity = 0
· HMIS-ratings	(scale 0 - 4)
FIRE 3	Health = 2 Fire = 3 Reactivity = 0
• Other hazards • Results of PB • PBT: Not appli • vPvB: Not app	T and vPvB assessment cable.
Compositio	n/information on ingredients
•	
	racterization: Mixtures Aixture of the substances listed below with nonhazardous additions.
· Dangerous co	mponents:
CAS: 64-17-5 RTECS: KQ63	ethanol 99.9375%
· Other ingredie	ents
•	bylthio) Glycerophosphoethanolamine 0.0625%

(Contd. on page 3)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

(Contd. from page 2)

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation. • **Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 ethanol	1,800 ppm
· PAC-2:	
64-17-5 ethanol	3300* ppm
· PAC-3:	
64-17-5 ethanol	15000* ppm
•	

(Contd. on page 4)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

(Contd. from page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling
- No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray.
- Avoid prolonged or repeated exposure.
- Keep away from sources of ignition.
- Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm A3

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

(Contd. from page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and c General Information 	hemical properties
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
[·] pH-value at 20 °C (68 °F):	7
· Change in condition	
Melting point/Melting range:	-114 °C (-173.2 °F)
Boiling point/Boiling range:	78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
[.] Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits:	
Lower:	3.3 Vol %
Upper:	19 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Vapor pressure at 50 °C (122 °F):	280 hPa (210 mm Hg)
· Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)
· Relative density	Not determined.
Vapor density	Not determined.
· Evaporation rate	Not determined.

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

	(Contd. fro	om page 5)
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	1,000 g/l	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	1.2 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.94 %	
	999.4 g/l / 8.34 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

64-17-5 ethanol		
0.0	LD50	10,470 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	117–125 mg/l (rat) OECD 403 (rat)

Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- 64-17-5 ethanol

(Contd. on page 7)

1

U

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

(Contd. from page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol solutions
IMDG	ETHANOL SOLUTION (ETHYL ALCOHO
	SOLUTION)
ΙΑΤΑ	Ethanol solution

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

— (1 1 1 ()	(Contd. from page
Transport hazard class(es)	
DOT	
PLAMMABLE LOUID	
Class Label	3 Flammable liquids 3
	.
Class Label	3 Flammable liquids 3
	3
Packing group DOT, IMDG, IATA	П
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Natonalizable
	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IATA Bemerkei	When cold in quantition of loss than or equal to 1
Remarks:	When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minim
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled
	Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO
	SOLUTION), 3, II

(Contd. on page 9)

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

Printing date 06/02/2023

(Contd. from page 8)

	afety, health and environmental regulations/legislation specific for the substance or mixture of further relevant information available.
Sa	
Se	ection 355 (extremely hazardous substances):
No	one of the ingredients is listed.
Se	ection 313 (Specific toxic chemical listings):
No	one of the ingredients is listed.
TS	SCA (Toxic Substances Control Act):
64	-17-5 ethanol ACTIV
На	azardous Air Pollutants
No	one of the ingredients is listed.
Pr	oposition 65
Cł	nemicals known to cause cancer:
No	one of the ingredients is listed.
Cł	nemicals known to cause reproductive toxicity for females:
No	one of the ingredients is listed.
Cł	nemicals known to cause reproductive toxicity for males:
No	one of the ingredients is listed.
Cł	nemicals known to cause developmental toxicity:
64	-17-5 ethanol
Ca	arcinogenic categories
EF	PA (Environmental Protection Agency)
No	one of the ingredients is listed.
ΤL	_V (Threshold Limit Value)
64	A-17-5 ethanol
NI	OSH-Ca (National Institute for Occupational Safety and Health)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 06/02/2023
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type IIA) Substrate

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2	(Contd. from page 9)
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	115