

Printing date 05/18/2023

Revision date 05/18/2023

Page 1/8

1 Identification

- · Product identifier
- · Trade name: sPLA2 Assay Buffer (5X)
- · Article number: 400587
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous compon	· Dangerous components:	
CAS: 77-86-1 RTECS: TY2900000	Tris base	1.514%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	94.203%
CAS: 7447-40-7 RTECS: TS8050000	Potassium chloride	3.728%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.555%

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Use fire fighting measures that suit the environment.
- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.

(Contd. on page 3)

(Contd. from page 1)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

Do not allow	(Con to enter sewers/ surface or ground water.	td. from page 2)
	id material for containment and cleaning up:	
	liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu	st).
Reference t	o other sections	,
	7 for information on safe handling.	
	8 for information on personal protection equipment.	
	13 for disposal information.	
	Action Criteria for Chemicals	
PAC-1:		
77-86-1	Tris base	18 mg/m³
10043-52-4	Calcium chloride	12 mg/m³
PAC-2:		
77-86-1	Tris base	190 mg/m³
10043-52-4	Calcium chloride	130 mg/m³
PAC-3:		
77-86-1	Tris base 1	,200 mg/m³
10043-52-4	Calcium chloride 7	'90 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical proper	ties	
 Information on basic physical and chemical properties General Information 		
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor: · Odor threshold:	Characteristic Not determined.	
		_
· pH-value at 20 °C (68 °F):	7.4	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
 Flammability (solid, gaseous): 	Not applicable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
 Vapor pressure at 20 °C (68 °F): 	23 hPa (17.3 mm Hg)	
[·] Density at 20 °C (68 °F):	1.04064 g/cm³ (8.68414 lbs/gal)	
· Bulk density:	1,041 kg/m³	
Relative density	Not determined.	
· Vapor density	Not determined.	
 Evaporation rate 	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
	(Contd. on page	÷5)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from pa	age 4)
Not determined.	
94.2 %	
0.00 %	
0.0 g/l / 0.00 lb/gal	
5.8 %	
No further relevant information available.	
	Not determined. 94.2 % 0.00 % 0.0 g/l / 0.00 lb/gal 5.8 %

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

	-	
· LD/L	C50 values that are	relevant for classification:
77-8	6-1 Tris base	
Oral	TDLO	3,000 ml/kg (mouse)
	LD50	5,500 mg/kg (mouse)
		5,900 mg/kg (rat)
	Intraperitoneal LD50	3,350 mg/kg (mouse)

Intrapritoneal LD50 3,350 mg/kg (mouse) Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

 IARC (International Agency for Research on Cance 	r)
--	----

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated	
 UN proper shipping name DOT, IMDG, IATA 	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	ll of Not applicable.	
		(Contd. on page

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

(Contd. from page 6)

· UN "Model Regulation":

Printing date 05/18/2023

not regulated

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

(Contd. on page 8)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Assay Buffer (5X)

Contact	(Contd. from page 7)
· Contact: -	
· Date of preparation / last revision 05/18/2023	
 Abbreviations and acronyms: 	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
	US



Printing date 06/02/2023

Revision date 06/02/2023

Page 1/8

1 Identification

- · Product identifier
- · Trade name: sPLA2 Assay Probe
- · Article number: 400590
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

US

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 1)

Trade name: sPLA2 Assay Probe

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: None

· Other ingredients	· Other ingredients	
CAS: 7732-18-5 RTECS: ZC0110000	Water	99.1343%
CAS: 7447-40-7 RTECS: TS8050000	Potassium chloride	0.3728%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0.3424%
	Trade Secret	≤2.5%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.0555%

· Additional information:

The specific chemical identity of composition and exact percentage is being withheld as a trade secret. The specific chemical identity and exact percentage is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 2)

Trade name: sPLA2 Assay Probe

- · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
77-86-1	Tris base	18 mg/m³
10043-52-4	Calcium chloride	12 mg/m³
· PAC-2:		
77-86-1	Tris base	190 mg/m³
10043-52-4	Calcium chloride	130 mg/m ³
· PAC-3:		
77-86-1	Tris base	1,200 mg/m³
10043-52-4	Calcium chloride	790 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US -

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

(Contd. from page 3)

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and General Information	cnemical properties
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Odorless
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)
Relative density	Not determined.

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

	(Contd. from	page 4
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/w	rater): Not determined.	
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	0.952 mPas Not determined.	
 Solvent content: Water: VOC content: 	99.1 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.9 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

JS -

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

(Contd. from page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated	
	not regulated	
· UN proper shipping name		
· DOT, IMDG, IATA	not regulated	
 Transport hazard class(es) 		
· DOT, ADN, IMDG, IATA		
Class	not regulated	
· Packing group		
· DOT, IMĎĠ, IATA	not regulated	
· Environmental hazards:	Not applicable.	
• Special precautions for user	Not applicable.	
· Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	not regulated	

(Contd. on page 7)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 Assay Probe

(Contd. from page 6)

5 Regulato	ry information
	Ith and environmental regulations/legislation specific for the substance or mixture elevant information available.
· Section 355	i (extremely hazardous substances):
None of the	ingredients is listed.
· Section 313	(Specific toxic chemical listings):
None of the	ingredients is listed.
· TSCA (Toxi	c Substances Control Act):
All compone	ints have the value ACTIVE.
· Hazardous	Air Pollutants
None of the	ingredients is listed.
 Proposition 	
	known to cause cancer:
None of the	ingredients is listed.
	known to cause reproductive toxicity for females:
None of the	ingredients is listed.
	known to cause reproductive toxicity for males:
None of the	ingredients is listed.
· Chemicals	known to cause developmental toxicity:
None of the	ingredients is listed.
· Carcinogen	ic categories
· EPA (Enviro	onmental Protection Agency)
None of the	ingredients is listed.
· TLV (Thres	hold Limit Value)
None of the	ingredients is listed.
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the	ingredients is listed.
· Chemical s	afety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 06/02/2023
- **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 7)

Trade name: sPLA2 Assay Probe

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
* * Data compared to the previous version altered.

US



Printing date 05/18/2023

Revision date 05/18/2023

Page 1/8

1 Identification

- · Product identifier
- Trade name: sPLA2 Control Inhibitor
- Article number: 400592
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms None
- Signal word Warning
- · Hazard statements

H227 Combustible liquid.

· Precautionary statements

P210 Keep away from flames and hot surfaces. – No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

• NFPA ratings (scale 0 - 4)



Health = 0 Fire = 2 Reactivity = 0

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

(Contd. from page 1)

99.9619%

0.0381%

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-68-5 Dimethyl sulfoxide RTECS: PV6210000

Other ingredients

172732-68-2 LY315920

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

• **Environmental precautions:** Dilute with plenty of water.

(Contd. on page 3)

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

	(Contd. from page 2)			
Do not allow to enter sewers/ surface or ground water.				
Methods and material for containment and cleaning up:				
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
Dispose contaminated material as waste according to section 13.				
Ensure adequate ventilation. • Reference to other sections				
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.				
See Section 13 for disposal information.				
· Protective Action Criteria for Chemicals				
· PAC-1:				
67-68-5 Dimethyl sulfoxide	150 ppm			
· PAC-2:				
67-68-5 Dimethyl sulfoxide	290 ppm			
· PAC-3:				
67-68-5 Dimethyl sulfoxide	1,800 ppm			

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special precautions are necessary if used correctly. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- Control parameters
- · Components with limit values that require monitoring at the workplace:
- 67-68-5 Dimethyl sulfoxide
- WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.

(Contd. on page 4)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

(Contd. from page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical pro	perties

· Information on basic physical and chemical properties · General Information		
 Appearance: Form: Color: Odor: Odor threshold: 	Liquid According to product specification Odorless Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	18.45 °C (65.2 °F) 189 °C (372.2 °F)	
· Flash point:	89 °C (192.2 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto igniting:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
 Explosion limits: Lower: Upper: 	1.8 Vol % 63 Vol %	
· Vapor pressure at 20 °C (68 °F):	2.5 hPa (1.9 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapor density 	1.1 g/cm³ (9.1795 lbs/gal) Not determined. Not determined.	
		(Contd. on page s

US

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

	(Contd. from pa	age 4
· Evaporation rate	Not determined.	
 Solubility in / Miscibility with Water: 	Fully miscible.	
· Partition coefficient (n-octanol/w	rater): Not determined.	
 Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 	198 mPas Not determined.	
 Solvent content: Organic solvents: VOC content: 	100.0 % 99.96 % 999.6 g/l / 8.34 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/L	 LD/LC50 values that are relevant for classification: 		
67-68	67-68-5 Dimethyl sulfoxide		
Oral	Oral LD50 7,200 mg/kg (mouse)		
		14,500 mg/kg (rat)	
	Intraperitoneal LD50	2,500 mg/kg (mouse)	
	Subcutaneous LD50 14,000 mg/kg (mouse)		
	Intravenous LD50 3,100 mg/kg (mouse)		
· on th · on th · Sens · Addi	 Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: 		
· Carc	· Carcinogenic categories		
·IARC	IARC (International Agency for Research on Cancer)		
None	None of the ingredients is listed.		
	(Contd. on page 6)		

– ÚS

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
· UN-Number		
DOT	NA1993	
· IMDG, IATA	not regulated	
· UN proper shipping name		
DOT	COMBUSTIBLE LIQUID, N.O.S	
· IMDG, IATA	not regulated	
		(Contd. on page

(Contd. from page 5)

Printing date 05/18/2023

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

	(Contd. from page 6)
· Transport hazard class(es)	
· DOT	
COMBUSTIBLE 3	
· Class	3 Combustible liquids
· Label	3
· ADN/R Class:	not regulated
· Packing group	
DOT	III
· IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
 Special precautions for user 	Not applicable.
 Transport in bulk according to Annex II MARPOL73/78 and the IBC Code 	of Not applicable.
· Transport/Additional information:	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL, or
	1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimis
	Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as
	Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):
- 67-68-5 Dimethyl sulfoxide
- · Hazardous Air Pollutants
- None of the ingredients is listed.

(Contd. on page 8)

ACTIVE

US

Printing date 05/18/2023

· Proposition 65

Revision date 05/18/2023

Trade name: sPLA2 Control Inhibitor

(Contd. from page 7)

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

• NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

· Department issuing SDS: Environment protection department.

· Contact: -

- · Date of preparation / last revision 05/18/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA: Occupational Safety & Health** TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flammable Liquids 4: Flammable liquids - Category 4



Printing date 06/02/2023

Revision date 06/02/2023

Page 1/8


1 Identification

- · Product identifier
- · Trade name: sPLA2 (Type V) Substrate Resuspension Buffer
- Article number: 400594
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- Classification system:

• NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHImage: OFIREImage: OREACTIVITYReactivity = 0

(Contd. on page 2)

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 1)

Trade name: sPLA2 (Type V) Substrate Resuspension Buffer

· Other hazards

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: None

Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	98.3694%
CAS: 7447-40-7 RTECS: TS8050000	Potassium chloride	0.7456%
CAS: 3055-98-9	C12E8	0.4712%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0.3028%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.111%

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate Resuspension Buffer

(Contd. from page 2) • Environmental precautions: Dilute with plenty of water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals				
· PAC-1:				
77-86-1	Tris base	18 mg/m ³		
10043-52-4	Calcium chloride	12 mg/m ³		
· PAC-2:				
77-86-1	Tris base	190 mg/m ³		
10043-52-4	Calcium chloride	130 mg/m ³		
PAC-3:	· PAC-3:			
77-86-1	Tris base	1,200 mg/m³		
10043-52-4	Calcium chloride	790 mg/m³		

7 Handling and storage

· Handling:

- Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate Resuspension Buffer

(Contd. from page 3) Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and	chemical properties		
· General Information			
Appearance: Form:	Liquid		
Color:	According to product specification		
Odor:	Odorless		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	0 °C (32 °F)		
Boiling point/Boiling range:	100 °C (212 °F)		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature:	Not determined.		
Ignition temperature:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)		
Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Fully miscible.		
Partition coefficient (n-octanol/wat	er): Not determined.		
Viscosity:			
Dynamic at 20 °C (68 °F):	0.952 mPas		
Kinematic:	Not determined.		

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate Resuspension Buffer

(Contd. from page 4
98.4 % 0.00 % 0.0 g/l / 0.00 lb/gal
1.6 %
No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate Resuspension Buffer

(Contd. from page 5)

- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- $^{\cdot}$ Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated	
· UN proper shipping name	notrogalated	
DOT, IMDG, IATA	not regulated	
 Transport hazard class(es) 		
· DOT, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
 Special precautions for user 	Not applicable.	
· Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):

7732-18-5 Water

ACTIVE (Contd. on page 7)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate Resuspension Buffer

(Contd. from page 6)	
7447-40-7 Potassium chloride	ACTIVE	
77-86-1 Tris base	ACTIVE	
10043-52-4 Calcium chloride	ACTIVE	
· Hazardous Air Pollutants		
None of the ingredients is listed.		
· Proposition 65		
· Chemicals known to cause cancer:		
None of the ingredients is listed.		
• Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients is listed.		
· Carcinogenic categories		
· EPA (Environmental Protection Agency)		
None of the ingredients is listed.		
· TLV (Threshold Limit Value)		
None of the ingredients is listed.		
 NIOSH-Ca (National Institute for Occupational Safety and Health) 		
None of the ingredients is listed.		
· Chemical safety assessment: A Chemical Safety Assessment has not been carried ou	ıt.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 06/02/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate Resuspension Buffer

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

(Contd. from page 7)

US



Printing date 06/02/2023

Revision date 06/02/2023

Page 1/12

1 Identification

- · Product identifier
- · Trade name: sPLA2 (Type V) Substrate
- · Article number: 400599
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

Classification of the substance or mixture			
GHS02 Flame			
Flammable Liquids 2	H225 Highly flammable liquid and vapor.		
GHS06 Skull and crossbones			
Acute Toxicity - Oral 3	H301 Toxic if swallowed.		
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.		
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.		
GHS08 Health hazard			
Carcinogenicity 2	H351 Suspected of causing cancer.		
Toxic to Reproduction 2	H361 Suspected of damaging fertility or the unborn child.		
	(Contd. on page 2)		

Printing date 06/02/2023

Revision date 06/02/2023

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the kidneys and the livel system and the visual organs. Specific Target Organ Toxicity - Repeated Exposure H372 Causes damage to the kidneys and the livel through prolonged or repeated exposure. Image: Specific Target Organ Toxicity - Repeated Exposure H372 Causes damage to the kidneys and the livel through prolonged or repeated exposure. Image: Specific Target Organ Toxicity - Single Exposure 3 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements Image: Specific Target Organ Toxicity - Single Exposure 3 H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H310 Hazard Statements Image: Specific Target Organ Toxicity - Single Exposure 3 H320 GHS06 GHS07 GHS08 Signal word Danger Image: Specific Target Organ Toxicity - GHS08 H225 Highly flammable liquid and vapor. H330 H42311+H331 Toxic if swallowed, in contact with skin or if inhaled. H316 Causes skin initation. H317 Causes starging fertility or the unborn child. H318 Suspected of damaging fertility or the unborn child. H319 Causes damage t	Frade name: sPLA2 (Type V) Substrate				
system and the visual organs. Specific Target Organ Toxicity - Repeated Exposure H372 Causes damage to the kidneys and the live through prolonged or repeated exposure.			(Contd. from page 1)		
1 through prolonged or repeated exposure. View GHS07 Skin Irritation 2 H315 Causes skin irritation. Syscific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. • Label elements H319 Causes serious eye irritation. • GHS label elements H316 Causes drowsiness or dizziness. • Label selements • H316 Causes drowsiness or dizziness. • Label selements • Wiew • Wiew • Wiew • H316 Causes • H316 Causes drowsiness or dizziness. • Label selements • Wiew • H316 Causes • H316 Causes • H317 • Wiew • H318 • H316 Causes • H318 • H316 Causes • H318 • H318 • H318 • H318 • H318 • Causes drow in contact with skin or if inhaled. H315 Causes drowsinges or dizziness. H316 Suspected of causing cancer. H336 May cause drowsinges or dizzines. H336 Suspected of causing cancer. H336 May cause drowsinges or dizzines. H337 Causes damage to the central nervous sys	Specific Target C	Drgan Toxicity - Single Exposure 1			
Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements H536 May cause drowsiness or dizziness. CHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Signal word Danger Hazard-determining components of labeling: Chroroform Methanol Image: Signal word Danger Hazard statements Highly flammable liquid and vapor. H331 Causes skin irritation. H335 Causes skin irritation. H336 Suspected of damaging fertility or the unborn child. H337 Causes satious eye irritation. H336 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P214 Use only non-sparking tools. P225 Do thatandle until all safety precautions hav	Specific Target C 1	Drgan Toxicity - Repeated Exposure			
Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements H336 May cause drowsiness or dizziness. CHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Components of Labeling: Offsorg GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Choroform Methanol H225 Highly flammable liquid and vapor. H301+H311+H331 Toxie of awallowed, in contact with skin or if inhaled. H315 Causes scinous eye irritation. H316 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P214 Use only non-sparking tools. P223 Take precautionary measures against static discharge. </td <td></td> <td>,</td> <td></td>		,			
Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements H336 May cause drowsiness or dizziness. CHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: I	GHSU/				
Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Image: Chick of the state of th	Skin Irritation 2		H315 Causes skin irritation.		
 Label elements CHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Weiger Weiger Weiger Weiger GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H316 Causes skin irritation. H351 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P243 Take precautionary measures against static discharge. P243 Take precautionary measures against static discharge. P244 Wash thoroughly affer handling. P270 Do not eat, drink or smoke when using this product. P271 Use only non-sparking tools. P283 Take precautionary measures against static discharge. P264 Wash thoroughly affer handling. P270 Do not eat, drink or smoke when using this product. P271 Use only todors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P31+P310 If swallowed: Immediately call a poison center/doctor. P31+P310 Specific treatment (see on this label). 	Eye Irritation 2A		H319 Causes serious eye irritation.		
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Hazard pictograms Image: Pictograms	Specific Target C	Organ Toxicity - Single Exposure 3	H336 May cause drowsiness or dizziness.		
 GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Hazard pictograms GHS02 GHS06 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Chloroform Methanol Hazard statements Hazard statements Hazard statements H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes serious eye irritation. H336 May cause do damaging fertility or the unborn child. H337 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P214 Use enly non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash throoughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective glows/protective clothing/eye protection/face protection. P301 HP310 If swallowed: Immediately call a poison centerid/dctor. P301 P31	· I ahol olomonts				
The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Weightson and Second Se		ents			
Hazard pictograms Version Version GHS02 GHS06 GHS07 Hazard-determining components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes scinus eye irritation. H351 Suspected of causing cancer. H361 Suspected of causing gencer. H372 Causes damage to the central nervous system and the visual organs. H372 Causes damage to the central nervous system and the visual organs. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. P201 Ob not handle until all safety precautions have been read and understood. P210			e Globallv Harmonized System (GHS).		
 Signal word Danger Hazard-determining components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use eonly onn-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. 					
Signal word Danger Hazard-determining components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H361 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P211 Use explosion-proof electrical/ventilating/lighting/equipment. P240 Ground/bond container and receiving equipment. P241 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breath		^ ^			
Signal word Danger Hazard-determining components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P21 Obtain special instructions before use. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughy after handling.					
Signal word Danger Hazard-determining components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H361 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P211 Use explosion-proof electrical/ventilating/lighting/equipment. P240 Ground/bond container and receiving equipment. P241 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breath	<u> 79</u>				
 Signal word Danger Hazard-determining components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes skin irritation. H351 Suspected of causing cancer. H361 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 					
Hazard-determing components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H316 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H386 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeaterexposure. Precautionary statements P201 Obtain special instructions before use. P202 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge.	GHSUZ GHSU	6 GHSU7 GHSU8			
Hazard-determing components of labeling: Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H316 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeaterexposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray.	· Signal word Dar	naer			
Chloroform Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H316 Causes serious eye irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H366 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label).	-	-			
Methanol Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H361 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H372 Causes damage to the kidneys and the liver through prolonged or repeater exposure. Precautionary statements P201 P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. </td <td></td> <td>ning components of labeling:</td> <td></td>		ning components of labeling:			
Hazard statements H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeater exposure. Precautionary statements P201 Obtain special instructions before use. P202 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P260 Do not					
 H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H366 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeated exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 		nte			
 H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeater exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 			nr.		
 H315 Causes skin irritation. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H370 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 					
 H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H370 Causes damage to the central nervous system and the visual organs. H372 Causes damage to the kidneys and the liver through prolonged or repeated exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 					
 H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P243 Take precautionary measures against static discharge. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 					
 H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the visual organs. H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P243 Take precautionary measures against static discharge. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 					
 H336 May cause drowsiness or dizziness. H372 Causes damage to the kidneys and the liver through prolonged or repeate exposure. Precautionary statements P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P321 Specific treatment (see on this label). 	H361		r the unborn child.		
H372Causes damage to the kidneys and the liver through prolonged or repeate exposure.Precautionary statementsP201Obtain special instructions before use.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
exposure.Precautionary statementsP201Obtain special instructions before use.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
Precautionary statementsP201Obtain special instructions before use.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).	H372		ys and the liver through prolonged or repeated		
P201Obtain special instructions before use.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).	Broostionaria				
P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).	P241	Use explosion-proof electrical/ver			
P260Do not breathe dust/fume/gas/mist/vapors/spray.P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).		Use only non-sparking tools.			
P264Wash thoroughly after handling.P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P270Do not eat, drink or smoke when using this product.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).			st/vapors/spray.		
P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P280Wear protective gloves/protective clothing/eye protection/face protection.P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P301+P310If swallowed: Immediately call a poison center/doctor.P321Specific treatment (see on this label).					
P321 Specific treatment (see on this label).					
	P330	Rinse mouth.			
			(Contd. on page 3)		

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

(Contd.	from	page 2)

	f on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
•	
	F INHALED: Remove person to fresh air and keep comfortable for breathing.
	f in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
p	present and easy to do. Continue rinsing.
	F exposed or concerned: Get medical advice/attention.
P312 0	Call a poison center/doctor if you feel unwell.
P314 (Get medical advice/attention if you feel unwell.
P361+P364 7	Take off immediately all contaminated clothing and wash it before reuse.
P332+P313 I	f skin irritation occurs: Get medical advice/attention.
P337+P313 l [·]	f eye irritation persists: Get medical advice/attention.
P370+P378 I	n case of fire: Use CO2, powder or water spray to extinguish.
P403+P233 S	Store in a well-ventilated place. Keep container tightly closed.
P403+P235 S	Store in a well-ventilated place. Keep cool.
P405 S	Store locked up.
P501 E	Dispose of contents/container in accordance with local/regional/national/international
r	egulations.
· Classification syst	em:

• NFPA ratings (scale 0 - 4)



• HMIS-ratings (scale 0 - 4)

······	.,
HEALTH *2	Health = *2
FIRE 3	Fire = 3
REACTIVITY 0	Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 67-56-1 RTECS: PC1400000	Methanol	49.9208%	
CAS: 67-66-3 RTECS: FS9100000	Chloroform	49.9208%	
· Other ingredients			
Trade Secret		≤2.5%	

· Additional information:

The specific chemical identity of composition and exact percentage is being withheld as a trade secret. The specific chemical identity and exact percentage is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

(Contd. on page 4)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

(Contd. from page 3)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) Dispose contaminated material as waste according to section 13. 	
	Ensure adequate ventilation.	
•	Reference to other sections	
	See Section 7 for information on safe handling.	
	See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
	Protective Action Criteria for Chemicals	
•	PAC-1:	
	67-56-1 Methanol	530 ppm
	(Cont	d on nogo E)

(Contd. on page 5)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

67-66-3	Chloroform	(Contd. from page 4) 2 ppm
· PAC-2:		
67-56-1	Methanol	2,100 ppm
67-66-3	Chloroform	64 ppm
· PAC-3:		
67-56-1	Methanol	7200* ppm
67-66-3	Chloroform	3,200 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Com	· Components with limit values that require monitoring at the workplace:		
67-56	6-1 Methanol		
PEL	Long-term value: 260 mg/m³, 200 ppm		
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin		
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI		
67-60	5-3 Chloroform		
PEL	Ceiling limit value: 240 mg/m³, 50 ppm		
REL	Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A		
TLV	Long-term value: 10 ppm A3		
	(Contd. on page 6)		

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

(Contd. from page 5)

Ingredients	s with biological limit values:
67-56-1 Me	-
BEI 15 mg/	
	m: urine
	end of shift
	eter: Methanol (background, nonspecific)
Additional	information: The lists that were valid during the creation were used as basis.
Exposure of	
	rotective equipment:
	otective and hygienic measures:
	from foodstuffs, beverages and feed. y remove all soiled and contaminated clothing.
	s before breaks and at the end of work.
	ctive clothing separately.
	ict with the eyes and skin.
	equipment:
exposure us	brief exposure or low pollution use respiratory filter device. In case of intensive or longe se respiratory protective device that is independent of circulating air.
Protection	of hands:
I	
P	Protective gloves
The alove n	naterial has to be impermeable and resistant to the product/ the substance/ the preparation.
	sing tests no recommendation to the glove material can be given for the product/ the
	/ the chemical mixture.
	f the glove material on consideration of the penetration times, rates of diffusion and the
degradation	
Material of	gioves on of the suitable gloves does not only depend on the material, but also on further marks o
quality and substances be checked	varies from manufacturer to manufacturer. As the product is a preparation of several, the resistance of the glove material can not be calculated in advance and has therefore to prior to the application.
	n time of glove material preak through time has to be found out by the manufacturer of the protective gloves and has
to be observ	
Eye protec	
	ightly sealed goggles
	iginity sealed goggles
Physical	and chemical properties
Physical	
	n on basic physical and chemical properties
General Inf	
Appearanc	
Form	Liquid

- Form:
- Color:
- · Odor:

Liquid According to product specification Characteristic

(Contd. on page 7)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

Odar threadald.	(Contd. from page
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	61 °C (141.8 °F)
Flash point:	9.7 °C (49.5 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	211 hPa (158.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	- - - - - - - - - -
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	49.9 %
VOC content:	49.92 %
	499.2 g/l / 4.17 lb/gal
Solids content:	0.2 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.

(Contd. on page 8)

US

Revision date 06/02/2023

Printing date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

(Contd. from page 7) · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· LD/L	· LD/LC50 values that are relevant for classification:		
ATE	ATE (Acute Toxicity Estimate)		
Oral		LD50	181 mg/kg (rat)
Derr	mal	LD50	601 mg/kg (rabbit)
Inha	lative	LC50/4 h	3.1 mg/l (rat)
67-5	67-56-1 Methanol		

67-56-1 Methanol

•••••	••••••	
Oral	LD50	100.1 mg/kg (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Nausea, Vomiting
Dermal	LD50	300.1 mg/kg (rabbit) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
Inhalative	LC50/4 h	 3.1 mg/l (rat) (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Symptoms: Irritation symptoms in the respiratory tract.
67-66-3 C	hloroform	
Oral	LD50	908 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	3.1 mg/l (rat) Expert judgment
on the sk on the ey Sensitiza Additiona	e: Irritating tion: No se Il toxicolo uct shows	to skin and mucous membranes.
Carcinog	enic categ	ories
IARC (Int	ernational	Agency for Research on Cancer)
•	Chloroform	2B
NTP (Nati	ional Toxi	cology Program)
•		

67-66-3 Chloroform

R

(Contd. on page 9)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

(Contd. from page 8)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1992	
· · ·	0.1.002	
UN proper shipping name	Flammable liquids, toxic, n.o.s. (Methanol)	
IMDG	FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL	
	Flammable liquid, toxic, n.o.s. (METHANOL)	
Transport bazard alass(as)		
Transport hazard class(es)		
DOT		
RAMMABLE LOUDO		
Class	3 Flammable liquids	

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

	(Contd. from page
Label	3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
ΙΑΤΑ	
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code EMS Number: Stowage Category Stowage Code	Warning: Flammable liquids a): 336 F-E,S-D B SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
IATA Remarks:	When sold in quantities of less than or equal to 1 ml or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S (METHANOL), 3 (6.1), II

(Contd. on page 11)

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

Printing date 06/02/2023

(Contd. from page 10)

Safety, health and environmental regulations/legislation specific for the	substance or mixture
No further relevant information available.	
· Section 355 (extremely hazardous substances):	
67-66-3 Chloroform	
· Section 313 (Specific toxic chemical listings):	
67-56-1 Methanol	
67-66-3 Chloroform	
TSCA (Toxic Substances Control Act):	
67-56-1 Methanol	ACTIVI
67-66-3 Chloroform	ACTIVI
Hazardous Air Pollutants	· · · · · ·
67-56-1 Methanol	
67-66-3 Chloroform	
· Proposition 65	
Chemicals known to cause cancer:	
67-66-3 Chloroform	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
67-56-1 Methanol	
67-66-3 Chloroform	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, N
· TLV (Threshold Limit Value)	
67-66-3 Chloroform	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Substrate

(Contd.	. from page 11)
· Department issuing SDS: Environment protection department.	
Contact: -	
Date of preparation / last revision 06/02/2023	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Carcinogenicity 2: Carcinogenicity – Category 2	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1	
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Catego	ory 1
* Data compared to the previous version altered.	
	US



Printing date 06/02/2023

Revision date 06/02/2023

Page 1/9

1 Identification

- · Product identifier
- · Trade name: sPLA2 (Type V) Enzyme
- · Article number: 400601
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA

 Information department: Product safety department
 Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification



The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements None
- · Hazard pictograms None
- · Signal word None
- · Hazard statements None
- · Classification system:

NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTH0Health = 0FIRE1Fire = 1REACTIVITY0Reactivity = 0

(Contd. on page 2)

US

Printing date 06/02/2023

Revision date 06/02/2023

(Contd. from page 1)

Trade name: sPLA2 (Type V) Enzyme

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous component 	ents:	
CAS: 56-81-5 RTECS: MA8050000	Glycerol	20.0%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	78.1853%
CAS: 77-86-1 RTECS: TY2900000	Tris base	0.6062%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	0.5845%
CAS: 10043-52-4 RTECS: EV9800000	Calcium chloride	0.555%
	sPLA2 (Type V)	0.069%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

- A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Enzyme

(Contd. from page 2)

6 Accidenta	al release measures	
Environmer Dilute with p Do not allow Methods an Absorb with Reference t See Section See Section	recautions, protective equipment and emergency procedures Not required ntal precautions: lenty of water. to enter sewers/ surface or ground water. ad material for containment and cleaning up: liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu to other sections 7 for information on safe handling. 8 for information on personal protection equipment. 13 for disposal information.	
	Action Criteria for Chemicals	
· PAC-1:		
56-81-5	Glycerol	45 mg/m ³
77-86-1	Tris base	18 mg/m³
10043-52-4	Calcium chloride	12 mg/m ³
PAC-2:		
56-81-5	Glycerol	180 mg/m ³
77-86-1	Tris base	190 mg/m ³
10043-52-4	Calcium chloride	130 mg/m ³
· PAC-3:		
56-81-5	Glycerol	1,100 mg/m³
77-86-1	Tris base	1,200 mg/m³
10043-52-4	Calcium chloride	790 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

(Contd. on page 4)

US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Enzyme

(Contd. from page 3)
TLV TLV withdrawn-insufficient data human occup. exp.
• Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
Personal protective equipment:
General protective and hygienic measures:
The usual precautionary measures for handling chemicals should be followed.
Breathing equipment: Not required.
· Protection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the
preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of
quality and varies from manufacturer to manufacturer. As the product is a preparation of several
substances, the resistance of the glove material can not be calculated in advance and has therefore to
be checked prior to the application.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has
to be observed.
• Eye protection: Goggles recommended during refilling.

Information on basic physical and	chemical properties
General Information	
Appearance:	1 :
Form: Color:	Liquid
Odor:	According to product specification Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	199 °C (390.2 °F)
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	400 °C (752 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Enzyme

	(Contd. fre	om page 4
[.] Vapor pressure at 50 °C (122 °F):	~0 hPa	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	20.0 %	
Water:	78.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.8 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

 LD/LC50 values that are relevant for classification: 			
56-81-5 Glycero	I		
Oral	LD50	12,600 mg/kg (rat)	
Irritation of skin	Irritation	500 mg/24h (rabbit) mild	
Irritation of eyes	Irritation	500 mg/24h (rabbit) mild	
	Intraperitoneal LD50	4,420 mg/kg (rat)	
	Subcutaneous LD50	100 mg/kg (rat)	
· Primary irritant	· Primary irritant effect:		

- on the skin: No irritant effect.
- on the eye: No irritating effect.

(Contd. on page 6)

⁻ US

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Enzyme

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1760
· UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Glycerol)
·IMDG	CORROSIVE LIQUID, N.O.S. (Glycerol)

(Contd. from page 5)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Enzyme

	(Contd. from page
ΙΑΤΑ	Corrosive liquid, n.o.s. (Glycerol)
Transport hazard class(es)	
DOT	
UT The	
corrosive 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Pa	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-A,S-B A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
-	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum pat quantity par inpar packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
ΙΑΤΑ	· ····································
Remarks:	When sold in quantities of less than or equal to 1 ml
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimi
	Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
	Dangerous Goous/Excepted Quantity.
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL

(Contd. on page 8)

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Enzyme

Printing date 06/02/2023

(Contd. from page 7)

	th and environmental regulations/legislation specif elevant information available.	ic for the substance or mixture
Section 35	(extremely hazardous substances):	
None of the	ingredients is listed.	
	(Specific toxic chemical listings):	
None of the	ingredients is listed.	
TSCA (Tox	c Substances Control Act):	
7732-18-5	Water	ACTIVE
	Glycerol	ACTIVE
	Tris base	ACTIVE
	Sodium chloride	ACTIVE
	Calcium chloride	ACTIVE
	Air Pollutants	
	ingredients is listed.	
Proposition		
	known to cause cancer:	
	ingredients is listed.	
	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
None of the	ingredients is listed.	
-	ic categories	
•	onmental Protection Agency)	
None of the	ingredients is listed.	
•	nold Limit Value)	
	ingredients is listed.	
	National Institute for Occupational Safety and Healt	h)
None of the	ingredients is listed.	

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

(Contd. on page 9)

Printing date 06/02/2023

Revision date 06/02/2023

Trade name: sPLA2 (Type V) Enzyme

Partment issuing SDS: Environment protection department. Interact: - Interaction / last revision 06/02/2023 International Maritime Code for Dangerous Goods International Maritime Code for Dangerous Goods International Maritime Code for Dangerous Goods International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent	
Antact: - ate of preparation / last revision 06/02/2023 bireviations and acronyms: DG: International Maritime Code for Dangerous Goods DT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
Discretizions and acronyms: DG: International Maritime Code for Dangerous Goods DT: US Department of Transportation TA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
Discretizions and acronyms: DG: International Maritime Code for Dangerous Goods DT: US Department of Transportation TA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
DG: International Maritime Code for Dangerous Goods T: US Department of Transportation TA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) VC: Volatile Organic Compounds (USA, EU)	
DT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
A: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
IIS: Hazardous Materials Identification System (USA) IC: Volatile Organic Compounds (USA, EU)	
IC: Volatile Organic Compounds (USA, ÉU)	
50: Lethal concentration 50 percent	
50: Lethal dose, 50 percent	
T: Persistent, Bioaccumulative and Toxic	
vB: very Persistent and very Bioaccumulative	
DSH: National Institute for Occupational Safety	
HA: Occupational Safety & Health	
V: Threshold Limit Value	
L: Permissible Exposure Limit	
L: Recommended Exposure Limit	