



## Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

### 1 Identification

- **Product identifier**
- **Trade name: cPLA2 Assay Buffer**
- **Article number:** 765030
- **Application of the substance / the mixture**  
This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Cayman Chemical Co.  
1180 E. Ellsworth Rd.  
Ann Arbor, MI 48108  
USA
- **Information department:** Product safety department
- **Emergency telephone number:**  
During normal opening times: +1 (734) 971-3335  
US/CANADA: 800-424-9300  
Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

STOT RE 2      H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Acute 3      H402 Harmful to aquatic life.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Warning
- **Hazard-determining components of labeling:**  
Sodium chloride

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 1)

- **Hazard statements**

H373 May cause damage to organs through prolonged or repeated exposure.  
H402 Harmful to aquatic life.

- **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P273 Avoid release to the environment.  
P314 Get medical advice/attention if you feel unwell.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 0  
Fire = 1  
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0  
FIRE 1 Fire = 1  
REACTIVITY 0 Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 56-81-5 RTECS: MA8050000	Glycerol	60.0%
CAS: 7365-45-9 RTECS: TL6809000	HEPES, free acid	3.8%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	1.75%
	Triton X-100	≥0.25–<1%

- **Other ingredients**

CAS: 7732-18-5 RTECS: ZC0110000	Water	33.44%
CAS: 10035-04-8 RTECS: EV9810000	calcium chloride, dihydrate	0.29%
CAS: 9048-46-8 RTECS: AY9296000	Albumin, bovine	0.2%

- **Additional information:**

The specific chemical identity of composition and exact percentage is being withheld as a trade secret. The specific chemical identity and exact percentage is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of paragraph §1910.1200.

US

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 2)

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire fighting measures that suit the environment.  
A solid water stream may be inefficient.
- **Special hazards arising from the substance or mixture**  
67-56-1 During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

56-81-5	Glycerol	45 mg/m <sup>3</sup>
7365-45-9	HEPES, free acid	30 mg/m <sup>3</sup>

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 3)

10035-04-8	calcium chloride, dihydrate	16 mg/m <sup>3</sup>
<b>· PAC-2:</b>		
56-81-5	Glycerol	180 mg/m <sup>3</sup>
7365-45-9	HEPES, free acid	330 mg/m <sup>3</sup>
10035-04-8	calcium chloride, dihydrate	170 mg/m <sup>3</sup>
<b>· PAC-3:</b>		
56-81-5	Glycerol	1,100 mg/m <sup>3</sup>
7365-45-9	HEPES, free acid	2,000 mg/m <sup>3</sup>
10035-04-8	calcium chloride, dihydrate	1,100 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:** Store in accordance with information listed on the product insert.
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

### 56-81-5 Glycerol

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 4)

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

- **Form:**

Liquid

- **Color:**

According to product specification

- **Odor:**

Characteristic

- **Odor threshold:**

Not determined.

- **Formulation**

30 ml of 160 mM Hepes, pH 7.4, containing 300 mM sodium chloride, 20 mM CaCl<sub>2</sub>, 8 mM Triton X-100, 60% glycerol, and 2 mg/ml BSA

- **pH-value at 20 °C (68 °F):**

7.4

- **Change in condition**

- **Melting point/Melting range:**

Undetermined.

- **Boiling point/Boiling range:**

100 °C (212 °F)

- **Flash point:**

199 °C (390.2 °F)

- **Flammability (solid, gaseous):**

Not applicable.

- **Decomposition temperature:**

Not determined.

- **Auto igniting:**

Product is not selfigniting.

- **Danger of explosion:**

Product does not present an explosion hazard.

- **Explosion limits:**

- **Lower:**

Not determined.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 5)

<b>Upper:</b>	Not determined.
· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	60.0 %
<b>Water:</b>	33.4 %
<b>VOC content:</b>	0.00 %
	0.0 g/l / 0.00 lb/gal
<b>Solids content:</b>	6.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** strong oxidizing agents
- **Hazardous decomposition products:** carbon dioxide, carbon monoxide, nitrogen oxides

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### ATE (Acute Toxicity Estimate)

Oral	LD50	13,158 mg/kg
Inhalative	LC50/4 h	39.5 mg/l

### 56-81-5 Glycerol

Oral	LD50	12,600 mg/kg (rat)
Irritation of skin	Irritation	500 mg/24h (rabbit)
Irritation of eyes	Irritation	500 mg/24h (rabbit)
	Intraperitoneal LD50	4,420 mg/kg (rat)

(Contd. on page 7)

-US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 6)

	Subcutaneous LD50	100 mg/kg (rat)
<b>7647-14-5 Sodium chloride</b>		
Oral	LDLO	1,000 mg/kg (man)
	TDLO	650 ml/kg (man)
	LD50	4,000 mg/kg (mouse) 3,000 mg/kg (rat)
Inhalative	LD50	4 g/kg (mouse)
	LC50	320 mg/m <sup>3</sup> (mouse)
	TCLO	0.63 mg/m <sup>3</sup> (hmn)
	LCLO	29,300 mg/m <sup>3</sup> /7h (mouse)
Irritation of skin	Irritation	500 mg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	2,602 mg/kg (mouse)
	Subcutaneous LD50	31.6 mg/kg (rat)
	Intravenous LD50	59.5 mg/kg (rat)
	Data	15 mg/3D (hmn)
	Subcutaneous LD50	3 g/kg (mouse)
<b>Triton X-100</b>		
Oral	LD50	1,800 mg/kg (rat)
Irritation of skin	Irritation	500 µl/24h (rabbit)
Irritation of eyes	Irritation	10 µl/24h (rabbit)
	Intravenous LD50	1,200 mg/kg (mouse)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer



(Contd. from page 7)

- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>   | UN1760   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul> | Corrosive liquids, n.o.s. (Glycerol)<br>CORROSIVE LIQUID, N.O.S. (Glycerol)<br>Corrosive liquid, n.o.s. (Glycerol) |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>  |                                 |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>   | 8 Corrosive substances<br>8  |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>  |                                 |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>   | 8 Corrosive substances<br>8  |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>   | III  |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> </ul>  | Not applicable.  |

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 8)

<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b> 80</li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> </ul>	<p>Warning: Corrosive substances</p> <p>F-A,S-B</p> <p>A</p> <p>SW2 Clear of living quarters.</p>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> <li>· <b>DOT</b></li> <li>· <b>Quantity limitations</b></li> </ul>	<p>On passenger aircraft/rail: 5 L</p> <p>On cargo aircraft only: 60 L</p>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<p>5L</p> <p>Code: E1</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> <li>· <b>Remarks:</b></li> </ul>	<p>When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.</p>
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	UN 1760 CORROSIVE LIQUID, N.O.S. (GLYCEROL), 8, III

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

56-81-5	Glycerol	ACTIVE
7732-18-5	Water	ACTIVE
7365-45-9	HEPES, free acid	ACTIVE
7647-14-5	Sodium chloride	ACTIVE
	Triton X-100	ACTIVE
9048-46-8	Albumin, bovine	ACTIVE

- **Hazardous Air Pollutants**

None of the ingredients is listed.

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2022

Revision date 03/29/2022

Trade name: cPLA2 Assay Buffer

(Contd. from page 9)

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- **Department issuing SDS:** Environment protection department.

- **Contact:** -

- **Date of preparation / last revision** 03/29/2022 / -

- **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

- **\* Data compared to the previous version altered.**