

Multi-region format

Revision:	06/26/2019
Supersedes Revision:	11/07/2014

	Ů	to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83	
	Section 1. Id	entification of the Substance/Mixture and of the	he Company/Undertaking
.1	Product Code:	9000142	
	Product Name:	15-keto Prostaglandin A1	
	Synonyms:	9,15-dioxo-prosta-10,13E-dien-1-oic acid; 15-	keto PGA1;
2	Relevant identified uses of	he substance or mixture and uses advised ag	ainst:
	Relevant identified uses:	For research use only, not for human or veteri	nary use.
.3	Details of the Supplier of the	e Safety Data Sheet:	
	Company Name:	Cayman Chemical Company	
		1180 E. Ellsworth Rd.	
		Ann Arbor, MI 48108	
	Web site address:	www.caymanchem.com	
	Information:	Cayman Chemical Company	+1 (734)971-3335
4	Emergency telephone numb		
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887
		Section 2. Hazards Identific	ation
.1	Classification of the Substa	nce or Mixture:	
	Flammable Liquids, Categ	jory 2	
	Serious Eye Damage/Eye	Irritation. Category 2	
		acity (single exposure). Category 5	
.2	Label Elements:	kicity (single exposure), Category 3	
.2	Label Elements:		
.2	Label Elements:	Danger	
.2	Label Elements:	Danger	
.2	Label Elements:	<b>Danger</b> re may cause skin dryness or cracking.	
2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu	<b>Danger</b> re may cause skin dryness or cracking. uid and vapor.	
.2	Label Elements:	<b>Danger</b> re may cause skin dryness or cracking. uid and vapor. rritation.	
.2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H319: Causes serious eye in H336: May cause drowsines	<b>Danger</b> re may cause skin dryness or cracking. uid and vapor. rritation.	
.2	Label Elements:	<b>Danger</b> re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness.	1
.2	Label Elements:	<b>Danger</b> re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking	].
.2	Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H319: Causes serious eye i H336: May cause drowsine: GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dustants}	<b>Danger</b> re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}.	].
.2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling.	
2	Label Elements:	<b>Danger</b> re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}.	
.2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection	ion}.
.2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling.	ion}.
.2	Label Elements: Constraints CHS Signal Word: CHS Signal Word: CHS Hazard Phrases: EUH066: Repeated exposured H225: Highly flammable liqued H319: Causes serious eye in H336: May cause drowsines CHS Precaution Phrases: P210: Keep away from {heat P261: Avoid breathing {dust P264: Wash {hands} thorout P280: Wear {protective glow CHS Response Phrases: P303+361+353: IF ON SKII water/shower.	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection	ion}. minated clothing. Rinse skin with
.2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection (or hair): Remove/take off immediately all contained emove victim to fresh air and keep at rest in a pos	ion}. minated clothing. Rinse skin with ition comfortable for breathing.
.2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection N (or hair): Remove/take off immediately all conta	ion}. minated clothing. Rinse skin with ition comfortable for breathing.
2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection (or hair): Remove/take off immediately all contained emove victim to fresh air and keep at rest in a pos	ion}. minated clothing. Rinse skin with ition comfortable for breathing.
2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection N (or hair): Remove/take off immediately all conta emove victim to fresh air and keep at rest in a pos S: Rinse cautiously with water for several minutes	ion}. minated clothing. Rinse skin with ition comfortable for breathing.
.2	Label Elements:	Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ghly after handling. res/protective clothing/eye protection/face protection N (or hair): Remove/take off immediately all conta emove victim to fresh air and keep at rest in a pos S: Rinse cautiously with water for several minutes TER or doctor/physician if you feel unwell. ersists, get medical advice/attention.	ion}. minated clothing. Rinse skin with ition comfortable for breathing.



Revision: 06/26/2019

ay	man		C	:	Revision: 06/26/2019 Supersedes Revision: 11/07/2014
2.3	Adverse Human Hea Effects and Symptor	<ul> <li>Material may be irritating to t</li> <li>May be harmful by inhalation</li> <li>May cause drowsiness or diz</li> <li>May cause skin or respirator</li> <li>Repeated exposure may cause</li> </ul>	he mucous membra n, ingestion, or skin zziness. y system irritation. ise skin dryness or	anes and upper res absorption. cracking.	
	S	ection 3. Composition	/Information	on Ingredie	nts
CAS RTEC		components (Chemical Name)/ stration No.	Concentration	EC No./ EC Index No.	GHS Classification
6160 NA	0-67-7 15-keto Prosta	glandin A1	1.0 %	NA NA	No data available.
79- AI910	-20-9 Methyl acetate 0000 01-211945921	1-47	99.0 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066
		Section 4. Fi	rst Aid Meas	sures	
.1	Description of First / Measures: In Case of Inhalation In Case of Skin Cont	Remove to fresh air. If not bro Get immediate medical atten	tion. oap and plenty of w	vater for at least 15	ve oxygen by trained personne 5 minutes. Remove contamina
	In Case of Eye Conta	-	eyes with plenty of	-	5 minutes. Have eyes examin
	In Case of Ingestion:	Wash out mouth with water p unconscious person. Get me medical personnel.	-	-	ive anything by mouth to an ng unless directed to do so by
1.2	Important Symptoms Effects, Both Acute a Delayed:	and Exposure may cause: coughind chest tightness.	ng, dizziness, drow	vsiness, headache,	narcosis, optic nerve atrophy,
		Section 5. Fire	Fighting Me	asures	
5.1		<ul> <li>Use alcohol-resistant foam, of Use water spray to cool fire-of</li> <li>hing A solid water stream may be</li> </ul>	exposed containers		spray.
5.2	Media: Flammable Propertie	s andCan release vapors that form	n explosive mixtures	s at temperatures a	at or above the flash point.
	Hazards:	Container explosion may occ Emits toxic fumes under fire Sensitive to static discharge. Vapors can travel to a source No data available.	conditions.		
	Flash Pt: Explosive Limits:	-10.00 C Method Used: C LEL: 3.1% at 25.0 C	-	% at 25.0 C	
	Autoignition Pt:	455.00 C	022. 10107	% at 25.0 C	



Revision: 06/26/2019 Supersedes Revision: 11/07/2014

		Note: Flammable as dilute	ctive gear to prevent contact with skin and eyes. ed in methyl acetate.	
		Section 6. Accide	ental Release Measures	
5.1 5.2 5.3	Emergency Procedures: Environmental Precautions: Methods and Material Fo	<ul> <li>d As conditions warrant, we and appropriate personal</li> <li>Take steps to avoid relear</li> <li>r Contain spill and collect, and collect,</li></ul>	nd provide adequate ventilation. ear a NIOSH approved self-contained breathing protection (rubber boots, safety goggles, and h use into the environment, if safe to do so. as appropriate. aste container for disposal in accordance with lo	eavy rubber gloves).
	Up:	Section 7 U	andling and Storage	
	Descentions To Do Talan		andling and Storage	
7.1	in Handling:	<ul> <li>Avoid breathing dust/fume</li> <li>Avoid prolonged or repeat</li> <li>Keep away from sources</li> <li>Take precautionary meas</li> </ul>	of ignition.	
7.2       Precautions To Be Taken       Keep away from heat, sparks, and flame.         in Storing:       Keep container tightly closed.         Store in accordance with information listed o         Other Precautions:       Protect from moisture.			arks, and flame. sed.	
	Sec	tion 8. Exposure	Controls/Personal Protection	
8.1	Exposure Parameters:	·		
CAS	# Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
79-20	9-9 Methyl acetate	ACGIH TLV France VL	TLV: 200 ppm STEL: 250 ppm TWA: 610 mg/m3 (200 ppm)	
		OSHA PELs Britain EH40	STEL: 760 mg/m3 (250 ppm)           PEL: 200 ppm           TWA: 616 mg/m3 (200 ppm)	
			STEL: 770 mg/m3 (250 ppm)	
8.2 8.2.1	Exposure Controls: Engineering Controls (Ventilation etc.):	levels below recommende	local exhaust ventilation, or other engineering co	ontrols to control airborn
8.2.2		-		
	Eye Protection:	Safety glasses		
	Protective Gloves: Other Protective Clothing	Compatible chemical-resis	stant gloves	
	Respiratory Equipment (Specify Type):	NIOSH approved respirate	or, as conditions warrant.	
	Work/Hygienic/Maintena ce Practices:	-	g this material should be equipped with an eyev ndling.	vash and a safety showe



	Supersedes Revision: 11/07/20
S	Section 9. Physical and Chemical Properties
Information on Basic Phy	ysical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	A solution in methyl acetate
pH:	No data.
Melting Point:	No data.
Boiling Point:	No data.
Flash Pt:	-10.00 C Method Used: Closed Cup
Evaporation Rate:	No data.
Flammability (solid, gas)	): No data available.
Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C
Vapor Pressure (vs. Air	or mm 173 MM_HG at 20.0 C
Hg):	
Vapor Density (vs. Air =	1): No data.
Specific Gravity (Water =	= 1): No data.
Solubility in Water:	No data.
Octanol/Water Partition	No data.
Coefficient:	
Autoignition Pt:	455.00 C
Decomposition Tempera	ature: No data.
Viscosity:	No data.
Other Information	
Percent Volatile:	No data.
	Section 10. Stability and Reactivity
Popotivity	No data available.
-	Unstable [ ] Stable [ X ]
-	Stable if stored in accordance with information listed on the product insert.
• • • •	Will occur [ ]     Will not occur [ X ]
-	
	heat, flames, and sparks
To Avoid:	alkalis
	nitrates
	strong oxidizing agents carbon dioxide
Hamandawa	carbon dioxide
Hazardous	carbon monovide
Decomposition or	carbon monoxide
	carbon monoxide
Decomposition or	carbon monoxide
	Information on Basic Phy Physical States: Appearance and Odor: pH: Melting Point: Boiling Point: Flash Pt: Evaporation Rate: Flammability (solid, gas) Explosive Limits: Vapor Pressure (vs. Air e Hg): Vapor Density (vs. Air = Specific Gravity (Water = Solubility in Water: Octanol/Water Partition Coefficient: Autoignition Pt: Decomposition Tempera Viscosity:



Revision: 06/26/2019 Supersedes Revision: 11/07/2014

	HEMICAL		Contine 11	Taviaglagia	lloform		upersedes Revis	sion: 11/07/20
	Section 11. Toxicological Information           1 Information on         The toxicological effects of this product have not been thoroughly studied.							
11.1		tion on ogical Effects: Toxicological	The toxicological effe Methyl Acetate - Tox Skin LD50 (rabbit): > Methyl Acetate - Irrita moderate; Methyl Acetate - Inve Only select Registry See actual entry in R	icity Data: Oral LD 5,000 mg/kg; Inhala ation Data: Skin (ra estigated as a muta of Toxic Effects of	i0 (rat): >5,00 ation TCLO (f obit): 500 mg gen and prim Chemical Sub	0 mg/kg; Oral human): 15,000 (24h) mild; Ey ary irritant.	LD50 (rabbit): 0 mg/m3; es (rabbit): 100	) mg (24h)
			Methyl Acetate RTE					
Carcir	nogenicity	/:	NTP? No IARC Monographs? No	OSHA Re	egulated? No			
CAS	#	Hazardous Com	ponents (Chemical N	lame)	NTP	IARC	ACGIH	OSHA
6160	00-67-7	15-keto Prostagla	andin A1		n.a.	n.a.	n.a.	n.a.
79	-20-9	Methyl acetate			n.a.	n.a.	n.a.	n.a.
			Section 12	2. Ecological	Informat	ion		
12.1	Toxicity		Avoid release into the	e environment.				
			Runoff from fire cont	rol or dilution water	may cause p	ollution.		
	Develote							
12.2	Persiste	nce and	No data available.					
12.2	Degrada		No data available.					
	Degrada		No data available. No data available.					
	Degrada	bility: mulative						
12.3	Degrada Bioaccu	bility: mulative I:						
12.3 12.4	Degrada Bioaccu Potentia Mobility	ibility: mulative I: in Soil:	No data available.					
12.3 12.4	Degrada Bioaccu Potentia Mobility	ibility: mulative I: in Soil: of PBT and vPvB	No data available. No data available.					
12.3 12.4 12.5	Degrada Bioaccu Potentia Mobility Results assessm	ibility: mulative I: in Soil: of PBT and vPvB	No data available. No data available.					
12.3 12.4 12.5	Degrada Bioaccu Potentia Mobility Results assessm	ibility: mulative l: in Soil: of PBT and vPvB nent:	No data available. No data available. No data available. No data available.	Disposal Co	onsiderat	ions		
12.3 12.4 12.5 12.6	Degrada Bioaccu Potentia Mobility Results assessm Other ad	ibility: mulative l: in Soil: of PBT and vPvB nent: Iverse effects:	No data available. No data available. No data available. No data available.					
12.3 12.4 12.5 12.6	Degrada Bioaccu Potentia Mobility Results assessm Other ad	ibility: mulative l: in Soil: of PBT and vPvB nent: Iverse effects:	No data available. No data available. No data available. No data available. <b>Section 13.</b> Dispose in accordance		and federal r	egulations.		
12.3 12.4 12.5 12.6	Degrada Bioaccu Potentia Mobility Results assessm Other ad	ibility: mulative l: in Soil: of PBT and vPvB nent: Iverse effects:	No data available. No data available. No data available. No data available. <b>Section 13.</b> Dispose in accordance <b>Section 1</b> .	ce with local, state,	and federal r	egulations.		
12.3 12.4 12.5 12.6 13.1 14.1	Degrada Bioaccu Potentia Mobility Results assessm Other ad Waste D	ibility: mulative l: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method:	No data available. No data available. No data available. No data available. Section 13. Dispose in accordance Section 14 Dott):	ce with local, state, 4. Transport	and federal r	egulations.		
12.3 12.4 12.5 12.6 13.1 14.1 D	Degrada Bioaccu Potentia Mobility Results assessm Other ad Waste D	ability: mulative l: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name	No data available. No data available. No data available. No data available. Section 13. Dispose in accordance Section 14 DOT): Methyl Acetate S	ce with local, state, 4. Transport	and federal r	egulations.		
D	Degrada Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T	ability: mulative l: in Soil: of PBT and vPvB nent: Iverse effects: visposal Method: RANSPORT (US ) r Shipping Name d Class:	No data available. No data available. No data available. No data available. Section 13. Dispose in accordance Section 14 DOT): Methyl Acetate S	ce with local, state, 4. Transport Solution FLAMMABLE LIQU	and federal r	egulations.		
12.3 12.4 12.5 12.6 13.1 14.1 D U	Degrada Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope OT Hazard	ability: mulative l: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name d Class: nber:	No data available. No data available. No data available. No data available. Section 13. Dispose in accordance Section 14 DOT): Methyl Acetate S 3 UN1231	ce with local, state, 4. Transport Solution FLAMMABLE LIQU	and federal r Informat	egulations.	11	
12.3 12.4 12.5 12.6 13.1 14.1 D U	Degrada Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope OT Hazard	ability: mulative l: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name d Class: nber:	No data available. No data available. No data available. No data available. Section 13. Dispose in accordance Section 14 Dispose in accordance Dispose in accordance Section 14 Dispose in accordance	ce with local, state, 4. Transport Solution FLAMMABLE LIQU F	and federal r Informat	egulations.		
12.3 12.4 12.5 12.6 13.1 14.1 D U 14.1 A	Degrada Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope OT Hazard N/NA Nun	ability: mulative l: in Soil: of PBT and vPvB hent: dverse effects: rsposal Method: RANSPORT (US I r Shipping Name d Class: nber: RANSPORT (Euro hipping Name:	No data available. No data available. No data available. No data available. Section 13. Dispose in accordance Section 14 DOT): Methyl Acetate S 3 UN1231	ce with local, state, <b>4. Transport</b> Solution FLAMMABLE LIQU F	and federal r Informat	egulations. ion ıp:		
12.3 12.4 12.5 12.6 13.1 14.1 D U 14.1 A U	Degrada Bioaccu Potentia Mobility Results assessm Other ad Waste D LAND T OT Prope OT Hazard	ability: mulative l: in Soil: of PBT and vPvB nent: dverse effects: isposal Method: RANSPORT (US I r Shipping Name d Class: nber: RANSPORT (Euro hipping Name: r:	No data available. No data available. No data available. No data available. Section 13. Dispose in accordance Section 14 Dispose in accordance Dispose in accordance Section 14 Dispose in accordance	ce with local, state, 4. Transport Solution FLAMMABLE LIQU F Solution	and federal r Informat	egulations. ion ıp:	 	

Multi-region format



### 14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name:	Methyl Acetate Solution		
UN Number:	1231	Packing Group:	II
Hazard Class:	3 - FLAMMABLE LIQUID	IATA Classification:	3
Additional Transport	Transport in accordance with loca	al, state, and federal regulations.	
Information:	When sold in quantities of less that	an or equal to 1 mL, or 1 g, with ar	Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets	s the De Minimis Quantities exemp	tion, per IATA 2.6.10.
	Therefore packaging does not have	ve to be labeled as Dangerous Go	ods/Excepted Quantity.

# Section 15. Regulatory Information

CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
61600-67-7	15-keto Prostaglandin A1		No	No	No	
79-20-9	Methyl acetate		No	No	No	
CAS #	Hazardous Components (Chemical Name)		Other US EPA or State Lists			
61600-67-7	15-keto Prostaglandin A1		CAA HAP,ODC: N PROP.65: No	o; CWA NPDES	: No; TSCA: No; CA	
79-20-9	Methyl acetate		CAA HAP,ODC: N Inventory, 8A PAIF			
Regulatory Inf Statement:	ormation	This SDS was prepared in acco No.1272/2008.	rdance with 29 CFR	1910.1200 and R	egulation (EC)	
		Section 16. Oth	er Informatio	n		
Revision Date:	:	06/26/2019				
Additional Info This Product:	ormation About	No data available.				
Company Policy or Disclaimer: DISCLAIMER currently avai express or im		DISCLAIMER: This information currently available to us. Howev express or implied, with respect use. Users should make their or	er, we make no warra to such information,	anty of merchanta and we assume r	ability or any other warrant no liability resulting from its	