

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/09/2024

Revision date 07/09/2024

Page 1/11

1 Identification

- · Product identifier
- Trade name: <u>Cholesteryl Palmitate-d7</u>
- · Synonym
- Article number: 9000422
- **Application of the substance / the mixture** This product is for research use - Not for human or veterinary diagnostic or therapeutic use.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd. Ann Arbor, MI 48108
- USA • Information department: Product safety department • Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3

GHS08 Health hazard

Carcinogenicity 2 Toxic to Reproduction 2

H331 Toxic if inhaled.

- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure H372 Causes damage to the central nervous 1 system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

GHS07 Acute Toxicity - Oral 4

H302 Harmful if swallowed.

(Contd. on page 2)

US

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7	
	(Contd. from page 1)
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
Specific Target Organ Toxicity - Single Exposure 3	-
 Label elements GHS label elements The product is classified and labeled according to th Hazard pictograms 	ie Globally Harmonized System (GHS).
GHS06 GHS07 GHS08	
· Signal word Danger	
 Hazard-determining components of labeling: Chloroform 	
 Hazard statements H302 Harmful if swallowed. 	
H331 Toxic if inhaled. H315 Causes skin irritation.	
H319 Causes serious eye irritation.	
H351 Suspected of causing cancer.	
H361 Suspected of damaging fertility or the unborn	child.
H336 May cause drowsiness or dizziness.	
	m, the kidneys, the liver and the respiratory system
Precautionary statements	
P201 Obtain special instructions before	
	cautions have been read and understood.
P260 Do not breathe dust/fume/gas/mi	ist/vapors/spray.
P264 Wash thoroughly after handling.	
P270 Do not eat, drink or smoke when	
P271 Use only outdoors or in a well-ve	
	e clothing/eye protection/face protection.
P301+P312 If swallowed: Call a poison cente	r/doctor if you teel unwell.
P330 Rinse mouth.	ator
P302+P352 If on skin: Wash with plenty of wa	
	fresh air and keep comfortable for breathing. water for several minutes. Remove contact lenses, if
present and easy to do. Continue	
P308+P313 IF exposed or concerned: Get me	
P321 Specific treatment (see on this la	
P314 Get medical advice/attention if yo	
P362+P364 Take off contaminated clothing a	
P332+P313 If skin irritation occurs: Get media	
P337+P313 If eye irritation persists: Get medi	
P403+P233 Store in a well-ventilated place. K	
P405 Store locked up.	, , , , , , , , , , , , , , , , , , , ,
P501 Dispose of contents/container in	accordance with local/regional/national/international
regulations.	(Contd. on page 3)

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

(Contd. from page 2)

99.0%

1.0%

Classification system:
 NFPA ratings (scale 0 - 4)

200 F

Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-66-3 Chloroform RTECS: FS9100000

· Other ingredients

1416275-32-5 Cholesteryl Palmitate-d7

4 First-aid measures

- Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

(Contd. from page 3)

5 Fire-fighting measures

- Extinguishing media
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment. A solid water stream may be inefficient.
- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 67-66-3 Chloroform · PAC-2: 67-66-3 Chloroform · PAC-3:
- 67-66-3 Chloroform

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- **Storage:** Store in accordance with information listed on the product insert.
- Storage: Store in accordance with information listed on the product listen.
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

US

2 ppm

64 ppm

3,200 ppm

Printing date 07/09/2024

Revision date 07/09/2024

(Contd. from page 4)

Trade name: Cholesteryl Palmitate-d7

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm

REL Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A

TLV Long-term value: 10 ppm

A3 Ŭ

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses

(Contd. on page 6)

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

(Contd. from page 5)



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and	chemical properties
 General Information Appearance: Form: Color: Odor: Structural Formula Molecular Weight Odor threshold: Formulation 	Liquid According to product specification Pleasant C43H69D7O2 632.1 g/mol Not determined. A Solution in Chloroform
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-63.5 °C (-82.3 °F) 61 °C (141.8 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	982 °C (1,799.6 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
[·] Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	211 hPa (158.3 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.48 g/cm³ (12.3506 lbs/gal) Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water at 20 °C (68 °F): 	8 g/l
· Partition coefficient (n-octanol/wat	er): Not determined.
[·] Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	0.56 mPas Not determined.
	(Contd. on page

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

	(Con	td. from page 6
 Solvent content: VOC content: 	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	1.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 917 mg/kg (rat) Inhalative LC50/4 h 3.13 mg/l (rat)

67-66-3 Chloroform

Oral	LD50	908 mg/kg (rat) OECD Test Guideline 401
Inhalative	LC50/4 h	3.1 mg/l (rat) Expert judgment

· Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic Harmful

Irritant

· Carcinogenic categories

 IARC (International Agency for Research on Cancer) 	
67-66-3 Chloroform	2B
· NTP (National Toxicology Program)	
67-66-3 Chloroform	R
(Cont	td. on page 8)

119

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN1888	
Chloroform solution	
CHLOROFORM solution	
6.1 Toxic substances	
	Chloroform solution CHLOROFORM solution

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

	(Contd. from page 8
· Label	6.1
· IMDG, IATA	
5 × 10 × 10 × 10 × 10 × 10 × 10 × 10 × 1	
· Class · Label	6.1 Toxic substances 6.1
 Packing group DOT, IMDG, IATA 	III
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Toxic substances 60 F-A,S-A (SGG10) Liquid halogenated hydrocarbons A SW2 Clear of living quarters.
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1888 CHLOROFORM SOLUTION, 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

67-66-3 Chloroform

(Contd. on page 10)

US

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

	(Contd. from page
Section 313 (Specific toxic chemical listings):	
67-66-3 Chloroform	
TSCA (Toxic Substances Control Act):	
67-66-3 Chloroform	ACTIV
Hazardous Air Pollutants	
67-66-3 Chloroform	
Proposition 65	
Chemicals known to cause cancer:	
67-66-3 Chloroform	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
67-66-3 Chloroform	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
67-66-3 Chloroform	B2, L, N
TLV (Threshold Limit Value)	·
67-66-3 Chloroform	Α
NIOSH-Ca (National Institute for Occupational Safety and Health)	
67-66-3 Chloroform	
Chemical safety assessment: A Chemical Safety Assessment has not been carrie	d out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 07/09/2024 / -
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/09/2024

Revision date 07/09/2024

Trade name: Cholesteryl Palmitate-d7

	(Contd. from page 10)
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Carcinogenicity 2: Carcinogenicity – Category 2	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Cat	egory 3
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1
* Data compared to the previous version altered.	· • •