

Multi-region format

Revision: 04/02/2015

1	200000000000000000000000000000000000000	dentification of the Substance/Mixture and of th							
. 1	Product Code:	0000700							
	Product Code: Product Name:	9000738 .gammaLinolenic Acid ethyl ester							
	Synonyms:	6Z,9Z,12Z-octadecatrienoic acid, ethyl ester; G	A othyl octor:						
		-	-						
.2		f the substance or mixture and uses advised aga							
	Relevant identified uses:	For research use only, not for human or vetering	hary use.						
1.3	Details of the Supplier of the Safety Data Sheet:								
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108							
	Web site address:	www.caymanchem.com							
	Information:	Cayman Chemical Company	+1 (734)971-3335						
.4	Emergency telephone nun								
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300						
	0 /	CHEMTREC Outside USA and Canada:	+1 (703)527-3887						
		Section 2 Hazards Identifica	ation						
<u> </u>	Classification of the Subst	Section 2. Hazards Identifica	ation						
	Classification of the Subst	ance or Mixture:	ation						
	Classification according t	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]:	ation						
2.1 2.1.1	Classification according t Flammable Liquids, Cate	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]:	ation						
	Classification according t Flammable Liquids, Cate Label Elements:	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]:	ation						
2.1.1 2.2	Classification according t Flammable Liquids, Cate Label Elements:	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2	ation						
2.1.1 2.2	Classification according t Flammable Liquids, Cate Label Elements:	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2	ation						
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]:	ation						
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg GHS Signal Word:	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]: Danger	ation						
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases:	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]: Danger	ation						
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lite GHS Precaution Phrases	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]: Danger							
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable line GHS Precaution Phrases P210: Keep away from {here	cance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]: Danger quid and vapor.							
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable line GHS Precaution Phrases P210: Keep away from {here	cance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]: Danger quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protection							
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lite GHS Precaution Phrases P210: Keep away from {he P280: Wear {protective glo GHS Response Phrases	cance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]: Danger quid and vapor. S: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protection	on}.						
2.1.1 2.2	Classification according to Flammable Liquids, Cate Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lite GHS Precaution Phrases P210: Keep away from {he P280: Wear {protective glo GHS Response Phrases P303+361+353: IF ON SK	ance or Mixture: o Regulation (EC) No 1272/2008 [CLP]: egory 2 gulation (EC) No 1272/2008 [CLP]: Danger quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protection clother in the state of the state o	on}.						



2.3 **Adverse Human Health** Material may be irritating to the mucous membranes and upper respiratory tract. **Effects and Symptoms:** 

May be harmful by inhalation, ingestion, or skin absorption.

May cause eye, skin, or respiratory system irritation.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

### Section 3. Composition/Information on Ingredients

CAS # / Hazardous Components (Chemical Name)/   RTECS # REACH Registration No.		Concentration	EC No./ EC Index No.	GHS Classification
31450-14-3 NA	6,9,12-Octadecatrienoic acid, ethyl ester, (6Z,9Z,12Z)-	50.0 %	NA NA	No data available.
64-17-5 KQ6300000	Ethyl alcohol	50.0 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225

		Section 4. First Aid Measures							
l.1	Description of First Aid	Description of First Aid No data available.							
	Measures:								
	In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.							
	In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminate clothing. Get medical attention if symptoms occur. Wash clothing before reuse.							
	In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.							
	In Case of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.							
.2	Important Symptoms and	May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude							
	Effects, Both Acute and	(weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.							
	Delayed:								
		Section 5. Fire Fighting Measures							
5.1	Suitable Extinguishing	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.							
	Media:	Use water spray to cool fire-exposed containers.							
<b>Unsuitable Extinguishing</b> A solid water stream may be inefficient. <b>Media:</b>									
5.2	Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.								
	Hazards:	Container explosion may occur under fire conditions.							
		Emits toxic fumes under fire conditions.							
		Sensitive to static discharge.							
		Vapors can travel to a source of ignition and flash back.							
	Flash Pt:	14.00 C Method Used: Closed Cup							
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C							
	Autoignition Pt:	363.00 C							
.3	Fire Fighting Instructions	<b>s:</b> As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.							

Multi-region format



Revision: 04/02/2015

			Section 6. Ad	ccidental Release Me	easures			
6.1	Protect	ive Precautions,	Avoid breathing var	pors and provide adequate venti	lation.			
	Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirate							
	Emerge	ency Procedures:	and appropriate per	rsonal protection (rubber boots,	safety goggles, and heavy	rubber gloves).		
6.2	Enviror	nmental	Take steps to avoid	release into the environment, it	safe to do so.			
	Precaut	tions:						
6.3	Method	s and Material Fo	r Contain spill and co	ollect, as appropriate.				
	Contair	ment and Cleanii	<b>ng</b> Transfer to a chemi	ical waste container for disposal	in accordance with local re	egulations.		
	Up:							
			Section 7	7. Handling and Stor	age			
7.1	Precaut	tions To Be Taker	Avoid breathing dus	t/fume/gas/mist/vapours/spray.				
	in Hanc	lling:	Avoid prolonged or	repeated exposure.				
		-	Keep away from sou	urces of ignition.				
			Take precautionary	measures against static dischar	ge.			
7.2	Precau	tions To Be Taker	N Keep away from hea	at, sparks, and flame.				
	in Stori	ng:	Keep container tight	tly closed.				
			Store in accordance	e with information listed on the p	roduct insert.			
	Other P	recautions:	Hygroscopic.					
		Sec	tion 8. Expos	ure Controls/Persona	al Protection			
3.1	Exposu	re Parameters:			_			
CAS	#	Partial Chemical	I Name	Britain EH40	France VL	Europe		
314	50-14-3	6,9,12-Octadecat ester, (6Z,9Z,12Z	trienoic acid, ethyl ː)-	No data.	No data.	No data.		
64	-17-5	Ethyl alcohol		TWA: 1920 mg/m3 (1000 ppm) STEL: ()	TWA: 1900 mg/m3 (1000 No da	No data.		
					ppm)			
					STEL: 9500 mg/m3 (5000 ppm)			
CAS	#	Partial Chemical	I Name	OSHA TWA		Other Limits		
				No data.	No data.	No data.		
514	50-14-5	6,9,12-Octadecatrienoic acid, ethyl ester, (6Z,9Z,12Z)-						
64	-17-5	Ethyl alcohol		PEL: 1000 ppm	TLV: 1000 ppm	No data.		
3.2	Exposu	re Controls:		•		·		
8.2.1	Engine	ering Controls	Use process enclos	ures, local exhaust ventilation, c	or other engineering contro	ls to control airborn		
	(Ventila	tion etc.):	levels below recomr	nmended exposure limits.				
8.2.2	Person	al protection equi	ipment:					
	Eye Pro	otection:	Safety glasses					
Protec		ive Gloves:	Compatible chemica	al-resistant gloves				
	Other Protective Clothing:Lab coat							
	Respira	atory Equipment	NIOSH approved re	spirator, as conditions warrant.				
	(Specif	у Туре):						
	Work/H	ygienic/Maintena	n Do not take internal	ly.				
ce Pra		tices:	Facilities storing or	utilizing this material should be equipped with an eyewash and a safety showe ter handling.				
			Wash thoroughly af					
			No data available.					



Revision: 04/02/2015

	S	Section 9. Physical and Chemical Properties				
9.1	Information on Basic Phy	sical and Chemical Properties				
	Physical States:	[]Gas [X]Liquid []Solid				
	Appearance and Odor:	A solution in ethanol				
	Melting Point:	No data.				
	Boiling Point:	No data.				
	Flash Pt:	14.00 C Method Used: Closed Cup				
	Evaporation Rate:	No data.				
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C				
	Vapor Pressure (vs. Air o	or mm 43 MM_HG at 20.0 C				
	Hg):					
	Vapor Density (vs. Air = 1	1): No data.				
	Specific Gravity (Water =					
	Solubility in Water:	No data.				
	Autoignition Pt:	363.00 C				
9.2	Other Information					
0.2	Percent Volatile:	No data.				
	Molecular Formula & Wei					
		Section 10. Stability and Reactivity				
10.1	Reactivity:	No data available.				
10.2	Stability:	Unstable [ ] Stable [ X ]				
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.				
	Polymerization:	Will occur [ ] Will not occur [ X ]				
10.4	Conditions To Avoid:	heat, flames and sparks				
10.5	Incompatibility - Material	s alkali metals				
	To Avoid:	ammonia				
		peroxides				
		strong oxidizing agents				
10.6	Hazardous	carbon dioxide				
	Decomposition Or	carbon monoxide				
	Byproducts:					

Multi-region format



# SAFETY DATA SHEET .gamma.-Linolenic Acid ethyl ester

Revision: 04/02/2015

				n 11. Toxicolo	<u> </u>				
11.1		ion on gical Effects: Toxicological	Ethanol - To (rat): 7,060 r (rabbit): 6,30 ppm (30m); (6h); Inhalati Ethanol - Irri Ethanol - Irvi Only select I See actual e	gical effects of this pro xicity Data: Oral TDL0 mg/kg; Oral LD50 (mo 00 mg/kg; Inhalation L Inhalation TCLO (hum ion LCLO (mouse): 29 itation Data: Eyes (rab vestigated as a mutag Registry of Toxic Effect entry in RTECS for cor ECS Number: KQ6300	D (man): use): 3,44 C50 (rat): nan): 2,50 0,300 ppn bit): 500 en, repro- cts of Che nplete inf	1.14 ml/kg; 50 mg/kg; C 20,000 ppr 0 mg/m3 (2 n (7h); mg (24h) m ductive effe emical Subs	Oral TDLO (n Dral LD50 (mo m (10h); Inha 20m); Inhalati ild; Skin (rab ctor, and tum	man): 650 mg/l ouse): 10.5 ml/ alation TCLO (h ion LC50 (rat): bit): 20 mg (24 norigen.	kg; Oral LD5( iuman): 1,800 5,900 mg/m3 h) moderate;
Carcir	nogenicity	:	NTP? No	IARC Monographs	? No	OSHA Reg	gulated? No		
CAS	#	Hazardous Com	ponents (Ch	emical Name)		NTP	IARC	ACGIH	OSHA
3145	50-14-3	6,9,12-Octadecat	rienoic acid, e	ethyl ester, (6Z,9Z,122	<u>Z</u> )-	n.a.	n.a.	n.a.	n.a.
64	-17-5	Ethyl alcohol				n.a.	1	A4	n.a.
			Secti	ion 12. Ecolog	ical In	formation	on	+	•
12.1	Toxicity			e into the environmen					
	2		Runoff from	fire control or dilution	water ma	y cause po	llution.		
12.2	Persiste	nce and	No data ava	ilable.					
	Degrada	bility:							
12.3	Bioaccu	mulative	No data ava	ilable.					
	Potentia	l:							
12.4	Mobility	in Soil:	No data ava	ilable.					
12.5	Results	of PBT and vPvB	No data ava	ilable.					
	assessm	ient:							
12.6	Other ad	verse effects:	No data ava	ilable.					
			Sectio	on 13. Disposa	I Con	sideratio	ons		
13.1	Waste D	isposal Method:	Dispose in a	ccordance with local,	state, and	d federal re	gulations.		
			Sect	tion 14. Trans	oort In	formation	on		
14.1	LAND T	RANSPORT (US I	DOT):						
D	OT Prope	r Shipping Name:	: Ethyl Ale	cohol Solution					
D	OT Hazaro	d Class:	3	FLAMMABLE	LIQUID				
UN/NA Number:			1170		Pac	king Group	):	II	
U			Ethyl Ale 1170		Pac	king Group	):	II	



14.3 AIR TR	ANSPORT (ICAO/	IATA):					
ICAO/IATA	Shipping Name:	Ethyl Alcohol Solution					
UN Number:		1170	Packing Grou	p:	II		
Hazard Cla	SS:	3 - FLAMMABLE LIQUID	IATA Classifie	cation:	3		
Additional Trai	nsport	Transport in accordance with lo	cal, state, and federal	regulations.			
Information:	-	When sold in quantities of less t			Excepted Quantity Code of		
		E1, E2, E4, or E5, this item mee	ets the De Minimis Qu	antities exemption	on, per IATA 2.6.10.		
		Therefore packaging does not h	ave to be labeled as	Dangerous Good	ds/Excepted Quantity.		
		Section 15. Regul	atory Informat	ion			
EPA SARA (Su	perfund Amendm	nents and Reauthorization Act of	of 1986) Lists				
CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
31450-14-3	6,9,12-Octadecat (6Z,9Z,12Z)-	trienoic acid, ethyl ester,	No	No	No		
64-17-5	Ethyl alcohol		No	No	No		
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or S	State Lists			
31450-14-3	6,9,12-Octadecat (6Z,9Z,12Z)-	trienoic acid, ethyl ester,	CAA HAP,ODC: No PROP.65: No	o; CWA NPDES	: No; TSCA: No; CA		
64-17-5	Ethyl alcohol		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No				
Regulatory Info	ormation	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)					
Statement:		No.1272/2008.					
		Section 16. Oth	er Information	ו			
Revision Date:		04/02/2015					
Additional Info	rmation About	No data available.					
This Product:							
Company Policy or Disclaimer:		DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.					

Multi-region format