

SAFETY DATA SHEET Page: 1 of (S)-(-)-Docosahexaenyl-1'-Hydroxy-2'-Propylamide Revision: 04/16/2016

	Saction 1	Identification of the Substance/Mixture and of th	e Company/Undertaking				
			le company/ondenaking				
1							
	Product Name:	(S)-(-)-Docosahexaenyl-1'-Hydroxy-2'-Propylan					
	Synonyms:	N-((S)-1-hydroxypropan-2-yl)docosa-4Z,7Z,10Z	Z,13Z,16Z,19Z-hexaenamide;				
2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant identified uses:For research use only, not for human or veterinary use.Details of the Supplier of the Safety Data Sheet:						
3							
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
4	Emergency telephone nur						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identifica					
1	Classification of the Subs	tance or Mixture:					
	Flammable Liquids, Cat	egory 2					
2	Label Elements:						
	GHS Signal Word:	Danger					
	GHS Hazard Phrases:	-					
	•	-					
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase	quid and vapor. s:					
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase P210: Keep away from {h	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking.					
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase P210: Keep away from {h P280: Wear {protective gl	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protectio					
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protectio	on}.				
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection :: KIN (or hair): Remove/take off immediately all contant	on}.				
	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection :: KIN (or hair): Remove/take off immediately all contant	on}. ninated clothing. Rinse skin with				
3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection :: KIN (or hair): Remove/take off immediately all contant sal Phrases:	on}. ninated clothing. Rinse skin with				
.3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrase P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk water/shower. GHS Storage and Dispo Please refer to Section 7 to	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection :: KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information.	on}. ninated clothing. Rinse skin with es and upper respiratory tract.				
3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo Please refer to Section 7 i Adverse Human Health	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection : KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information. Material may be irritating to the mucous membrane	on}. ninated clothing. Rinse skin with es and upper respiratory tract. sorption.				
3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo Please refer to Section 7 i Adverse Human Health	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection :: KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information. Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin abs	on}. ninated clothing. Rinse skin with es and upper respiratory tract. sorption. n.				
3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo Please refer to Section 7 i Adverse Human Health	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection : KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information. Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin abs May cause eye, skin, or respiratory system irritation	on}. ninated clothing. Rinse skin with es and upper respiratory tract. sorption. n.				
.3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo Please refer to Section 7 i Adverse Human Health	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection : KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information. Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin abs May cause eye, skin, or respiratory system irritation	on}. ninated clothing. Rinse skin with es and upper respiratory tract. sorption. n.				
3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo Please refer to Section 7 i Adverse Human Health	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection : KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information. Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin abs May cause eye, skin, or respiratory system irritation	on}. ninated clothing. Rinse skin with es and upper respiratory tract. sorption. n.				
3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo Please refer to Section 7 i Adverse Human Health	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection : KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information. Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin abs May cause eye, skin, or respiratory system irritation	on}. ninated clothing. Rinse skin with es and upper respiratory tract. sorption. n.				
3	GHS Hazard Phrases: H225: Highly flammable li GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo Please refer to Section 7 i Adverse Human Health	quid and vapor. s: eat/sparks/open flames/hot surfaces} No smoking. oves/protective clothing/eye protection/face protection : KIN (or hair): Remove/take off immediately all contant sal Phrases: for Storage and Section 13 for Disposal information. Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin abs May cause eye, skin, or respiratory system irritation	on}. ninated clothing. Rinse skin with es and upper respiratory tract. sorption. n.				

Multi-region format



SAFETY DATA SHEET Page: 2 of (S)-(-)-Docosahexaenyl-1'-Hydroxy-2'-Propylamide Revision: 04/16/2016

Multi-region format

RTE		Hazardous Components (Chemical Name)/ REACH Registration No.		EC No./ EC Index No.	GHS Classification					
NA NA	(S)-(-)-Docosahexad	enyl-1'-Hydroxy-2'-Propylamide	5.0 %	NA NA	No data available.					
64-17-5 Ethyl alcohol KQ6300000			95.0 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225					
		Section 4. First Aid Measures								
1.1	Description of First Aid									
	Measures: In Case of Inhalation:	Remove to fresh air. If not br Get immediate medical atten		al respiration or giv	ve oxygen by trained personnel					
	In Case of Skin Contact:	Immediately wash skin with s clothing. Get medical attention			5 minutes. Remove contaminate efore reuse.					
	In Case of Eye Contact:	Hold eyelids apart and flush and tested by medical person		water for at least 1	5 minutes. Have eyes examine					
	In Case of Ingestion:	Vash out mouth with water provided person is conscious. Never give anything by mouth to an nconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by nedical personnel.								
1.2	Important Symptoms and	d May cause anemia, cough, C	NS depression, dro	wsiness, headach	e, heart damage, lassitude					
	Effects, Both Acute and	(weakness, exhaustion), live	-		-					
	Delayed:									
		Section 5. Fire	Fiahtina Me	asures						
ـــــــ 5.1	Suitable Extinguishing	Use alcohol-resistant foam,	<u> </u>		spray.					
-	Media:	Use water spray to cool fire-		•	-1 -2					
	Unsuitable Extinguishing	g A solid water stream may be	inefficient.							
	Media:									
5.2	Flammable Properties ar	dCan release vapors that form		-	at or above the flashpoint.					
	Hazards:	Container explosion may oc		ions.						
		Emits toxic fumes under fire								
		Sensitive to static discharge								
		Vapors can travel to a source		h hack						
		Vapors can travel to a sourc		sh back.						
	Flash Pt	No data available.	e of ignition and flas	sh back.						
	Flash Pt: Explosive Limits:	No data available. 14.00 C Method Used: C	e of ignition and flas losed Cup							
	Explosive Limits:	No data available. 14.00 C Method Used: C LEL: 3.3% at 25.0 C	e of ignition and flas losed Cup							
5.3	Explosive Limits: Autoignition Pt:	No data available. 14.00 C Method Used: C LEL: 3.3% at 25.0 C 363.00 C	e of ignition and flas losed Cup UEL: 19.0%	ő at 25.0 C	emand (NIOSH approved or					
5.3	Explosive Limits: Autoignition Pt:	No data available. 14.00 C Method Used: C LEL: 3.3% at 25.0 C	e of ignition and flas losed Cup UEL: 19.0% ained breathing app ve gear to prevent co	6 at 25.0 C baratus pressure-d						
5.3	Explosive Limits: Autoignition Pt:	No data available. 14.00 C Method Used: C LEL: 3.3% at 25.0 C 363.00 C s: As in any fire, wear self-cont equivalent), and full protectiv	e of ignition and flas losed Cup UEL: 19.0% ained breathing app ve gear to prevent co	6 at 25.0 C baratus pressure-d						
5.3	Explosive Limits: Autoignition Pt:	No data available. 14.00 C Method Used: C LEL: 3.3% at 25.0 C 363.00 C s: As in any fire, wear self-cont equivalent), and full protectiv	e of ignition and flas losed Cup UEL: 19.0% ained breathing app ve gear to prevent co	6 at 25.0 C baratus pressure-d						
5.3	Explosive Limits: Autoignition Pt:	No data available. 14.00 C Method Used: C LEL: 3.3% at 25.0 C 363.00 C s: As in any fire, wear self-cont equivalent), and full protectiv	e of ignition and flas losed Cup UEL: 19.0% ained breathing app ve gear to prevent co	6 at 25.0 C baratus pressure-d						



SAFETY DATA SHEET (S)-(-)-Docosahexaenyl-1'-Hydroxy-2'-Propylamide

Multi-region format

Revision: 04/16/2016

<u> </u>								
6.1			Section 6. Ac	cidental Release Me	easures			
	Protective Precautions, Avoid breathing vapors and provide adequate ventilation.							
	Protect	Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,						
	Emerge	ergency Procedures: and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).						
5.2	Enviror	mental	Take steps to avoid r	elease into the environment, if	safe to do so.			
Precautions:								
6.3	Method	s and Material Fo	r Contain spill and coll	ect, as appropriate.				
	Contain	ment and Cleanir	ngTransfer to a chemic	cal waste container for disposal in accordance with local regulations.				
	Up:							
			Section 7.	Handling and Stor	age			
7.1	Precaut	tions To Be Taker		fume/gas/mist/vapours/spray.	5			
	in Hand		Avoid prolonged or re	• • • •				
		0	Keep away from sour	ces of ignition.				
			Take precautionary m	neasures against static dischar	ge.			
7.2	Precaut	tions To Be Taker	Keep away from heat	, sparks, and flame.				
	in Stori	ng:	Keep container tightly	closed.				
			Store in accordance v	vith information listed on the pr	roduct insert.			
	Other P	recautions:	Hygroscopic.					
		Sec	tion 8 Exposu	re Controls/Persona	al Protection			
	F							
	-	re Parameters:		D 1615 EU40	F			
CAS #		Partial Chemical		Britain EH40	France VL	Europe		
	NA	(S)-(-)-Docosahe ropylamide	xaenyl-1'-Hydroxy-2'-P	No data.	No data.	No data.		
64-	-17-5	Ethyl alcohol		TWA: 1920 mg/m3 (1000 ppm)	TWA: 1900 mg/m3 (1000	No data.		
				STEL: ()	ppm) STEL: 9500 mg/m3 (5000			
					ppm)			
CAS #		Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits		
	-				ACGIH TWA			
CAS #	# NA	(S)-(-)-Docosahe	l Name xaenyl-1'-Hydroxy-2'-P	OSHA TWA No data.		Other Limits No data.		
	-	(S)-(-)-Docosahex ropylamide			ACGIH TWA			
64-	NA -17-5	(S)-(-)-Docosahez ropylamide Ethyl alcohol		No data.	ACGIH TWA No data.	No data.		
64- 8.2	NA -17-5 Exposu	(S)-(-)-Docosahe ropylamide Ethyl alcohol re Controls:	xaenyl-1'-Hydroxy-2'-P	No data. PEL: 1000 ppm	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2	NA -17-5 Exposu Engined	(S)-(-)-Docosahez ropylamide Ethyl alcohol re Controls: ering Controls	xaenyl-1'-Hydroxy-2'-P Use process enclosu	No data. PEL: 1000 ppm res, local exhaust ventilation, o	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2 3.2.1	NA -17-5 Exposu Engined (Ventila	(S)-(-)-Docosahe: ropylamide Ethyl alcohol re Controls: ering Controls ttion etc.):	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recomme	No data. PEL: 1000 ppm	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2 3.2.1	NA -17-5 Exposu Engined (Ventila Person	(S)-(-)-Docosahez ropylamide Ethyl alcohol re Controls: ering Controls ition etc.): al protection equi	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo	No data. PEL: 1000 ppm res, local exhaust ventilation, o	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2 3.2.1	NA Exposu Engined (Ventila Person Eye Pro	(S)-(-)-Docosahe ropylamide Ethyl alcohol re Controls: ering Controls tion etc.): al protection equi	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits.	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2 3.2.1	NA Exposu Engined (Ventila Person Eye Pro	(S)-(-)-Docosahe: ropylamide Ethyl alcohol re Controls: ering Controls ation etc.): al protection equi otection: ive Gloves:	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses Compatible chemical-	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits.	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 8.2 8.2.1	NA Exposu Engined (Ventila Person Eye Pro Protect Other P	(S)-(-)-Docosahes ropylamide Ethyl alcohol re Controls: ering Controls ition etc.): al protection equi otection: ive Gloves:	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses Compatible chemical- g:Lab coat	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits.	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2 3.2.1	NA Exposur Engined (Ventila Person Eye Pro Protect Other P Respira	(S)-(-)-Docosahes ropylamide Ethyl alcohol re Controls: ering Controls ation etc.): al protection equi otection: ive Gloves: Protective Clothing	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses Compatible chemical- g:Lab coat	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits.	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2 3.2.1	NA Exposu Engined (Ventila Person Eye Pro Protect Other P Respira (Specify	(S)-(-)-Docosahes ropylamide Ethyl alcohol re Controls: ering Controls al protection equi otection: ive Gloves: Protective Clothing atory Equipment y Type):	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses Compatible chemical- g:Lab coat NIOSH approved resp	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits. resistant gloves birator, as conditions warrant.	ACGIH TWA No data. TLV: 1000 ppm	No data.		
64- 3.2 3.2.1	NA Exposu Engined (Ventila Person Eye Pro Protect Other P Respira (Specify Work/H	(S)-(-)-Docosahex ropylamide Ethyl alcohol re Controls: ering Controls al protection equi otection: ive Gloves: Protective Clothing atory Equipment y Type): ygienic/Maintena	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses Compatible chemical- g:Lab coat NIOSH approved resp n Do not take internally	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits. Presistant gloves birator, as conditions warrant.	ACGIH TWA No data. TLV: 1000 ppm or other engineering control	No data. No data.		
64-	NA Exposu Engined (Ventila Person Eye Pro Protect Other P Respira (Specify	(S)-(-)-Docosahex ropylamide Ethyl alcohol re Controls: ering Controls al protection equi otection: ive Gloves: Protective Clothing atory Equipment y Type): ygienic/Maintena	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses Compatible chemical- g:Lab coat NIOSH approved resp n Do not take internally Facilities storing or ut	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits. resistant gloves birator, as conditions warrant.	ACGIH TWA No data. TLV: 1000 ppm or other engineering control	No data. No data.		
64- 8.2 8.2.1	NA Exposu Engined (Ventila Person Eye Pro Protect Other P Respira (Specify Work/H	(S)-(-)-Docosahex ropylamide Ethyl alcohol re Controls: ering Controls al protection equi otection: ive Gloves: Protective Clothing atory Equipment y Type): ygienic/Maintena	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommon pment: Safety glasses Compatible chemical- g:Lab coat NIOSH approved resp n Do not take internally Facilities storing or ut Wash thoroughly afte	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits. resistant gloves birator, as conditions warrant.	ACGIH TWA No data. TLV: 1000 ppm or other engineering control	No data. No data.		
64- 8.2 8.2.1	NA Exposu Engined (Ventila Person Eye Pro Protect Other P Respira (Specify Work/H	(S)-(-)-Docosahex ropylamide Ethyl alcohol re Controls: ering Controls al protection equi otection: ive Gloves: Protective Clothing atory Equipment y Type): ygienic/Maintena	xaenyl-1'-Hydroxy-2'-P Use process enclosur levels below recommo pment: Safety glasses Compatible chemical- g:Lab coat NIOSH approved resp n Do not take internally Facilities storing or ut	No data. PEL: 1000 ppm res, local exhaust ventilation, o ended exposure limits. resistant gloves birator, as conditions warrant.	ACGIH TWA No data. TLV: 1000 ppm or other engineering control	No data. No data.		



SAFETY DATA SHEET (S)-(-)-Docosahexaenyl-1'-Hydroxy-2'-Propylamide

Revision: 04/16/2016

	Se	ection 9. Physical and Chemical Properties					
9.1 Information on Basic Physical and Chemical Properties							
	Physical States:	[]Gas [X]Liquid []Solid					
	Appearance and Odor:	A solution in ethanol					
	Melting Point:	No data.					
	Boiling Point:	No data.					
	Flash Pt:	14.00 C Method Used: Closed Cup					
	Evaporation Rate:	No data.					
	Flammability (solid, gas):	No data available.					
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C					
	Vapor Pressure (vs. Air or	mm 43 MM_HG at 20.0 C					
	Hg):						
	Vapor Density (vs. Air = 1)	: No data.					
	Specific Gravity (Water = 1	1): No data.					
	Solubility in Water:	No data.					
	Autoignition Pt:	363.00 C					
9.2	Other Information						
	Percent Volatile:	No data.					
	Molecular Formula & Weig	ght: C25H39NO2 385.6					
		Section 10. Stability and Reactivity					
10.1	Reactivity:	No data available.					
10.2	Stability:	Unstable [] Stable [X]					
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.					
	Polymerization:	ccur [] Will not occur [X]					
10.4	Conditions To Avoid:	heat, flames and sparks					
10.5	Incompatibility - Materials	alkali metals					
	To Avoid:	ammonia					
		peroxides					
		strong oxidizing agents					
10.6	Hazardous	carbon dioxide					
	Decomposition or	carbon monoxide					
	Byproducts:						



SAFETY DATA SHEET Page: 5 of (S)-(-)-Docosahexaenyl-1'-Hydroxy-2'-Propylamide Revision: 04/16/2016

	Inform-	tion or	Section 11. Toxicological Information						
1.1	Informa		The toxicological effects of this product have not been thoroughly studied. Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral LD50 (rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral LD50 (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human): 1,800 ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/m3 (6h); Inhalation LCLO (mouse): 29,300 ppm (7h);						
	Toxicolo	ogical Effects:							
Chronic Toxicological			Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate; Ethanol - Investigated as a mutagen, reproductive effector, and tumorigen.						
			entry in RTECS for con	-	n.				
			CS Number: KQ6300						
Carcinogenicity:		NTP? No IARC Monographs? No		'No OSHA	OSHA Regulated? No				
CAS	#	Hazardous Com	ponents (Ch	emical Name)	NTP	IARC	ACGIH	OSHA	
	NA	(S)-(-)-Docosahe	xaenyl-1'-Hyc	roxy-2'-Propylamide	n.a.	n.a.	n.a.	n.a.	
64	-17-5	Ethyl alcohol			n.a.	1	A4	n.a.	
			Sect	ion 12. Ecologi	ical Informa	ation			
12.1	Toxicity	:		e into the environment					
	-		Runoff from fire control or dilution water may cause pollution.						
12.2	Persiste	ence and	No data available.						
	Degrada	ability:							
12.3	-	Imulative	No data ava	ilable.					
	Potentia								
12.4			No data ava	ilable.					
12.4 Mobility in Soil: No data available. 12.5 Results of PBT and vPvB No data available.									
	assessn								
12.6	Other ad	dverse effects:	No data available.						
			Sectio	on 13. Disposa	l Considera	ations			
13.1	Waste D)isposal Method:		ccordance with local,					
			-	tion 14. Transp		-			
14.1	LAND T	RANSPORT (US							
		er Shipping Name		cohol Solution					
ني ا	OT Hazar		3	FLAMMABLE	LIQUID				
	N/NA Nur		1170	····· -= =	Packing Gr	oup:	II		
D					•	•			
D									
D			FL®MMØBLE	цопр					
D		RANSPORT (Euro	3						
D U 14.1	LAND T	RANSPORT (Euro	opean ADR/F						
D U 14.1 A	LAND T	hipping Name:	opean ADR/F	RID):	Packing Gr	oup:	11		
D U 14.1 A U	LAND T .DR/RID S	hipping Name: r:	opean ADR/F Ethyl Al 1170	RID):	Packing Gr	oup:	11		
D U 14.1 A U	LAND T DR/RID S IN Numbe	hipping Name: r:	opean ADR/F Ethyl Al 1170	RID): cohol Solution	Packing Gr	oup:	II		
D U 14.1 A U	LAND T DR/RID S IN Numbe	hipping Name: r:	opean ADR/F Ethyl Al 1170	RID): cohol Solution	Packing Gr	oup:	II		



SAFETY DATA SHEET (S)-(-)-Docosahexaenyl-1'-Hydroxy-2'-Propylamide Revision: 04/16/2016

Page: 6 of 6

CHIMICAL							
	ANSPORT (ICAO/						
ICAO/IATA Shipping Name:		Ethyl Alcohol Solution					
UN Number: Hazard Class:		1170 Packing Group:			ll		
		3 - FLAMMABLE LIQUID IATA Classification: 3					
Additional Tra	ansport	Transport in accordance with local, state, and federal regulations.					
Information:		When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of					
		E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.					
		Section 15. Regula		-			
EPA SARA (S	uperfund Amendm	nents and Reauthorization Act of 1986) Lists					
CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
NA	(S)-(-)-Docosahe e	xaenyl-1'-Hydroxy-2'-Propylamid	No	No	No		
64-17-5	Ethyl alcohol		No	No	No		
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or S	State Lists			
NA	(S)-(-)-Docosahe e	xaenyl-1'-Hydroxy-2'-Propylamid					
64-17-5	Ethyl alcohol		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No				
Regulatory Inf	ormation	This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)					
Statement:		No.1272/2008.					
		Section 16. Oth	er Informatior	ו			
Revision Date:	:	04/16/2016					
Additional Info	ormation About	No data available.					
This Product:							
Company Poli	cy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information					
		currently available to us. Howeve		-			
		express or implied, with respect to such information, and we assume no liability resulting from its					
		use. Users should make their own investigations to determine the suitability of the information for their particular purposes.					
		then particular purposes.					

Multi-region format