Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Version: 3.1

Date of issue: 08/07/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

Product Form Product Name 015-400-003Product Code : Mixture

: 40 nm Colloidal Gold-ChromPure Mouse IgG, whole molecule : 015-400-003

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. **Relevant identified uses**

Use of the substance/mixture

: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

Uses advised against 1.2.2.

No additional information available

Details of the supplier of the safety data sheet 1.3.

Manufacturer

Jackson ImmunoResearch Laboratories, Inc. 872 West Baltimore Pike West Grove, PA 19390 T: 800-367-5296, 610-869-4024 F: 610-869-0171 tech@jacksonimmuno.com www.jacksonimmuno.com

European Contact

Jackson ImmunoResearch Europe LTD **Cambridge House** St Thomas' Place Ely, Cambridgeshire CB7 4EX, UK T: +44 (0) 1638 782616 F: +44 (0) 1353 664675 info@jacksonimmuno.com help@jacksonimmuno.com

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

1.4. **Emergency telephone number**

Emergency number

: +1-610-869-4024 (USA) SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3	H412
------------------	------

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.	
Precautionary statements (CLP)	P273 - Avoid release to the environment.	
	P501 - Dispose of contents/container to hazardous or special waste collection	
	point, in accordance with local, regional, national and/or international	
	regulation.	
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.	
2.3. Other hazards		

Other hazards not contributing to the	: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.
classification	

classification

SECTION 3: Composition/information on ingredients

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



3.1. Substances

Not applicable

3.2. Mixture

Substance/mixture: USA GHS, category 5 Hazardous mixture

Chemical Name	RTECS#	CAS#	EC#	% (w/w)
Sodium Azide	VY8050000	26628-22-8	247-852-1	0.05
40 nm Colloidal Gold-ChromPure Mouse IgG,	N/A	N/A	N/A	0.05
whole molecule	1/70540000	4000.00.4	045 540 4	0.00
Sodium Borate	VZ2540000	1303-96-4	215-540-4	0.08
Water	ZC0110000	7732-18-5	231-791-2	99.83

N/A means not applicable or proprietary information. The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29CFR1910.1200].

Due to rounding, percentages of individual components may not add up to 100%.

SECTION 4: First aid measures

4.1. Description of first aid measures

4.1. Description of mist and measu	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Prolonged exposure may cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects.
Chronic symptoms	: None expected under normal conditions of use.
4.3 Indication of any immediate r	medical attention and special treatment needed

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising f	rom the substance or mixture
Fire hazard	: Not Assigned

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Reac	tivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
	rdous decomposition products in of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3.	Advice for firefighters	
Preca	autionary measures fire	: Exercise caution when fighting any chemical fire.
Firefi	ghting instructions	: Use water spray or fog for cooling exposed containers.
Prote	ction during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SEC	TION 6: Accidental releas	e measures
6.1.		ive equipment and emergency procedures
Gene	ral measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1.	For non-emergency personnel	
Prote	ctive equipment	: Use appropriate personal protective equipment (PPE).
Emer	gency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Prote	ctive equipment	: Equip cleanup crew with proper protection.
Emer	gency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2.	Environmental precautions	
		: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3.	Methods and material for con	tainment and cleaning up
For c	ontainment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Meth	ods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4.	Reference to other sections	

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.2 Conditions for safe storage, including any incompatibilities:

Store at 2-8°C. Product is stable for about 6 months at 2-8°C as an undiluted liquid. Prepare working dilution fresh each day. Store in original container away from incompatible materials and from food and drink. Do not store in an unlabeled container. Use appropriate containment to avoid environmental contamination. Consult Product Specification sheets for additional storage information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium azide (26628-22	-8)	
EU	IOELV TWA (mg/m ³)	0,1 mg/m³
EU	IOELV STEL (mg/m ³)	0,3 mg/m³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m³
Austria	OEL chemical category (AT)	Skin notation

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL TRE (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,2 mg/m³ (restrictive limit)GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,1 mg/m³USA ACGIHACGIH Celling (mg/m³)0,2 mg/m³USA ACGIHOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (IT)skin - potential for cutaneous exposureItalyOEL Chemical category (IT)skin - potential for cutaneous exposureItalyOEL Chemical category (IT)skin - potential for cutaneous exposureSpainVL+ED (mg/m³)0,1 mg/m³SpainOEL chemical catego			
Bulgaria OEL STEL (mg/m ³) 0,3 mg/m ³ Croatia GVI (granicna vrijednost izloženosti) (mg/m ³) 0,1 mg/m ³ Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m ³) 0,3 mg/m ³ Croatia OEL chemical category (HR) Skin notation Cyprus OEL TWA (mg/m ³) 0,3 mg/m ³ Cyprus OEL strEL (mg/m ³) 0,3 mg/m ³ Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption France VLE (mg/m ³) 0,1 mg/m ³ (restrictive limit) France VME (mg/m ³) 0,1 mg/m ³ (restrictive limit) France OEL chemical category (FR) Risk of cutaneous absorption Gibraltar OEL chemical category (GI) Skin notation Gibraltar Short-term mg/m3 0,1 mg/m ³ Gibraltar OEL themical category (GI) Skin notation Greece OEL TWA (mg/m ³) 0,3 mg/m ³ Gibraltar OEL themical category (I) Skin notation Greece OEL TWA (mg/m ³) 0,3 mg/m ³ Gibraltar OEL STEL (mg/m ³) 0,1 ppm	Belgium	OEL chemical category (BE)	Skin, Skin notation
CroatiaGV (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL (mg/m³)0,1 mg/m³CyprusOEL chemical category (CY)Skin notationCyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³FranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m²)0,3 mg/m³GreeceOEL TWA (mg/m²)0,1 mg/m³GreeceOEL STEL (mg/m²)0,1 mg/m³GreeceOEL STEL (mg/m²)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m³ItalyOEL TWA (mg/m²)0,1 mg/m³ItalyOEL TWA (mg/m²)0,1 mg/m³ItalyOEL TWA (mg/m²)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IT)skin - potential for cutaneous absorptionLatvia	Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m³
(mg/m³)0,1 mg/m³CroatiaKSVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL TEL (mg/m³)0,3 mg/m³ (restrictive limit)CyprusOEL Chemical category (CY)Skin-potential for cutaneous absorptionFranceVEL (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,3 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL Chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,1 mg/m³GreeceOEL TWA (mg/m³)0,1 mg/m³USA ACGIHACGIH Celling (mg/m³)0,1 mg/m³USA ACGIHACGIH Celling (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,1 mg/m³SyainVLA-ED (mg/m³)0,1 mg/m³SwiterlandKErWinchal For cut	Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL Chemical category (HR)Skin notationCyprusOEL TTEL (mg/m³)0,1 mg/m³CyprusOEL TTEL (mg/m²)0,3 mg/m³CyprusOEL Chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m²)0,1 mg/m² (restrictive limit)FranceVME (mg/m²)0,1 mg/m² (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m²)0,2 mg/m²GibraltarEight hours mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL Chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,1 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 mg/m³USA ACGIHACGIH Celling (mg/m³)0,2 mg/m³USA ACGIHOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³	Croatia		0,1 mg/m³
CyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³ (restrictive limit)FranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGernanyOccupational exposure limit value (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionItalyOEL chemical category (IV)skin - potential for cutaneous exposureSpainVLA ED (mg/m³)0,1 mg/m³SpainVLA ED (mg/m³)0,1 mg/m³SpainVLA ED (mg/m³)0,2 mg/m³ (inhalable dust)Swit	Croatia		0,3 mg/m³
OpenationOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 g mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 g mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 g mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (ES)skin - potential for cutaneous absorptionSpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SwitzerlandMAK (mg/m³)0,4 mg/m³ (indicative limit value)SwitzerlandMAK (mg/m³)0,2 mg/m³SwitzerlandMAK (mg/m³)<	Croatia	OEL chemical category (HR)	Skin notation
OFLOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IV)skin - potential for cutaneous absorptionLatviaOEL trwA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IV)skin - potential for cutaneous absorptionLatviaOEL chemical category (IV)skin - potential for cutaneous absorptionLatviaOEL chemical category (IV)skin - potential for cutaneous absorptionSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,4 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,4 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,2 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0	Cyprus	OEL TWA (mg/m³)	0,1 mg/m³
FranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,1 ppmGreeceOEL STEL (mg/m³)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (LV)skin - potential for cutaneous absorptionItalyOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,2 mg/m³ (indicative limit value)SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)<	Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (i	Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyOccupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,1 ppmGreeceOEL STEL (mg/m³)0,2 gmg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 gmg/m³USA ACGIHACGIH Ceiling (ppm)0,1 ng/m³ItalyOEL TWA (mg/m³)0,2 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL chemical category (IT)skin - potential for cutaneous absorptionItalyOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United	France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
GermanyOccupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL temical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United King	France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
(mg/m³)(mg/m³)GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (pg/m³)0,2 gm/m³GreeceOEL STEL (pg/m³)0,2 gm/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 gm/m³USA ACGIHACGIH Ceiling (ng/m³)0,1 ng/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (indiatible dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (indialable dust)NetherlandsGrenswaarde TGG StMIN (mg/m³)0,3 mg/m³NetherlandsGrenswaarde TGG StMIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (France	OEL chemical category (FR)	Risk of cutaneous absorption
GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³	Germany		0,2 mg/m ³
GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Gibraltar	Eight hours mg/m3	0,1 mg/m ³
GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG SH (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Gibraltar	Short-term mg/m3	0,3 mg/m ³
GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Gibraltar	OEL chemical category (GI)	Skin notation
GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³	Greece	OEL TWA (mg/m ³)	0,3 mg/m ³
GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL tWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Greece	OEL TWA (ppm)	0,1 ppm
USA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Greece	OEL STEL (ppm)	0,1 ppm
ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (IV)skin - potential for cutaneous exposureLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainOLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Italy	OEL TWA (mg/m ³)	0,1 mg/m³
LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrens waarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrens waarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Latvia	OEL TWA (mg/m ³)	0,1 mg/m³
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrens waarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrens waarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrens waarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrens waarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrens waarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrens waarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³	Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³
United Kingdom WEL STEL (mg/m ³) 0,3 mg/m ³	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
	United Kingdom	WEL TWA (mg/m³)	0,1 mg/m ³
United Kingdom WEL chemical category Potential for cutaneous absorption	United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
	United Kingdom	WEL chemical category	Potential for cutaneous absorption

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m³)	0,1 mg/m ³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m ³)	0,1 mg/m ³
Finland	HTP-arvo (15 min)	0,3 mg/m ³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m ³
Hungary	CK-érték	0,3 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m ³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m ³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m ³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m ³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³
Romania	OEL TWA (mg/m³)	0,1 mg/m ³
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m ³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SI)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m³)	0,1 mg/m ³ (indicative limit value)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
- Personal protective equipment



Materials for protective clothing
Hand protection
Eye and Face Protection
Skin and body protection
Respiratory protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.

: When using, do not eat, drink or smoke.

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Red liquid
Odour	: Odourless, as water
Odour threshold	: No data available
рН	: 9.0
Evaporation rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Oxidising properties

Explosive limits

- No data availableNo data available
- : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures. Incompatible materials.

10.5. Incompatible materials

Acids. Strong oxidizers.

Acute toxicity

10.6. Hazardous decomposition products

None expected under normal conditions of use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified (Based on available data, the classification criteria are not met)

Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
LC50 inhalation rat (mg/l)	0,054 - 0,52 mg/l/4h (Dust/Mist - mg/l/4h)	

Borax (B4Na2O7.10H2O) (1303-96-4)		
LD50 oral rat	3493 mg/kg	
LD50 dermal rabbit	>10000 mg/kg	
LC50 inhalation rat (mg/l)	> 2 mg/m ³ (Exposure time: 4 h)	

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	 Not classified. (Specific Concentration Limits for sodium borate (CAS number: 1303-96-4): C >= 8.5 % Reproductive Toxicity, Repr 1B: H360)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: Prolonged exposure may cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects.	
Chronic Symptoms	: None expected under normal conditions of use.	
SECTION 12: Ecological info	rmation	
2.1. Toxicity		
Ecology - general	: Not classified.	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	
Borax (B4Na2O7.10H2O) (1303-96-4)		
EC50 Daphnia 1	644 mg/l	
2.2. Persistence and degradabili		
40 nm Colloidal Gold-ChromPure Mous		
Persistence and degradability	Not established.	
2.3. Bioaccumulative potential		
40 nm Colloidal Gold-ChromPure Mous	e IgG. whole molecule	
Bioaccumulative potential	Not established.	
2.4. Mobility in soil lo additional information available		
2.5. Results of PBT and vPvB asse	semant	
Borax (B4Na2O7.10H2O) (1303-96-4)		
BORAX (B4Na207 10H20) (1303-96-4)		
This substance/mixture does not meet	the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet This substance/mixture does not meet	the PBT criteria of REACH regulation, annex XIII the vPvB criteria of REACH regulation, annex XIII	
This substance/mixture does not meet This substance/mixture does not meet 2.6. Other adverse effects	the vPvB criteria of REACH regulation, annex XIII	
This substance/mixture does not meet This substance/mixture does not meet 2.6. Other adverse effects Other information	the vPvB criteria of REACH regulation, annex XIII : Avoid release to the environment.	
This substance/mixture does not meet This substance/mixture does not meet 2.6. Other adverse effects Other information SECTION 13: Disposal consi	the vPvB criteria of REACH regulation, annex XIII : Avoid release to the environment.	
This substance/mixture does not meet This substance/mixture does not meet 2.6. Other adverse effects Other information SECTION 13: Disposal consid 3.1. Waste treatment methods	the vPvB criteria of REACH regulation, annex XIII : Avoid release to the environment. derations	
This substance/mixture does not meet This substance/mixture does not meet 2.6. Other adverse effects Other information SECTION 13: Disposal consi 3.1. Waste treatment methods Product/Packaging disposal	the vPvB criteria of REACH regulation, annex XIII : Avoid release to the environment. derations : Dispose of contents/container in accordance with local, regional, national, and	
This substance/mixture does not meet This substance/mixture does not meet 2.6. Other adverse effects Other information SECTION 13: Disposal consists 3.1. Waste treatment methods Product/Packaging disposal recommendations	 the vPvB criteria of REACH regulation, annex XIII Avoid release to the environment. derations Dispose of contents/container in accordance with local, regional, national, and international regulations. 	
This substance/mixture does not meet This substance/mixture does not meet 2.6. Other adverse effects Other information SECTION 13: Disposal consi 3.1. Waste treatment methods Product/Packaging disposal	the vPvB criteria of REACH regulation, annex XIII : Avoid release to the environment. derations : Dispose of contents/container in accordance with local, regional, national, and	

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	ulated for transpo	ort			
14.2. UN proper shipping name					
Not app	olicable	Not applicable	Not applicable	Not applicable	Notapplicable
14.3.	14.3. Transport hazard class(es)				

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration = 0.1% or with a lower specific limit: Disodium tetraborate, anhydrous (EC 215-540-4;603-411-9, CAS 1303-96-4)

Contains no REACH Annex XIV substances

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information				
Date of Preparation or Latest Revision	: 08/07/2021			
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information,			
	and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.			
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment			
	Regulation (EU) 2015/830			

Full Text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 1B	Reproductive toxicity, Category 1B

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Repr. 1B	Reproductive toxicity, Category 1B
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H360	May damage fertility or the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

Abbreviations and Acronyms

Abbreviations and Actoryms	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische
LD50 - Median Lethal Dose	Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved	VLA-ED - Valor Límite Ambiental Exposición Diaria
substance in a two-phase system consisting of two largely immiscible	VLE – Valeur Limite D'exposition
solvents, in this case octanol and water	VME – Valeur Limite De Moyenne Exposition
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL–Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.