

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 08/07/2021 Version: 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Form : Mixture

Product Name : 40 nm Colloidal Gold-Affini Pure Goat Anti-Human IgG, Fcg Fragment Specific

(minimal cross-reaction to Bovine, Horse, and Mouse Serum Proteins)

109-405-098Product Code : 109-405-098

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a

medical device. Contact supplier for specific applications.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer European Contact

Jackson ImmunoResearch Laboratories, Inc.

872 West Baltimore Pike

West Grove, PA 19390

Jackson ImmunoResearch Europe LTD

Cambridge House

St Thomas' Place

T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK

F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com

Email address for the person responsible for this SDS:

tech@jacksonimmuno.com

1.4. Emergency telephone number

Emergency number : +1-610-869-4024 (USA)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation.

EUH-statements EUH032 - Contact with acids liberates very toxic gas.

#### 2.3. Other hazards

08/07/2021 EN (English) 1 / 11



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Substance/mixture: USA GHS, category 5 Hazardous mixture

Chemical Name	RTECS#	CAS#	EC#	% (w/w)
Sodium Azide	VY8050000	26628-22-8	247-852-1	0.05
40 nm Colloidal Gold-AffiniPure Goat	N/A	N/A	N/A	0.05
Anti-Human IgG, Fcg Fragment Specific (minimal				
cross-reaction to Bovine, Horse, and Mouse				
Serum Proteins)				
Sodium Borate	VZ2540000	1303-96-4	215-540-4	0.08
Water	ZC0110000	7732-18-5	231-791-2	99.83

N/A means not applicable or proprietary information. The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29CFR1910.1200].

Due to rounding, percentages of individual components may not add up to 100%.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. Obtain

medical attention if breathing difficulty persists.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5

minutes. Obtain medical attention if irritation develops or persists.

First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if irritation

develops or persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of

normal use.

Symptoms/effects after inhalation : Prolonged exposure may cause irritation.

Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.

Symptoms/effects after eye contact : May cause slight irritation to eyes.

Symptoms/effects after ingestion : Ingestion may cause adverse effects.

Chronic symptoms : None expected under normal conditions of use.

## 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

08/07/2021 EN (English) 2 / 11



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Suitable extinguishing media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not Assigned

Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,

and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic

gas.

Hazardous decomposition products in

case of fire

: Hydrogen chloride. Sodium oxides. Nitrogen oxides.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

**6.1.2.** For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence

of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

**6.2.** Environmental precautions

: Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain solid spills with appropriate barriers and prevent migration and entry

into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent

authorities after a spill.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

### SECTION 7: Handling and storage

### 7.2 Conditions for safe storage, including any incompatibilities:

Store at 2-8°C. Product is stable for about 6 months at 2-8°C as an undiluted liquid. Prepare working dilution fresh each day. Store in original container away from incompatible materials and from food and drink. Do not store in an unlabeled container. Use appropriate containment to avoid environmental contamination. Consult Product Specification sheets for additional storage information.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

08/07/2021 EN (English) 3 / 11



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EU         IOELV TWA (mg/m²)         0.1 mg/m²           EU         IOELV STEL (mg/m²)         0.3 mg/m²           EU         Notes         Possibility of significant uptake through the skin Austria           Austria         MAK (mg/m²)         0.1 mg/m²           Austria         MAK Short time value (mg/m²)         0.3 mg/m²           Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL STEL (mg/m²)         0.3 mg/m²           Croatia         GVI (granicna vrijednost izloženosti) (mg/m²)         0.1 mg/m²           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0.1 mg/m²           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0.3 mg/m²           Croatia         OEL chemical category (HR)         Skin notation           Cyprus         OEL chemical category (HR)         Skin notation           Cyprus         OEL chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m²)         0.3 mg/m²           Cyprus         OEL chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m²)         0.1 mg/m	Sodium azide (26628-22-	-8)		
EU Notes Possibility of significant uptake through the skin Austria MAK (mg/m²) 0,1 mg/m³ 0,1 mg/m³ Austria MAK Short time value (mg/m²) 0,3 mg/m² Austria OEL chemical category (AT) Skin notation Belgium OEL chemical category (BE) Skin, Skin notation OEL TWA (mg/m²) 0,1 mg/m³ O,1 mg/m³ O,1 mg/m³ OEL TWA (mg/m²) 0,3 mg/m³ O,3 mg/m³ OCT oatia GVI (granicna vrijednost izloženosti) (mg/m²) 0,1 mg/m³ O,1 mg/m³ OCT oatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²) 0,3 mg/m³ OCT oatia OEL TWA (mg/m²) 0,3 mg/m³ OCT oatia OEL TWA (mg/m²) 0,3 mg/m³ OCT oatia OEL Chemical category (HR) Skin notation OCT of oEL TWA (mg/m²) 0,3 mg/m³ OCT oatia OEL TWA (mg/m²) 0,3 mg/m³ OCT oatia OEL TWA (mg/m²) 0,3 mg/m³ OCT oatia OEL Chemical category (CY) Skin-potential for cutaneous absorption OCT of oatia OEL chemical category (CY) Skin-potential for cutaneous absorption OCT of oatia OEL chemical category (CY) Skin-potential for cutaneous absorption OCT of oatia OEL chemical category (FR) Of mg/m² (restrictive limit) OCT of oatia OEL chemical category (FR) Of mg/m² (restrictive limit) OCT of oatia OEL chemical category (FR) Of mg/m² (restrictive limit) OCT of oatia OEL chemical category (FR) Of mg/m² (restrictive limit) OCT of oatia OEL chemical category (FR) Of mg/m³ (restrictive limit) OCT of oatia OEL chemical category (FR) Of mg/m³ (restrictive limit) OCT of oatia OEL chemical category (GI) Of mg/m³ (restrictive limit) OEL chemical category (GI) Of mg/m³ Of of oatia OEL chemical category (GI) Of mg/m³ Of oatia OEL of oatia OEL oatigory (IV) OEL oatigory OEL	EU	IOELV TWA (mg/m³)	0,1 mg/m³	
Austria         MAK (mg/m³)         0,1 mg/m³           Austria         MAK Short time value (mg/m²)         0,3 mg/m³           Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL Chemical category (BE)         Skin, Skin notation           Bulgaria         OEL TWA (mg/m³)         0,1 mg/m³           Bulgaria         OEL STEL (mg/m³)         0,3 mg/m³           Croatia         GW (granicna vrijednost izloženosti) (mg/m³)         0,3 mg/m³           Croatia         KGVI (kraktotrajna granicna vrijednost izloženosti) (mg/m³)         0,3 mg/m³           Croatia         OEL Chemical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL Chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m³)         0,3 mg/m³           Cyprus         OEL chemical category (FR)         Risk of cutaneous absorption           Germany         Occupational exposure limit value (mg/m³)         0,2 mg/m³           Gibraltar         Eig	EU	IOELV STEL (mg/m³)	0,3 mg/m³	
Austria MAK Short time value (mg/m²) 0,3 mg/m²  Austria OEL chemical category (AT) Skin notation  Belgium OEL Chemical category (BE) Skin, Skin notation  Bulgaria OEL TYMA (mg/m²) 0,1 mg/m²  Bulgaria OEL STEL (mg/m²) 0,3 mg/m³  Croatia OSU (granicna vrijednost izloženosti) (mg/m²) 0,1 mg/m³  Croatia WGV (kratkotrajna granicna vrijednost izloženosti) (mg/m²) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TYMA (mg/m²) 0,1 mg/m³  Cyprus OEL STEL (mg/m²) 0,3 mg/m³  Cyprus OEL STEL (mg/m²) 0,3 mg/m³  Cyprus OEL STEL (mg/m²) 0,3 mg/m³  Cyprus OEL Chemical category (CY) Skin-potential for cutaneous absorption  France VME (mg/m²) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m²)  Gibraltar Bight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m²) 0,1 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m²) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  USA ACGIH ACGIH Celling (mg/m²) 0,2 mg/m³  USA ACGIH ACGIH Celling (mg/m²) 0,2 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL chemical category (IV) skin - potential for cutaneous absorption	EU	Notes	Possibility of significant uptake through the skin	
Austria OEL chemical category (AT) Skin notation  Belgium OEL chemical category (BE) Skin, Skin notation  Belgium OEL TWA (mg/m²) 0,1 mg/m³  Bulgaria OEL TWA (mg/m²) 0,3 mg/m³  Croatia GW (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,3 mg/m³  Cyprus OEL TWA (mg/m³) 0,3 mg/m³  Cyprus OEL TWA (mg/m³) 0,3 mg/m³  Cyprus OEL Chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³) (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,1 mpm  USA ACGIH ACGIH Ceiling (mg/m³) 0,2 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL chemical category (IV) skin - potential for cutaneous exposure	Austria	MAK (mg/m³)	0,1 mg/m³	
Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL TWA (mg/m³)         0,1 mg/m³           Bulgaria         OEL STEL (mg/m³)         0,3 mg/m³           Croatia         GVI (granicna vrijednost izloženosti) (mg/m³)         0,1 mg/m³           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)         0,3 mg/m³           Croatia         OEL chemical category (HR)         Skin notation           Cyprus         OEL themical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m³)         0,3 mg/m³ (restrictive limit)           France         VME (mg/m³)         0,1 mg/m³ (restrictive limit)           France         OEL chemical category (FR)         Risk of cutaneous absorption           Germany         Occupational exposure limit value (mg/m³)         0,2 mg/m³           Gibraltar         Eight hours mg/m3         0,1 mg/m³           Gibraltar         Eight hours mg/m3         0,3 mg/m³	Austria	MAK Short time value (mg/m³)	0,3 mg/m³	
Bulgaria OEL TWA (mg/m³) 0,1 mg/m³  Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,1 mg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  Latyia OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure	Austria	OEL chemical category (AT)	Skin notation	
Bulgaria   OEL STEL (mg/m³)   0,3 mg/m³	Belgium	OEL chemical category (BE)	Skin, Skin notation	
Croatia GVI (granicna vrijednost izloženosti) (ng/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (Gi) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,2 mg/m³  Greece OEL STEL (pm) 0,1 ppm  Greece OEL STEL (pm) 0,1 ppm  USA ACGIH ACGIH Ceiling (ppm) 0,1 ppm  Italy OEL STEL (mg/m³) 0,2 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  DEL TWA (mg/m³) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  DAI mg/m³  Latvia OEL chemical category (UV) skin - potential for cutaneous exposure	Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³	
(mg/m²)       0,1 mg/m³         Croatia       KGVI (kratkotrajna granicna vrijednosti zloženosti) (mg/m²)       0,3 mg/m³         Croatia       OEL chemical category (HR)       Skin notation         Cyprus       OEL TWA (mg/m³)       0,1 mg/m³         Cyprus       OEL STEL (mg/m²)       0,3 mg/m³         Cyprus       OEL chemical category (CY)       Skin-potential for cutaneous absorption         France       VLE (mg/m³)       0,3 mg/m³ (restrictive limit)         France       VME (mg/m³)       0,1 mg/m³ (restrictive limit)         France       OEL chemical category (FR)       Risk of cutaneous absorption         Germany       Occupational exposure limit value (mg/m³)       0,2 mg/m³         Gibraltar       Eight hours mg/m3       0,1 mg/m³         Gibraltar       Short-term mg/m3       0,3 mg/m³         Gibraltar       OEL chemical category (GI)       Skin notation         Greece       OEL TWA (mg/m³)       0,3 mg/m³         Greece       OEL TWA (ppm)       0,1 ppm         Greece       OEL TWA (ppm)       0,1 ppm         Greece       OEL STEL (ppm)       0,1 ppm         USA ACGIH       ACGIH Ceiling (mg/m³)       0,29 mg/m³         USA ACGIH       ACGIH Ceiling (mg/m³)       0,1 mg/m³	Bulgaria	OEL STEL (mg/m³)	0,3 mg/m³	
vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m²) 0,1 mg/m³  Cyprus OEL STEL (mg/m²) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (pmm) 0,1 ppm  Greece OEL STEL (mg/m²) 0,3 mg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,1 ppm  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure	Croatia	1	0,1 mg/m³	
Cyprus OEL TWA (mg/m³) 0,1 mg/m³ Cyprus OEL STEL (mg/m³) 0,3 mg/m³ Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption France VLE (mg/m³) 0,3 mg/m³ (restrictive limit) France VME (mg/m³) 0,1 mg/m³ (restrictive limit) France OEL chemical category (FR) Risk of cutaneous absorption Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³ Gibraltar Eight hours mg/m3 0,1 mg/m³ Gibraltar Short-term mg/m3 0,3 mg/m³ Gibraltar OEL chemical category (GI) Skin notation Greece OEL TWA (mg/m³) 0,3 mg/m³ Greece OEL TWA (ppm) 0,1 ppm Greece OEL STEL (mg/m³) 0,3 mg/m³ Greece OEL STEL (ppm) 0,1 ppm USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³ USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm Italy OEL TWA (mg/m²) 0,1 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL Chemical category (IT) skin - potential for cutaneous exposure	Croatia		0,3 mg/m³	
Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Geiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure	Croatia	OEL chemical category (HR)	Skin notation	
Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption France VLE (mg/m³) 0,3 mg/m³ (restrictive limit) France VME (mg/m³) 0,1 mg/m³ (restrictive limit) France OEL chemical category (FR) Risk of cutaneous absorption Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³ Gibraltar Eight hours mg/m3 0,2 mg/m³ Gibraltar Short-term mg/m3 0,3 mg/m³ Gibraltar OEL chemical category (GI) Skin notation Greece OEL TWA (mg/m³) 0,3 mg/m³ Greece OEL TWA (ppm) 0,1 ppm Greece OEL STEL (mg/m³) 0,3 mg/m³ Greece OEL STEL (mg/m³) 0,2 pmg/m³ USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³ USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm Italy OEL TWA (mg/m³) 0,1 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL Chemical category (IT) skin - potential for cutaneous absorption Latvia OEL twa (mg/m³) 0,1 mg/m³ Latvia OEL chemical category (LV) skin - potential for cutaneous exposure	Cyprus	OEL TWA (mg/m³)	0,1 mg/m³	
France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,2 mg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure	Cyprus	OEL STEL (mg/m³)	0,3 mg/m³	
France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH ACGIH (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL TWA (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³	Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption	
France OEL chemical category (FR) Risk of cutaneous absorption  Germany Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure	France	VLE (mg/m³)	0,3 mg/m³ (restrictive limit)	
Germany  Occupational exposure limit value (mg/m³)  Gibraltar  Eight hours mg/m3  O,1 mg/m³  O,3 mg/m³  Gibraltar  Short-term mg/m3  O,3 mg/m³  Gibraltar  OEL chemical category (GI)  Skin notation  Greece  OEL TWA (mg/m³)  O,3 mg/m³  Greece  OEL TWA (ppm)  O,1 ppm  Greece  OEL STEL (mg/m³)  O,3 mg/m³  Greece  OEL STEL (ppm)  O,1 ppm  USA ACGIH  ACGIH Ceiling (mg/m³)  O,29 mg/m³  USA ACGIH  ACGIH Ceiling (ppm)  O,1 ppm  Italy  OEL TWA (mg/m³)  O,1 mg/m³  Italy  OEL STEL (mg/m³)  O,2 mg/m³  O,1 mg/m³  Italy  OEL STEL (mg/m³)  O,1 mg/m³  Italy  OEL Chemical category (IT)  Skin - potential for cutaneous exposure	France	VME (mg/m³)	0,1 mg/m³ (restrictive limit)	
GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposure	France	OEL chemical category (FR)	Risk of cutaneous absorption	
Gibraltar  Short-term mg/m3  O,3 mg/m³  Gibraltar  OEL chemical category (GI)  Skin notation  OR cecce  OEL TWA (mg/m³)  O,3 mg/m³  Greece  OEL TWA (ppm)  O,1 ppm  Greece  OEL STEL (mg/m³)  O,3 mg/m³  Greece  OEL STEL (ppm)  O,1 ppm  USA ACGIH  ACGIH Ceiling (mg/m³)  USA ACGIH  ACGIH Ceiling (ppm)  O,11 ppm  USA ACGIH  ACGIH Ceiling (ppm)  O,1 ppm  USA ACGIH  ACGIH Ceiling (ppm)  OEL TWA (mg/m³)  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OAJ mg/m³  Italy  OEL STEL (mg/m³)  OAJ mg/m³  Italy  OEL Chemical category (IT)  Skin - potential for cutaneous absorption  Latvia  OEL Chemical category (LV)  Skin - potential for cutaneous exposure	· · · · · · · · · · · · · · · · · · ·		0,2 mg/m³	
Gibraltar  OEL chemical category (GI)  Skin notation  OFRECE  OEL TWA (mg/m³)  O,3 mg/m³  Greece  OEL TWA (ppm)  O,1 ppm  Greece  OEL STEL (mg/m³)  O,2 mg/m³  USA ACGIH  ACGIH Ceiling (mg/m³)  OEL TWA (mg/m³)  OFL STEL (mg/m³)  OFL Chemical category (IT)  Skin - potential for cutaneous absorption  Latvia  OFL Chemical category (LV)  Skin - potential for cutaneous exposure	Gibraltar	Eight hours mg/m3	0,1 mg/m³	
Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL themical category (LV) skin - potential for cutaneous exposure	Gibraltar	Short-term mg/m3	0,3 mg/m³	
Greece OEL TWA (ppm) 0,1 ppm Greece OEL STEL (mg/m³) 0,3 mg/m³ Greece OEL STEL (ppm) 0,1 ppm USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³ USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm Italy OEL TWA (mg/m³) 0,1 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL Chemical category (IT) skin - potential for cutaneous absorption Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure	Gibraltar	OEL chemical category (GI)	Skin notation	
Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure	Greece	OEL TWA (mg/m³)	0,3 mg/m³	
Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure	Greece	OELTWA (ppm)	0,1 ppm	
USA ACGIH  ACGIH Ceiling (mg/m³)  USA ACGIH  ACGIH Ceiling (ppm)  O,11 ppm  Italy  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (IT)  Latvia  OEL TWA (mg/m³)  OEL chemical category (LV)  Skin - potential for cutaneous absorption  OEL chemical category (LV)	Greece	OEL STEL (mg/m³)	0,3 mg/m³	
USA ACGIH  ACGIH Ceiling (ppm)  O,11 ppm  OL TWA (mg/m³)  OL STEL (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (IT)  Latvia  OEL TWA (mg/m³)  OL TWA (mg/m³)  OEL chemical category (IT)  Skin - potential for cutaneous absorption  OL TWA (mg/m³)  OL TWA (mg/m³)  OEL chemical category (LV)  Skin - potential for cutaneous exposure	Greece	OEL STEL (ppm)	0,1 ppm	
Italy  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (IT)  Latvia  OEL TWA (mg/m³)  OEL chemical category (LV)  Skin - potential for cutaneous absorption  OEL chemical category (LV)  Skin - potential for cutaneous exposure	USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m³	
Italy     OEL STEL (mg/m³)     0,3 mg/m³       Italy     OEL chemical category (IT)     skin - potential for cutaneous absorption       Latvia     OEL TWA (mg/m³)     0,1 mg/m³       Latvia     OEL chemical category (LV)     skin - potential for cutaneous exposure	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy     OEL chemical category (IT)     skin - potential for cutaneous absorption       Latvia     OEL TWA (mg/m³)     0,1 mg/m³       Latvia     OEL chemical category (LV)     skin - potential for cutaneous exposure	Italy	OEL TWA (mg/m³)	0,1 mg/m³	
Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure	Italy	OEL STEL (mg/m³)	0,3 mg/m³	
Latvia OEL chemical category (LV) skin - potential for cutaneous exposure	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
	Latvia	OEL TWA (mg/m³)	0,1 mg/m³	
Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
	Spain	VLA-ED (mg/m³)	0,1 mg/m³ (indicative limit value)	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Spain	VLA-EC (mg/m³)	0,3 mg/m³	
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)	
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m³	
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m³	
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³	
United Kingdom	WEL STEL (mg/m³)	0,3 mg/m³	
United Kingdom	WEL chemical category	Potential for cutaneous absorption	
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m³	
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³	
Estonia	OEL TWA (mg/m³)	0,1 mg/m³	
Estonia	OEL STEL (mg/m³)	0,3 mg/m³	
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³	
Finland	HTP-arvo (15 min)	0,3 mg/m³	
Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
Hungary AK-érték		0,1 mg/m³	
Hungary CK-érték C		0,3 mg/m³	
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³	
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m³) 0,1 mg/m³		
Lithuania	TPRV (mg/m³)	0,3 mg/m³	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³	
Luxembourg	OEL STEL (mg/m³)	0,3 mg/m³	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m³)	0,1 mg/m³	
Malta	OEL STEL (mg/m³)	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway Grenseverdier (AN) (mg/m³)		0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m³ (value from the regulation)	
Poland	NDS (mg/m³)	0,1 mg/m³	
Poland	NDSCh (mg/m³)	0,3 mg/m³	
Romania OEL TWA (mg/m³) 0		0,1 mg/m³	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Romania	OEL STEL (mg/m³)	0,3 mg/m³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m³)	0,3 mg/m³
Slovenia	OEL chemical category (SI)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³
Portugal	OEL TWA (mg/m³)	0,1 mg/m³ (indicative limit value)
Portugal	OEL STEL (mg/m³)	0,3 mg/m³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

#### 8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Ensure adequate ventilation,

especially in confined areas. Ensure all national/local regulations are observed.

Personal protective equipment : Gloves. Protective clothing. Protective goggles.







Materials for protective clothing : Chemically resistant materials and fabrics.

Hand protection : Wear protective gloves. Eye and Face Protection : Chemical safety goggles.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn.

Other information : When using, do not eat, drink or smoke.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Red liquid

Odour : Odourless, as water
Odour threshold : No data available

pH : 9.0

Evaporation rate : No data available

08/07/2021 EN (English) 6 / 11



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: No data available Melting point Freezing point : No data available : No data available **Boiling point** Flash point : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure Relative vapour density at 20 °C : No data available : No data available Relative density

Solubility : Water

Partition coefficient: n-octanol/water : No data available Viscosity : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Contact with acids liberates toxic gas.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures. Incompatible materials.

#### 10.5. Incompatible materials

Acids. Strong oxidizers.

#### 10.6. Hazardous decomposition products

None expected under normal conditions of use.

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Sodium azide (26628-22-8)	
LD50 oral rat	27 mg/kg
LD50 oral	45 mg/kg
LD50 dermal rabbit	20 mg/kg
LC50 inhalation rat (mg/l)	0,054 - 0,52 mg/l/4h (Dust/Mist - mg/l/4h)

#### Borax (B4Na2O7.10H2O) (1303-96-4)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 oral rat	3493 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 inhalation rat (mg/l)	> 2 mg/m³ (Exposure time: 4 h)

Skin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedRespiratory or skin sensitisation: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classified

Reproductive toxicity : Not classified. (Specific Concentration Limits for sodium borate (CAS

number: 1303-96-4): C >= 8.5 % Reproductive Toxicity, Repr 1B: H360)

STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Symptoms/Injuries After Inhalation : Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact : May cause slight irritation to eyes. Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects.

Chronic Symptoms : None expected under normal conditions of use.

## SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Not classified.

Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
ErC50 (algae)	0,348 mg/l	
Borax (B4Na2O7.10H2O) (1303-96-4)		
EC50 Daphnia 1 644 mg/l		

#### 12.2. Persistence and degradability

40 nm Colloidal Gold-AffiniPure Goat Anti-Human IgG, Fcg Fragment Specific (minimal cross-reaction to Bovine, Horse, and	
Mouse Serum Proteins)	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

40 nm Colloidal Gold-AffiniPure Goat Anti-Human IgG, Fcg Fragment Specific (minimal cross-reaction to Bovine, Horse, and		l
Mouse Serum Proteins)		l
Bioaccumulative potential Not established.		l

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Borax (B4Na2O7.10H2O) (1303-96-4)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

- $: \ \ Dispose \ of \ contents/container \ in \ accordance \ with \ local, \ regional, \ national, \ and$ 
  - international regulations.
- Ecology waste materials : Avoid release to the environment. This material is hazardous to the aquatic

environment. Keep out of sewers and waterways.

## SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	IATA	ADN	RID
14.1.	UN number			•	
Not reg	gulated for transp	ort			
14.2.	UN proper sh	ipping name			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	Transport haz	ard class(es)			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing group	)			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5.	14.5. Environmental hazards				
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviro	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

#### 14.6. Special precautions for user

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration = 0.1% or with a lower specific limit: Disodium tetraborate, anhydrous (EC 215-540-4;603-411-9, CAS 1303-96-4)

Contains no REACH Annex XIV substances

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Date of Preparation or Latest Revision

: 08/07/2021

Data sources

: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications

according to GHS or their subsequent adoption of GHS.

Other information

: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Repr. 1B	Reproductive toxicity, Category 1B
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H360	May damage fertility or the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

### Indication of Changes No additional information available

#### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration

08/07/2021 EN (English) 10 / 11



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP - Classification, Labeling and Packaging Regulation (EC) No

1272/2008

COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Economic Community

 ${\tt EINECS-European\ Inventory\ of\ Existing\ Commercial\ Chemical}$ 

ubstances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU - European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS – Globally Harmonized System of Classification and Labeling of

chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

 ${\tt LC50-Median\ Lethal\ Concentration}$ 

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

 $\label{logPow-Ratio} \mbox{Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible and the concentration of the con$ 

solvents, in this case octanol and water  $% \left( 1\right) =\left( 1\right) \left( 1\right$ 

 $MAK-Maximum\ Workplace\ Concentration/Maximum\ Permissible$ 

Concentration

 ${\bf MARPOL\,-International\,Convention\,for\,the\,Prevention\,of\,Pollution}$ 

NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of

Chemicals

RID – Regulations Concerning the International Carriage of Dangerous

Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von

Gefahrstoffen in ortsbeweglichen Behältern

TRGS 552 - Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 -

Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische

Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE - Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as quaranteeing any specific property of the product.