Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Version: 3.1

#### Date of issue: 24/06/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. **Product identifier**

Product Form	: Mixture
Product Name	: Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFP

Product Code

: 300-605-245

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. **Relevant identified uses**

Use of the substance/mixture

: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

#### Uses advised against 1.2.2.

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

## Manufacturer

Jackson ImmunoResearch Laboratories, Inc. 872 West Baltimore Pike West Grove, PA 19390 T: 800-367-5296, 610-869-4024 F: 610-869-0171 tech@jacksonimmuno.com www.jacksonimmuno.com

# **European Contact**

Jackson ImmunoResearch Europe LTD **Cambridge House** St Thomas' Place Ely, Cambridgeshire CB7 4EX, UK T: +44 (0) 1638 782616 F: +44 (0) 1353 664675 info@jacksonimmuno.com help@jacksonimmuno.com

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

#### **Emergency telephone number** 1.4.

Emergency number

# : +1-610-869-4024 (USA) SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3 H412

Full text of hazard classes and H-statements: see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

# Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.
2.3. Other hazards	

Other hazards not contributing to the	: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.
ala asifi ashi an	

## classification

# SECTION 3: Composition/information on ingredients

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



# 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFP	(CAS-No.) Not assigned	1.57	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.71	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.14	Not classified

Full text of H-statements: see section 16

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> </ul>
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
4.3. Indication of any immediate	nedical attention and special treatment needed
If exposed or concerned, get medical advi	ce and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting mea	sures
5.1. Extinguishing media	
Cuitable autinguishing modia	· Water agency for anything distribution (CO ) along the project of the provide state of the

# Suitable extinguishing media: Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical.Unsuitable extinguishing media: Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical.Unsuitable extinguishing media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

# 5.2. Special hazards arising from the substance or mixture

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Fire hazard Reactivity	<ul> <li>Not Assigned</li> <li>Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.</li> </ul>
Hazardous decomposition products in case of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental relea	ase measures
	ctive equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for co	ontainment and cleaning up
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other sections	
See Section 8 for exposure controls and	personal protection and Section 13 for disposal considerations.
SECTION 7: Handling and st	orage

# 7.1. Precautions for safe handling

	-0
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

# 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Sodium chloride (7647-1	4-5)	
Latvia	OEL TWA (mg/m³)	5 mg/m³
Lithuania	IPRV (mg/m³)	5 mg/m³
Sodium azide (26628-22-	8)	
EU	IOELV TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m <sup>3</sup>
Austria	MAK Short time value (mg/m³)	0,3 mg/m³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)
France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m <sup>3</sup>
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



tial for cutaneous exposure indicative limit value) tial for cutaneous absorption inhalable dust) inhalable dust) or cutaneous absorption
indicative limit value) tial for cutaneous absorption inhalable dust) inhalable dust) r cutaneous absorption
tial for cutaneous absorption inhalable dust) inhalable dust) or cutaneous absorption
inhalable dust) inhalable dust) r cutaneous absorption
inhalable dust) inhalable dust) r cutaneous absorption
inhalable dust)
r cutaneous absorption
·
·
·
·
·
r cutaneous absorption
Skin notation
r cutaneous absorption
r cutaneous absorption
on
of significant uptake through the skin
of significant uptake through the skin
value from the regulation)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Romania	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	0,3 mg/m³
Portugal	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL - Ceilings (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

# 8.2. Exposure controls

Appropriate engineering controls

- Personal protective equipment
- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



Materials for protective clothing	: Chemically resistant materials and fabrics.
Hand protection	: Wear protective gloves.
Eye and Face Protection	: Chemical safety goggles.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

: When using, do not eat, drink or smoke.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state :	Solid	
Colour :	Strong blue solid	
Odour :	Odourless, as water	
Odour threshold :	No data available	
рН :	7.6, when rehydrated with indicated volume of H <sub>2</sub> O	
Evaporation rate :	No data available	
Melting point :	No data available	

Other information

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

# 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

# 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

# Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

# 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity : Not cla	ssified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O         Serious eye damage/irritation       : Not classified         pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         Straige exposure       : Not classified         Symptoms/Injuries After Inhalation       : May be harmful or cause irritation.         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Ingestion       : Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information       : Ingestion may cause adverse effects.         Stoft Are Ingestion       : Ingestion reme: 96 h - Species: Lepomis macrochirus [flow-through])         Ecology - general       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)       1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 1       1000 mg/l (Exp	LD50 dermal rat	>500 mg/kg (50% solution)
pH: 7,6 when rehydrated with indicated volume of H₂O         Respiratory or skin sensitisation       : Not classified         Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         Stot classified       : Not classified         Stot classified       : Not classified         Symptoms/Injuries After Inhalation       : Not classified         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Skin Contact       : May cause slight irritation to eyes.         Symptoms/Injuries After Ingestion       : Not classified         Symptoms/Injuries After Ingestion       : None expected under normal conditions of use.         SECTION 12: Ecological information       : None expected under normal conditions of use.         Sodium chloride (7647-14-5)       :         LC50 0 aphnia 1       1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 2       :         Sodium axide (26628-22.8)       :         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         NOEC chronic fish       :         252 mg/l (Species: Pimephale	Skin corrosion/irritation	
Germ cell mutagenicity       : Not classified         Carcinogenicity       : Not classified         Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         STOT-single exposure       : Not classified         Storms/Injuries After Inhalation       : Not classified         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Inhalation       : May be harmful or cause irritation to eyes.         Symptoms/Injuries After Ingestion       : Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information       : None expected under normal conditions of use.         Section of 10: Somptoms       : Sofo (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         ECS Oraphnia 1       1000 mg/l (Exposure time: 96 h - Species: Daphnia magna)         LCS of fish 1       2: 22 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       2: 20 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static])         NOE Chronic fish       0.8 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static])         NOE Chronic fish       0.8 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static])         NOE Chronic fish	Serious eye damage/irritation	
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified Aspiration hazard : Not classified Symptoms/Injuries After Inhalation : May be harmful or cause irritation. Symptoms/Injuries After Inhalation : May be harmful or cause irritation. Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation. Symptoms/Injuries After Ingestion : May be adverse effects. May be harmful if swallowed. Chronic Symptoms : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic Symptoms : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic Symptoms : None expected under normal conditions of use. SECTION 12: Ecological information Ecology - general : Harmful to aquatic life with long lasting effects. Sodium chloride (7647-14-5) LC50 fish 1 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) EC50 Daphnia 1 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) EC50 Daphnia 2 12946 mg/l (Exposure time: 96 h - Species: Daphnia magna) LC50 fish 2 12946 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC50 fish 2 12946 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static]) NOEC chronic fish 252 mg/l (Species: Pimephales promelas) Sodium azide (26628-22-8) LC50 fish 1 0,8 mg/l (Exposure time: 96 h - Species: Dophnia magna [Static]) EC50 Gage) 0,348 mg/l 2.2. Persistence and degradability Not established.	Respiratory or skin sensitisation	: Not classified
Reproductive toxicity       : Not classified         STOT-single exposure       : Not classified         Stot classified       : Not classified         Symptoms/Injuries After Inhalation       : May be harmful or cause irritation.         Symptoms/Injuries After Inhalation       : May be harmful or cause skin irritation.         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Eye Contact       : May cause slight irritation to eyes.         Symptoms/Injuries After Ingestion       : Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information       : Ingestion may cause adverse effects.         21. Toxicity       : None expected under normal conditions of use.         Sodium chloride (7647-14-5)       : Glog - eneral         LC50 fish 1       : S560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       : 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 2       : 252 mg/l (Species: Primephales promelas)         Sodium azide (26628-22-8)       : 252 mg/l (Species: Primephales promelas)         Sodium azide (26628-22-8)       : C50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Choronhynchus mykiss)       : C50 fish 1<	Germ cell mutagenicity	: Not classified
STOT-single exposure       : Not classified         Aspiration hazard       : Not classified         Symptoms/Injuries After Inhalation       : May be harmful or cause irritation.         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Inhalation       : May cause slight irritation to eyes.         Symptoms/Injuries After Ingestion       : Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information       : None expected under normal conditions of use.         Stoticity       : None expected under normal conditions of use.         Sodium chloride (7647-14-5)       : Sofo (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 2       12946 mg/l (Exposure time: 96 h - Species: Daphnia magna)         LC50 fish 2       340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna (Static])         NOEC chronic fish       252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       0,7 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss)         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)       0,348 mg/	Carcinogenicity	: Not classified
i       Not classified         Aspiration hazard       i: Not classified         Symptoms/Injuries After Inhalation       i: May be harmful or cause irritation.         Symptoms/Injuries After Skin Contact       i: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Skin Contact       i: May cause slight irritation to eyes.         Symptoms/Injuries After Ingestion       i: Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       i: None expected under normal conditions of use.         SECTION 12: Ecological information       i: None expected under normal conditions of use.         Storigt       general       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)       IC50 fish 1       [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 96 h - Species: Daphnia magna)         LC50 fish 2       12946 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static])         NOEC chronic fish       252 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static])         NOEC chronic fish       252 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static])         NOEC chronic fish       0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         NOEC chronic fish       0	Reproductive toxicity	: Not classified
Aspiration hazard : Not classified Symptoms/Injuries After Inhalation : May be harmful or cause irritation. Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation. Symptoms/Injuries After Eye Contact : May cause slight irritation to eyes. Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic Symptoms : None expected under normal conditions of use. SECTION 12: Ecological information SECTION 12: Ecological information 21. Toxicity Ecology - general : Harmful to aquatic life with long lasting effects. Sodium chloride (7647-14-5) LC50 fish 1 : S560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) EC50 Daphnia 1 : 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC50 fish 2 : 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) Sodium azide (26628-22-8) LC50 fish 1 : 0,8 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static]) Sodium azide (26628-22-8) LC50 fish 2 : 0,7 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss) LC50 fish 2 : 0,7 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss) LC50 fish 2 : 0,7 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss) LC50 fish 2 : 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus] ErC50 (algae) : 0,348 mg/l 2.2. Persistence and degradability Alexa Fluor® 647-conjugated AffiniPure <sup>TM</sup> Rabbit Anti-GFP Persistence and degradability Not established.	STOT-single exposure	: Not classified
Symptoms/Injuries After Inhalation       : May be harmful or cause irritation.         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Eye Contact       : May cause slight irritation to eyes.         Symptoms/Injuries After Ingestion       : Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information       : None expected under normal conditions of use.         Storigt - general       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)       : S560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       : 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       : 1000 mg/l (Exposure time: 96 h - Species: Daphnia magna)         LC50 fish 2       : 2946 mg/l (Exposure time: 96 h - Species: Daphnia magna)         LC50 fish 2       : 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])         NOEC chronic fish       : 252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       : 0,8 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss)         LC50 fish 1       : 0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)       : 0,348 mg/		: Not classified
Symptoms/Injuries After Inhalation       : May be harmful or cause irritation.         Symptoms/Injuries After Skin Contact       : Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Eye Contact       : May cause slight irritation to eyes.         Symptoms/Injuries After Ingestion       : Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information       : None expected under normal conditions of use.         Storigt       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)       : S560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 2       12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         NOEC chronic fish       252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       0,8 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss)         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)       0,348 mg/l         2.2.       Persistence and degradability         Alexa Fluor* 647-conjugated AffiniPure** Rabbit Anti-GFP         Persistence and degradability       Not established. <td>Aspiration hazard</td> <td>: Not classified</td>	Aspiration hazard	: Not classified
Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. May be harmful if swallowed.Chronic Symptoms: None expected under normal conditions of use.SECTION 12: Ecological information2.1. ToxicityEcology - general: Harmful to aquatic life with long lasting effects.Sodium chloride (7647-14-5)LC50 fish 15560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])EC50 Daphnia 11000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])EC50 Daphnia 2340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna)LC50 fish 10,8 mg/l (Exposure time: 96 h - Species: Daphnia magna [Static])NOEC chronic fish252 mg/l (Species: Pimephales promelas)Sodium azide (26628-22-8)0,7 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss)LC50 fish 20,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)ErC50 (algae)0,348 mg/l2.2. Persistence and degradabilityNot established.	Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Ingestion       : Ingestion may cause adverse effects. May be harmful if swallowed.         Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information       :         21. Toxicity       Ecology - general         Ecology - general       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)       5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 2       12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         EC50 Daphnia 2       340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])         NOEC chronic fish       252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       0,8 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss)         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss)         LC50 fish 2       0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         Erc50 (algae)       0,348 mg/l         2.2. Persistence and degradability       Not established.	Symptoms/Injuries After Skin Contact	-
Chronic Symptoms       : None expected under normal conditions of use.         SECTION 12: Ecological information         2.1. Toxicity         Ecology - general       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)         LC50 fish 1       5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 96 h - Species: Daphnia magna)         LC50 fish 2       12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         EC50 Daphnia 2       340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])         NOEC chronic fish       252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)       0,348 mg/l         22.       Persistence and degradability         Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFP         Persistence and degradability       Not established.	Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
SECTION 12: Ecological information         2.1. Toxicity         Ecology - general       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)         LC50 fish 1       5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 2       12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         EC50 Daphnia 2       340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])         NOEC chronic fish       252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       0,8 mg/l (Exposure time: 96 h - Species: Cncorhynchus mykiss)         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Cncorhynchus mykiss)         LC50 fish 2       0,7 mg/l (Exposure time: 96 h - Species: Cncorhynchus mykiss)         LC50 fish 2       0,7 mg/l (Exposure time: 96 h - Species: Cncorhynchus mykiss)         LC50 fish 2       0,348 mg/l         2.2. Persistence and degradability       Not established.	Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
2.1. Toxicity         Ecology - general       : Harmful to aquatic life with long lasting effects.         Sodium chloride (7647-14-5)         LC50 fish 1       5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         EC50 Daphnia 1       1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 2       12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         EC50 Daphnia 2       340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])         NOEC chronic fish       252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)       0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         EC50 (algae)       0,7 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)         LC50 fish 2       0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)       0,348 mg/l         2.2. Persistence and degradability       Not established.	Chronic Symptoms	<ul> <li>None expected under normal conditions of use</li> </ul>
[flow-through])         EC50 Daphnia 1         1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)         LC50 fish 2         12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         EC50 Daphnia 2         340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])         NOEC chronic fish         252 mg/l (Species: Pimephales promelas)         Sodium azide (26628-22-8)         LC50 fish 1         0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)         LC50 fish 2         0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)         0,348 mg/l         22. Persistence and degradability         Alexa Fluor® 647-conjugated AffiniPure <sup>™</sup> Rabbit Anti-GFP         Persistence and degradability	SECTION 12: Ecological infor 2.1. Toxicity	mation
LC50 fish 212946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])EC50 Daphnia 2340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])NOEC chronic fish252 mg/l (Species: Pimephales promelas)Sodium azide (26628-22-8)0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)LC50 fish 10,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)LC50 fish 20,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)ErC50 (algae)0,348 mg/l2.2. Persistence and degradabilityNot established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5)	Harmful to aquatic life with long lasting effects.
EC50 Daphnia 2340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])NOEC chronic fish252 mg/l (Species: Pimephales promelas)Sodium azide (26628-22-8)0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)LC50 fish 10,8 mg/l (Exposure time: 96 h - Species: Concorhynchus mykiss)LC50 fish 20,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)ErC50 (algae)0,348 mg/l2.2. Persistence and degradabilityAlexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFPPersistence and degradabilityNot established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general	<ul> <li>mation</li> <li>: Harmful to aquatic life with long lasting effects.</li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus</li> </ul>
NOEC chronic fish252 mg/l (Species: Pimephales promelas)Sodium azide (26628-22-8)LC50 fish 10,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)LC50 fish 20,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)ErC50 (algae)0,348 mg/l2.2. Persistence and degradabilityAlexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFPPersistence and degradabilityNot established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1	<ul> <li>mation</li> <li>: Harmful to aquatic life with long lasting effects.</li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])</li> </ul>
Sodium azide (26628-22-8)         LC50 fish 1       0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)         LC50 fish 2       0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)       0,348 mg/l         2.2. Persistence and degradability       Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFP         Persistence and degradability       Not established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5)	<ul> <li>mation         <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])         <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> </ul> </li> </ul>
LC50 fish 10,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)LC50 fish 20,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)ErC50 (algae)0,348 mg/lAlexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFPPersistence and degradabilityNot established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1	<ul> <li>mation <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> </ul> </li> </ul>
LC50 fish 2       0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)         ErC50 (algae)       0,348 mg/l         2.2. Persistence and degradability       Value of the stabilished.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2	<ul> <li>mation <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> <li>340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])</li> </ul> </li> </ul>
ErC50 (algae)       0,348 mg/l         2.2. Persistence and degradability         Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFP         Persistence and degradability         Not established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2	<ul> <li>mation <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> <li>340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])</li> </ul> </li> </ul>
2.2. Persistence and degradability         Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFP         Persistence and degradability       Not established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish	<ul> <li>mation <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> <li>340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])</li> <li>252 mg/l (Species: Pimephales promelas)</li> </ul> </li> </ul>
Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFPPersistence and degradabilityNot established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8)	<ul> <li>mation <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> <li>340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])</li> <li>252 mg/l (Species: Pimephales promelas)</li> </ul> </li> <li>0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)</li> </ul>
Persistence and degradability Not established.	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1	<ul> <li>mation <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> <li>340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])</li> <li>252 mg/l (Species: Pimephales promelas)</li> </ul> </li> <li>0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) <ul> <li>0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)</li> </ul> </li> </ul>
	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 1 LC50 fish 2 ErC50 (algae) 2.2. Persistence and degradability	<ul> <li>mation <ul> <li>Harmful to aquatic life with long lasting effects.</li> </ul> </li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) <ul> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> <li>340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])</li> <li>252 mg/l (Species: Pimephales promelas)</li> </ul> </li> <li>0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)</li> <li>0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)</li> <li>0,348 mg/l</li> </ul>
	SECTION 12: Ecological infor 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 1 LC50 fish 2 ErC50 (algae) 2.2. Persistence and degradability Alexa Fluor® 647-conjugated AffiniPure <sup>TI</sup>	<ul> <li>Harmful to aquatic life with long lasting effects.</li> <li>5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])</li> <li>1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)</li> <li>12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])</li> <li>340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])</li> <li>252 mg/l (Species: Pimephales promelas)</li> <li>0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)</li> <li>0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)</li> <li>0,348 mg/l</li> </ul>

Alexa Fluor® 647-conjugated AffiniPure™ Rabbit Anti-GFP	
Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

Other information

recommendations

: Avoid release to the environment.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

- : Dispose of contents/container in accordance with local, regional, national, and international regulations.
- Ecology waste materials

Product/Packaging disposal

: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

# SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN numbe	er			
Not regulated for tra	nsport			
14.2. UN proper	<sup>r</sup> shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport	hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gr	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ental hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

# Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Sodium azide	(26628-22-8)	
--------------	--------------	--

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTIO	<b>DN 16</b> :	Other in	formation

Date of Preparation or Latest Revision Data sources	<ul> <li>24/06/2024</li> <li>Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information,</li> </ul>
Other information	<ul> <li>and/or resources that include substance specific data and classifications</li> <li>according to GHS or their subsequent adoption of GHS.</li> <li>According to Regulation (EC) No. 1907/2006 (REACH) with its amendment</li> <li>Regulation (EU) 2015/830</li> </ul>

#### Full Text of H- and EUH-statements:

Acute toxicity (oral), Category 2
Hazardous to the aquatic environment — Acute Hazard, Category 1
Hazardous to the aquatic environment — Chronic Hazard, Category 1
Hazardous to the aquatic environment — Chronic Hazard, Category 3
Fatal if swallowed.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.
Contact with acids liberates very toxic gas.

## Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

EEC – European Economic Community SADT - Self Accelerating Decomposition Temperature	
EINECS – European Inventory of Existing Commercial Chemical SDS - Safety Data Sheet	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Substances STEL - Short Term Exposure Limit EmS-No. (Fire) - IMDG Emergency Schedule Fire STOT - Specific Target Organ Toxicity EmS-No. (Spillage) - IMDG Emergency Schedule Spillage FU – Furopean Union ErC50 - EC50 in Terms of Reduction Growth Rate ThOD – Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit Chemicals TLV - Threshold Limit Value IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV – Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse EU GHS SDS

TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 -TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VME-Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.