# Lithium bromide: sc-215255



# MATERIAL SAFETY DATA SHEET

The Power to Question

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Lithium bromide **Product Number:** sc-215255

Supplier: Santa Cruz Biotechnology, Inc.

2145 Delaware Avenue Santa Cruz, CA 95060

800.457.3801 or 831.457.3800

**Emergency:** ChemWatch

Within the US & Canada: 877-715-9305

Outside the US & Canada: +800 2436 2255 (1-800-CHEMCALL) or call +613 9573 3112

### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

**OSHA Hazards** 

Target Organ Effect, Harmful by ingestion.

**Target Organs** 

Blood, Central nervous system

**GHS Classification** 

Acute toxicity, Oral (Category 4)

GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H302 Harmful if swallowed.

Precautionary statement(s)

none

**HMIS Classification** 

Health hazard: 1
Chronic Health Hazard: \*
Flammability: 0
Physical hazards: 0
NFPA Rating

Health hazard: 1
Fire: 0
Reactivity Hazard: 0

**Potential Health Effects** 

Inhalation May be harmful if inhaled. May cause respiratory tract irritation.

Skin Harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation. **Ingestion** Harmful if swallowed.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Lithium monobromide

Formula : BrLi Molecular Weight : 86.85

CAS-No.	EC-No.	Index-No.	<b>Concentration</b>
Lithium bromide			
7550-35-8	231-439-8	-	-

### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eves with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 5. FIREFIGHTING MEASURES

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

### **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions - Hydrogen bromide gas, Lithium oxides

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

# **Environmental precautions**

Do not let product enter drains.

# Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

# Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Keep in a dry place. Store at room temperature

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

# Personal protective equipment

# **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Eye protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	powder	рН	no data available
Melting point/freezing point	550 °C - lit.	Boiling point	no data available
Flash point	no data available	Ignition temperature	no data available
Autoignition temperature	no data available	Lower explosion limit	no data available
Upper explosion limit	no data available	Vapor pressure	no data available
Density	3.460 g/cm3	Water solubility	no data available
Relative vapor density	no data available	Odor	no data available
Odor Threshold	no data available	Evaporation rate	no data available
Dortition coefficients	no doto ovoilable		

Partition coefficient: no data available

n-octanol/water

### 10. STABILITY AND REACTIVITY

#### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

no data available

#### Conditions to avoid

Avoid moisture.

#### Materials to avoid

Strong acids, Strong oxidizing agents

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions - Hydrogen bromide gas, Lithium oxides

# Other decomposition products

no data available

### 11. TOXICOLOGICAL INFORMATION

# **Acute toxicity**

**Oral LD50** LD50 Oral - rat - 1,800 mg/kg **Inhalation LC50** no data available

Dermal LD50 no data available

Other information on acute toxicity LD50 Intraperitoneal - guinea pig - 580 mg/kg

LD50 Intraperitoneal - mouse - 1,160 mg/kg LD50 Subcutaneous - mouse - 1,680 mg/kg

#### Skin corrosion/irritation

no data available

# Serious eye damage/eye irritation

no data available

# Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

no data available

# Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

#### **Aspiration hazard**

no data available

#### Potential health effects

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.

**Ingestion** Harmful if swallowed.

**Skin** Harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

### Signs and Symptoms of Exposure

Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion. Bromide rashes, especially of the face, and resembling acne and furunculosis, often occur when bromide inhalation or administration is prolonged. Acute symptoms of overexposure include: depression, psychosis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### Synergistic effects

no data available

Additional Information RTECS: OJ5755000

# **16. OTHER INFORMATION**

The above information is believed to be correct but does not purport to be complete and should be used only as a quide. The burden of safe use of this material rests entirely with the user.

09/02/2013