# Safety Data Sheet



Creation Date: August 12, 2024 Revision Date: August 12, 2024

According	to the	UN	GHS	revision	8
-----------	--------	----	-----	----------	---

1.	IDENTIFICATION	
1.1	GHS Product identifier	
	Product name:	Disulfiram
	Catalog Number:	T0054
	CAS Number:	97-77-8
1.2	Other means of identification	n
	Other names:	
1.3	Recommended use of the c	hemical and restrictions on use
	Identified uses:	
1.4	Supplier's details	
	Company:	Targetmol Chemicals Inc.
	Uses advised against:	36 Washington Street, Wellesley Hills, Massachusetts 02481 USA
	Tel/Fax:	(781) 999-4286
1.5	Emergency phone number	
	Emergency phone number:	781-999-4286
	Service hours:	Monday to Friday, 9am-5pm (Standard timezone:UTC/GMT -5hours).
2	HAZARD IDENTIFICATION	

# 2. HAZARD IDENTIFICATION

# 2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral Skin sensitization, Category 1 Specific target organ toxicity - repeated exposure, Category 2 Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

# 2.2 GHS label elements, including precautionary statements

Ρ	victogram(s):		
s	ignal word:	Warning	
H	lazard statement(s):	H302 Harmful if swallowed H317 May cause an allergic skin reaction H373 May cause damage to organs through prolonged or repeated exposure H410 Very toxic to aquatic life with long lasting effects	
P	Precautionary statement(s):		
	Prevention:	P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ P260 Do not breathe dust/fume/gas/mist/vapours/spray.	g

	P273 Avoid release to the environment.
Response:	P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water/ P333+P317 If skin irritation or rash occurs: Get medical help. P321 Specific treatment (see on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P319 Get medical help if you feel unwell. P391 Collect spillage.
Storage:	none
Disposal:	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

# 2.3 Other hazards which do not resultin classification

no data available

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number
Disulfiram	-	97-77-8	202-607-8

# 4. FIRST-AID MEASURES

# 4.1 Description of necessary first-aid measures

#### **General advice**

no data available

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

# Following skin contact

Rinse skin with plenty of water or shower.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

### Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink. Refer for medical attention .

# 4.2 Most important symptoms/effects, acute and delayed

For acute disulfiram overdose/; Maintain an open airway and assist ventilation if necessary. Treat coma and seizures if they occur. /For disulfiram-ethanol interaction/; maintain an open airway and assist ventilations if necessary. Treat hypotension with supine position and intravenous fluids (e.g., saline), and treat vomiting with metoclopramide. If a pressor agent is needed, a direct-acting agent such as norepinephrine is preferred over indirect-acting drugs such as dopamine. Administer benzodiazepine anxiolytics (e.g., diazepam or lorazepam) and reassurance as needed. There is no specific antidote.

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Exposure Routes: inhalation, ingestion, skin and/or eye contact Symptoms: Irritation eyes, skin, respiratory system; sensitization dermatitis; lassitude (weakness, exhaustion), tremor, restlessness, headache, dizziness; metallic taste; peripheral neuropathy; liver damage Target Organs: Eyes, skin, respiratory system, central nervous system, peripheral nervous system, liver (NIOSH, 2016)

# 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing media

Powder, water spray, foam, carbon dioxide.

# 5.2 Specific hazards arising from the chemical

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

# 5.3 Special protective actions for fire-fighters

Use water spray, powder, foam, carbon dioxide.

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting.

#### 6.2 Environmental precautions

Sweep spilled substance into covered containers. If appropriate, moisten first to prevent dusting. Do NOT let this chemical enter the environment. Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.

#### 6.3 Methods and materials for containment and cleaning up

Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting. Do NOT let this chemical enter the environment. (Extra personal protection: P2 filter respirator for harmful particles.)

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

NO open flames. Closed system, dust explosion-proof electrical equipment and lighting. Prevent deposition of dust. Prevent build-up of electrostatic charges (e.g., by grounding). Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### 7.2 Conditions for safe storage, including any incompatibilities

Separated from strong oxidants.Commercially available disulfiram tablets should be protected from light and stored in tight, lightresistant containers at a temperature less than 40 deg C preferably between 15-30 deg C. Oral suspensions of disulfiram have been prepared extemporaneously from commercially available tablets of the drug. A suspension of 1% disulfiram, 1/4% methylcellulose, and 10% Tang /breakfast drink/ in distilled water has been reported to be stable for up to 6 months if refrigerated at 2-8 deg C and protected from light.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Occupational Exposure limit values**

TLV: 2 mg/m3, as TWA; A4 (not classifiable as a human carcinogen).MAK: (inhalable fraction): 2 mg/m3; peak limitation category: II(8); sensitization of skin (SH); pregnancy risk group: D

#### **Biological limit values**

no data available

### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

# 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear safety spectacles.

#### Skin protection

Protective gloves.

#### **Respiratory protection**

Use ventilation, local exhaust or breathing protection.

#### Thermal hazards

no data available

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# A DRUG SCREENING EXPERT

Physical state	PHYSICAL DESCRIPTION: Odorless or almost odorless white or almost white to tan powder. Unpleasant taste with metallic or garlic aftertaste. pH of a solution obtained by shaking 1 g with 30 mL of water is 6 to 8. (NTP, 1992)
Color	WHITE TO OFF-WHITE CRYSTALLINE POWDER
Odour	Slight odor.
Melting point/ freezing point	6°C(lit.)
Boilingpoint or initial boiling point and boiling range	124°C/10mmHg(lit.)
Flammability	Noncombustible Solid
Lower and upper explosion limit/flammability limit	no data available
Flash point	56°C(lit.)
Auto-ignition temperature	no data available
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	no data available
Solubility	DMSO: 20 mg/mL (67.44 mM),Sonication is recommended. Ethanol: 29.7 mg/mL (100 mM),
N-octanol-water partition coefficient	3.9
Vapour pressure	0 mm Hg at 68° F approximately (NTP, 1992)
Density and/ or relative density	1.27
Relative vapour density	no data available
Particle characteristics	no data available

# **10. STABILITY AND REACTIVITY**

### 10.1 Reactivity

Decomposes on burning. This produces toxic and corrosive fumes including nitrogen oxides and sulfur oxides. Reacts violently with strong oxidants. Attacks copper.

# 10.2 Chemical stability

no data available

### **10.3** Possibility of hazardous reactions

Combustible.Dust explosion possible if in powder or granular form, mixed with air. If dry, it can be charged electrostatically by swirling, pneumatic transport, pouring, etc.TETRAETHYLTHIURAM DISULFIDE is sensitive to light. This compound is incompatible with strong acids, strong oxidizers and nitrosating agents (e.g. N-Nitrosodiphenylamine). (NTP, 1992).

# 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

The substance decomposes on burning producing toxic and corrosive fumes including nitrogen oxides, sulfur oxides. Reacts violently with strong oxidants. Attacks copper.

# 10.6 Hazardous decomposition products

no data available

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Oral: LD50 Rat oral 500 mg/kg

# A DRUG SCREENING EXPERT

Inhalation: no data available Dermal: no data available

#### Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

**Respiratory or skin sensitization** 

no data available

Germ cell mutagenicity

no data available

#### Carcinogenicity

No data are available in humans. Inadequate evidence of carcinogenicity in animals. OVERALL EVALUATION: Group 3: The agent is not classifiable as to its carcinogenicity to humans.

#### **Reproductive toxicity**

no data available

STOT-single exposure

no data available

#### STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. The substance may have effects on the endocrine system, liver, nervous system and thyroid. This may result in impaired functions. Animal tests show that this substance possibly causes toxicity to human reproduction or development.

#### Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed, especially if powdered.

#### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish: LC50 Oncorhynchus mykiss (Rainbow trout, donaldson trout; early life stage (fertilized egg to fry)) 9.0 ug/L/60 days (95% confidence interval: 8.0-10.0 ug/L); renewal /formulated product

Toxicity to daphnia and other aquatic invertebrates: LC50 Daphnia magna 0.12 mg/L/48 hr /Conditions of bioassay not specified in source examined

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

#### 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

An estimated BCF of 280 was calculated for disulfiram(SRC), using a log Kow of 3.88(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is high(SRC).

## 12.4 Mobility in soil

The Koc of disulfiram is estimated as 3,100(SRC), using a log Kow of 3.88(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that disulfiram is expected to have slight mobility in soil.

# 12.5 Other adverse effects

no data available

# 13. DISPOSAL CONSIDERATIONS

# 13.1 Disposal methods

Product

# A DRUG SCREENING EXPERT

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

# Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

## 14. TRANSPORT INFORMATION

### 14.1 UN Number

no data available

### 14.2 UN Proper Shipping Name

no data available

### 14.3 Transport hazard class(es)

no data available

# 14.4 Packing group, if applicable

no data available

# 14.5 Environmental hazards

no data available

# 14.6 Special precautions for user

no data available

# 14.7 Transport in bulk according to IMO instruments

no data available

# 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed.
EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Listed.
China Catalog of Hazardous chemicals 2015	Not Listed.
New Zealand Inventory of Chemicals (NZIOC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Listed.

## 16. OTHER INFORMATION

Information on revision

Creation Date Revision Date

August 12, 2024

August 12, 2024

Abbreviations and acronyms



- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

#### References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/ eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal. org/echemportal/index?pageID=0&request\_locale=en CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.

gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp ECHA - European Chemicals Agency, website: https://echa.europa.eu/

#### **Other Information**

In combination with alcohol the substance causes effects on cardiovascular and central nervous systems resulting in palpitation, hypotension and hyperventilation. The effects may be delayed. Do NOT take working clothes home.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product. All products are for Research Use Only · Not For Human or Veterinary or Therapeutic Use