Safety Data Sheet



According to the UN GHS revision 8

Creation Date: August 13, 2024 Revision Date: August 13, 2024

1. IDENTIFICATION

1.1 GHS Product identifier

Product name: Rotenone

Catalog Number: T2970

CAS Number: 83-79-4

1.2 Other means of identification

Other names:

1.3 Recommended use of the chemical and restrictions on use

Identified uses: no data available

1.4 Supplier's details

Company: Targetmol Chemicals Inc.

Uses advised against: 36 Washington Street, Wellesley Hills, Massachusetts 02481 USA

Tel/Fax: (781) 999-4286

1.5 Emergency phone number

Emergency phone number: 781-999-4286

Service hours: Monday to Friday, 9am-5pm (Standard timezone: UTC/GMT -5hours).

2. HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Acute toxicity - Category 3, Oral Skin irritation, Category 2 Eye irritation, Category 2

Specific target organ toxicity - single exposure, Category 3

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

2.2 GHS label elements, including precautionary statements

Pictogram(s):





Signal word: Danger

H301 Toxic if swallowed H315 Causes skin irritation

Hazard statement(s): H319 Causes serious eye irritation

H335 May cause respiratory irritation

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s):

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Prevention: P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Page 1 of 7 www.targetmol.com

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/... P332+P317 If skin irritation occurs: Get medical help.

Response: P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P319 Get medical help if you feel unwell.

P391 Collect spillage.

Storage: P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance

with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not resultin classification

no data available

COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number
Rotenone	-	83-79-4	201-501-9

4. FIRST-AID MEASURES

4.1 Description of necessary first-aid measures

General advice

no data available

If inhaled

Fresh air, rest. Artificial respiration may be needed.

Following skin contact

First rinse with plenty of water for at least 15 minutes, then remove contaminated clothes and rinse again. Rinse and then wash skin with water and soap.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Give a slurry of activated charcoal in water to drink. Rest. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Rotenone and related compounds

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Exposure Routes: inhalation, ingestion, skin and/or eye contact Symptoms: Irritation eyes, skin, respiratory system; numb mucous membrane; nausea, vomiting, abdominal pain; muscle tremor, incoordination, clonic convulsions, stupor Target Organs: Eyes, skin, respiratory system, central nervous system (NIOSH, 2016)

5. FIRE-FIGHTING MEASURES

Page 2 of 7 www.targetmol.com

5.1 Extinguishing media

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Halon extinguisher. A water spray may also be used. (NTP. 1992)

5.2 Specific hazards arising from the chemical

Flash point data for this chemical are not available; however, it is probably combustible. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Use water spray, powder, alcohol-resistant foam, carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment. Sweep spilled substance into covered air-tight containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Sweep spilled substance into covered air-tight containers. If appropriate, moisten first to prevent dusting. Carefully collect remainder. Then store and dispose of according to local regulations. Personal protection: P3 filter respirator for toxic particles. Do NOT let this chemical enter the environment.

6.3 Methods and materials for containment and cleaning up

1. Ventilate area of spill. 2. For small quantities, sweep onto paper or other suitable material, place in an appropriate container and burn in a safe place (such as a fume hood). Large quantities can be reclaimed; however, if this is not practical, dissolve in a flammable solvent (such as alc) and atomize in a suitable combustion chamber.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Separated from food and feedstuffs. Well closed. Store only in original containers, in a dry place inaccessible to children and pets. 7.4% Rotenone Wettable Powder

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

TLV: 5 mg/m3, as TWA; A4 (not classifiable as a human carcinogen).MAK: skin absorption (H)

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection if powder.

Skin protection

Protective gloves.

Respiratory protection

Use local exhaust or breathing protection.

Page 3 of 7 www.targetmol.com

Thermal hazards

no data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state PHYSICAL DESCRIPTION: Colorless to brownish crystals or a white to brownish-white crystalline

powder. Has neither odor nor taste. (NTP, 1992)

Color Orthorhombic, six-sided plates from trichloroethylene

Odour Odorless

Melting point/ freezing point 159-164°C

Boilingpoint or initial boiling point

and boiling range

210-220°C (0.5 mmHg)

Flammability Combustible Solid

Lower and upper explosion limit/flammability limit

no data available

Flash point no data available

Auto-ignition temperature no data available

Decomposition temperature no data available

pH no data available

Kinematic viscosity no data available

Solubility DMSO: 18.33 mg/mL (46.48 mM), Sonication is recommended.

N-octanol-water partition

coefficient

log Kow = 4.10

Vapour pressure less than 0.0075 mm Hg at 68° F (NTP, 1992)

Density and/ or relative density 1.27(20°C)

Relative vapour density no data available

Particle characteristics no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

Decomposes on burning. This produces irritating fumes.

10.2 Chemical stability

Decomp upon exposure to light and air. Colorless solutions in organic solvents oxidize upon exposure and become yellow, orange and then deep red and may deposit crystals of dehydrorotenone and rotenonone which are toxic to insects.

10.3 Possibility of hazardous reactions

Flammable if preheated.ROTENONE is readily oxidized in the presence of alkalis. It is incompatible with oxidizers. (NTP, 1992).

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizers, alkalis.

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes

11. TOXICOLOGICAL INFORMATION

Page 4 of 7 www.targetmol.com

Acute toxicity

Oral: LD50 Rabbit oral 1500 mg/kg Inhalation: no data available Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Cancer Classification: Group E Evidence of Non-carcinogenicity for Humans

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in convulsions and respiratory depression.

STOT-repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have effects on the kidneys and liver.

Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish: LC50; Species: Lepomis macrochirus (Bluegill) weight 1-1.5 g; Conditions: freshwater, static, 12 deg C, pH 8.0, hardness 300 mg/L CaCO3, alkalinity 225-245 mg/L CaCO3, dissolved oxygen >60%; Concentration: 138 ug/L for 24 hr (95% confidence interval: 125-152 ug/L) /5% purity emulsifiable concentrate

Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (Water flea) age <24 hr; Conditions: freshwater, static; Concentration: 27.5 ug/L for 24 hr (95% confidence interval: 23.9-31.6 ug/L); Effect: intoxication, immobilization /formulation Toxicity to algae: EC50; Species: Scenedesmus subspicatus (Green Algae); Conditions: freshwater, static; Concentration: 240000 ug/L for 49-79 min; Effect: decreased population photosynthesis /100% purity

Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: In southern Italy, two types of soil samples spiked with rotenone, a silt clay loam and a loamy soil, underwent degradation experiments in dark conditions at 10-20 deg C. The results indicated that half-life values for rotenone were 8 days in the silt clay loam soil and 5 days in the loamy soil at 20 deg C. At 10 deg C however, the half-lives were 25 days for silt clay loam soil and 21 for the loamy soil (1). Rotenone is listed as one of the organic substances which may be degraded during aerobic and anaerobic sewage treatment if adequate acclimatization can be achieved; much depends on the concentration to be treated and possibly on the temperature during treatment(2).

12.3 Bioaccumulative potential

A study showed that when yearling bluegills (Lepomis macrochirus) were exposed to 5.2 ug/L of rotenone for 30 days in a continuous flow system, bioconcentration factors for the head, viscera, and carcass were 165, 3,500, and 125, respectively(4). According to a classification scheme(3), bioconcentation factors of 100-100 are high and >1000 are very high(SRC).

12.4 Mobility in soil

The Koc of rotenone is estimated as approximately 3,200(SRC), using a measured log Kow of 4.10(1) and a regression-derived equation (2). According to a recommended classification scheme(3), this estimated Koc value suggests that rotenone is expected to have slight mobility in soil(SRC). The Kd values of rotenone were determined in 2 different soil types from Southern Italy. In the adsorption experiment

Page 5 of 7 www.targetmol.com

Kd values were 0.56 and 2.73 L/kg for silt clay loam and loamy soil respectively, and the degradation rates were 0.102 and 0.074 d-1 for soils at 20 deg C(4).

12.5 Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. TRANSPORT INFORMATION

14.1 UN Number

no data available

14.2 UN Proper Shipping Name

no data available

14.3 Transport hazard class(es)

no data available

14.4 Packing group, if applicable

no data available

14.5 Environmental hazards

no data available

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed.
EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Not Listed.
China Catalog of Hazardous chemicals 2015	Not Listed.
New Zealand Inventory of Chemicals (NZIoC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Listed.

16. OTHER INFORMATION

Page 6 of 7 www.targetmol.com

Information on revision

Creation Date August 13, 2024

Revision Date August 13, 2024

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- · ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.

org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

 ${\sf ERG-Emergency~Response~Guidebook~by~U.S.~Department~of~Transportation,~website:~http://www.phmsa.dot.}\\$

gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Other Information

The substance is combustible but no flash point is available in literature. Carrier solvents used in commercial formulations may change physical and toxicological properties. Depending on the degree of exposure, periodic medical examination is suggested.

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product. All products are for Research Use Only · Not For Human or Veterinary or Therapeutic Use

Page 7 of 7 www.targetmol.com