

Printing date 10/16/2023

Reviewed on 03/15/2021

Page 1/10

1 mining unit 10/10/2025	10,10,10,2021
1 Identification	
· Product identifier	
· Trade name: M-Desulphonation Buffer	
• Article number: D5001-5, D5002-5, D5040-5 • Application of the substance / the mixture Laboratory Reagent	
<ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Zymo Research Corp.</li> <li>17062 Murphy Ave., Irvine, CA 92614, U.S.A., Phone: +1(949) 679-1190 or +1(888) sds@zymoresearch.com</li> </ul>	882-9682,
<ul> <li>Information department: Product Safety Dept.</li> <li>Product safety department</li> <li>Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 119</li> </ul>	90
2 Hazard(s) identification	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 GHS07 GHS07	r. 
Eye Irritation 2AH319 Causes serious eye irritation	
Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or di	zziness.
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Ha</li> <li>Hazard pictograms GHS02, GHS07</li> <li>Signal word Warning</li> </ul>	armonized System (GHS).
<ul> <li>Hazard-determining components of labeling: propan-2-ol</li> <li>Hazard statements Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.</li> <li>Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.</li> </ul>	(Contd. on page 2)
	(Contai on page 2)

US

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

	(Contd. of page 1)
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ear	sy to do.
Continue rinsing.	2
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPÅ ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 2\\ \textbf{Fire} = 3\\ \textbf{Reactivity} = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
HEALTH 2 Health $= 2$	
FIRE $3$ Fire = 3	
$\frac{1}{\text{REACTIVITY}[0]} \text{ Reactivity} = 0$	
REACTIVITIE REACTIVITY 0	
· Other hazards	
Results of PBT and vPvB assessment	
· <b><i>PBT</i></b> : Not applicable.	
· <i>vPvB</i> : Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Mixtures	
• <i>Description:</i> Mixture of the substances listed below with nonhazardous additions.	

#### • Dangerous components:

0	1	
CAS: 64-17-5	ethanol	≤30%
CAS: 67-63-0	propan-2-ol	≤30%

## 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Wash eyes immediately, for at least 15 minutes, with large amounts of water, holding upper and lower lids open. Remove contact lenses, if present and it is easy to do so. Get medical attention immediately.

• After swallowing: Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

US

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Advice for firefighters
- · Protective equipment: Wear protective clothing.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Dilute with plenty of water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### • Protective Action Criteria for Chemicals

	0	
• PAC-1:		
CAS: 64-17-5	ethanol	1,800 ppm
CAS: 67-63-0	propan-2-ol	400 ppm
CAS: 1310-73-2	sodium hydroxide	0.5 mg/m <sup>3</sup>
• PAC-2:		
CAS: 64-17-5	ethanol	3300* ppm
CAS: 67-63-0	propan-2-ol	2000* ppm
CAS: 1310-73-2	sodium hydroxide	5 mg/m <sup>3</sup>
• PAC-3:		
CAS: 64-17-5	ethanol	15000* ppm
CAS: 67-63-0	propan-2-ol	12000** ppm
CAS: 1310-73-2	sodium hydroxide	50 mg/m <sup>3</sup>

### 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- *Information about protection against explosions and fires:* Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

(Contd. of page 2)

US

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Laboratory reagent

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

Control parameters				
· Com	· Components with limit values that require monitoring at the workplace:			
CAS	CAS: 64-17-5 ethanol			
PEL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm			
REL	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm			
TLV	Short-term value: 1000 ppm			
	A3			
CAS	: 67-63-0 propan-2-ol			
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm			
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm			
	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm			
TLV	Short-term value: 400 ppm			
	Long-term value: 200 ppm			
	BEI, A4			
· Ingre	· Ingredients with biological limit values:			
CAS	: 67-63-0 propan-2-ol			
	BEI 40 mg/L			
	Medium: urine			
	Time: end of shift at end of workweek			
	Parameter: Acetone (background, nonspecific)			
· Addii	tional information: The lists that were valid during the creation were used as basis.			
· Expo	sure controls			
· Perso	onal protective equipment:			
· Gene	General protective and hygienic measures:			
Keep	Keep away from foodstuffs, beverages and feed.			
Imme	ediately remove all soiled and contaminated clothing.			
Wash	hands before breaks and at the end of work.			
Avoi	d contact with the ever			

Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

(Contd. on page 5)

US

Printing date 10/16/2023

Reviewed on 03/15/2021

#### Trade name: M-Desulphonation Buffer

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

General Information	
Appearance: Form:	Liquid
Form: Color:	Liquid Clear
Odor:	Alcohol-like
Odor: Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	>25 °C (>77 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

	(Conte	l. of page 5
• Solubility in / Miscibility with Water:	Fully miscible.	
· Partition coefficient (n-octano	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
<b>Organic solvents:</b>	58.0 %	
VOC content:	58.00 %	
	580.0 g/l / 4.84 lb/gal	
Solids content:	0.9 %	
• Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

### CAS: 67-63-0 propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
<b>D</b>	TDEO	10 000 // / 11

12,800 mg/kg (rabbit) Dermal LD50

Inhalative LC50/4 h 30 mg/l (rat)

Primary irritant effect:

· on the skin: No irritant effect.

· on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
	CAS: 67-63-0 propan-2-ol 3
	· NTP (National Toxicology Program)
	None of the ingredients is listed.
	(Contd. on page 7)
	US

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- · Uncleaned packagings:
- · Recommendation:
- Dispose of container in acoordance with local/regional/national and international recommendations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol, Ethanol)
IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY
	ALCOHOL), ETHANOL (ETHYL ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPY
	ALCOHOL), ETHANOL)
Transport hazard class(es)	
DOT	
RIMMARE LOUD	
Class	3 Flammable liquids

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E, <u>S-E</u>
Stowage Category	A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), ETHANOL (ETHYL ALCOHOL)) 3, III

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-63-0 propan-2-ol
- TSCA (Toxic Substances Control Act):
- All components have the value ACTIVE.
- · Hazardous Air Pollutants
- None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

· Proposition 65	ge 8)
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	$\neg$
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	$\dashv$
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	$\dashv$
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value)	=
	A3
	44
• NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	_
<ul> <li>Signal word Warning</li> <li>Hazard-determining components of labeling: propan-2-ol</li> <li>Hazard statements</li> <li>Flammable liquid and vapor.</li> <li>Causes serious eye irritation.</li> <li>May cause drowsiness or dizziness.</li> <li>Precautionary statements</li> </ul>	
Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray	
<ul> <li>Wash thoroughly after handling.</li> <li>Use only outdoors or in a well-ventilated area.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Call a poison center/doctor if you feel unwell.</li> <li>If eye irritation persists: Get medical advice/attention.</li> <li>In case of fire: Use CO2, powder or water spray to extinguish.</li> <li>Store in a well-ventilated place. Keep container tightly closed.</li> <li>Store in a well-ventilated place. Keep cool.</li> <li>Store locked up.</li> <li>Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>	
(Contd. on page	<del>.</del> 10)

(Contd. on page 10)

(Contd. of page 9)

### Safety Data Sheet acc. to OSHA HCS

Printing date 10/16/2023

Reviewed on 03/15/2021

Trade name: M-Desulphonation Buffer

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 · *Contact:* sds@zymoresearch.com • Date of preparation / last revision 10/16/2023 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 3: Flammable liquids - Category 3 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3