

Printing date 04/25/2018

Reviewed on 02/03/2016

Page 1/10

1 Identification · Product identifier · Trade name: Xpedition Lysis/Stabilization Solution · Article number: D6202-1-40 · Application of the substance / the mixture Laboratory Reagent · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Zymo Research Corp. 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 sds@zymoresearch.com · Information department: Product safety department · Emergency telephone number: During normal business hours (8 am to 5 pm Pacific Standard Time): +1 (949) 679 1190 2 Hazard(s) identification · Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: guanidinium thiocyanate · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe mist/vapours/spray. Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

(Contd. on page 2)

⁻ US



Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 Health = *3FIRE Fire = 00 Reactivity = 0REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 60-00-4edetic acid20%CAS: 593-84-0guanidinium thiocyanate20%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Do not induce vomiting; immediately call for medical help.
- Rinse mouth
- DO NOT induce vomiting.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Page 2/10



Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon, nitrogen and sulfur.

- · Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus for fighting fires involving this material

6 Accidental release measures

οΑιτιμεπιαι Γε	leuse meusures	
Wear self-conta the potential for Wear protective <i>Environmental</i> Dilute with plen Do not allow to <i>Methods and m</i> Absorb with liqu Use neutralizing Dispose contam Ensure adequate <i>Reference to oth</i> See Section 7 for See Section 8 for See Section 13 for	ty of water. enter sewers/ surface or ground water. <i>aterial for containment and cleaning up:</i> nid-binding material (sand, diatomite, acid binders, universal binders, sawdust). agent. inated material as waste according to item 13. ventilation.	which there is
· <i>PAC-1:</i> CAS: 60-00-4	edetic acid	4.1 mg/m ³
	guanidinium thiocyanate	0.98 mg/m ³
	trometamol	18 mg/m ³
· PAC-2:		
CAS: 60-00-4	edetic acid	45 mg/m ³
CAS: 593-84-0	guanidinium thiocyanate	11 mg/m³
CAS: 77-86-1	trometamol	190 mg/m ³
· PAC-3:		·
CAS: 60-00-4	edetic acid	200 mg/m ³
CAS: 593-84-0	guanidinium thiocyanate	65 mg/m ³
		(Contd. on page 4



Page 4/10

(Contd. of page 3) 1,200 mg/m³

Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

CAS: 77-86-1 trometamol

7 Handling and storage

· Handling:

• *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Store in cool, dry place. Store in well-ventilated location.

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids or strong oxidizers
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) Laboratory reagent

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Work under a chemical fume hood when using this product. Ensure eyewash station and safety showers are readily accessible.

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

The appropriate protective equipment under anticipated circumstances of use include lab-coat, safety glasses with side-shields and gloves.

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



(Contd. on page 5)



Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not Applicable	
Upper:	Not Applicable	
Vapor pressure:	Not determined.	



Page 6/10

Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

		(Contd. of page 2
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	i and the second s	
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	42.6 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · *Reactivity* No further relevant information available.
- · Chemical stability This product is normally stable under anticipated circumstances of use and storage.
- Thermal decomposition / conditions to be avoided:

Products of thermal decomposition of this material would include hydrogen cyanide, ammonia, and oxides of carbon nitrogen and sulfur.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid exposing product to extreme temperatures or incompatible chemicals
- · Incompatible materials: Acids and strong oxidizers
- · Hazardous decomposition products:
- Product will not undergo self-decomposition, so no such products will be generated.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 593-84-0 guanidinium thiocyanate

Oral LD50 593 mg/kg (rat)

· Primary irritant effect:

- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

US



Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity:
- CAS: 593-84-0 guanidinium thiocyanate
- EC50 42.4 mg/kg (daphnia)
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · *PBT*: Not applicable.
- *vPvB*: Not applicable.
- \cdot Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents in accordance with local/regional/national, and international recommendations.

- Uncleaned packagings:
- · Recommendation:

Dispose of container in acoordance with local/regional/national and international recommendations.

(Contd. on page 8)

Page 7/10

(Contd. of page 6)



Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user · Stowage Category	Not applicable. A	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN ''Model Regulation'':	not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
TSCA (Toxic Substances Control Act):
All ingredients are listed.
Proposition 65
Chemicals known to cause cancer:
None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

(Contd. on page 9)

(Contd. of page 7)

US

Page 8/10



Page 9/10

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05
- · Signal word Danger
- Hazard-determining components of labeling: guanidinium thiocyanate
 Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Do not breathe mist/vapours/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- Immediately call a poison center/doctor.
- Specific treatment (see on this label).
- Wash contaminated clothing before reuse.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS:

Zymo Research Corp. Safety Department 17062 Murphy Ave. Irvine, CA 92614 USA Phone: 1-949-679-1190 or 1-888-882-9682 • *Contact:* sds@zymoresearch.com

(Contd. on page 10)

US



Printing date 04/25/2018

Reviewed on 02/03/2016

Trade name: Xpedition Lysis/Stabilization Solution

(Contd. of page 9) · Date of preparation / last revision 04/25/2018 / -• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Page 10/10