



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-Fluorescein [4-4-20 (enhanced)] Standard Size Ab00102-201.4

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric dog antibody was made using the variable domain sequences of the original Mouse IgG2a format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Dog IgG2 (IgG-B), Fc Silent™, Kappa

**Clone Number:** 4-4-20 (enhanced)

**Alternative Name(s) of Target:** FITC; fluorescyl; fluoresceine; FL

**UniProt Accession Number of Target Protein:** n/a

**Published Application(s):** negative control

**Published Species Reactivity:** n/a

**Immunogen:** Fluorescein I-bovine serum albumin (FII-BSA).

**Specificity:** Fluorescein labelled proteins.

**Application Notes:** This antibody is not conjugated to fluorescein, but was raised against fluorescein. This antibody can be used as an isotype control in both in vitro and in vivo applications.

**Antibody First Published in:** Jung S, Honegger A, Plückthun A. Selection for improved protein stability by phage display. J Mol Biol. 1999 Nov 19;294(1):163-80. [PMID:10556036](#)

**Note on publication:** Describes the use of phage display to improve 4-4-20 variable domain, including a 20-fold better binding constant.

### Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.