



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CD20 [10F381 (rituximab)] Standard Size Ab00126-10.139

This antibody was created using mAbsolve's complete Fc silencing STR mutations.

This format contains the STR complete Fc Silencing mutations from mAbsolve.

Isotype and Format: Human IgG1-STR, STR Fc silenced, Kappa

Clone Number: 10F381 (rituximab)

Alternative Name(s) of Target: Leu16; B-lymphocyte antigen CD20; B-lymphocyte surface antigen B1; Bp35 Leukocyte surface antigen Leu-16; Membrane-spanning 4-domains subfamily A member 1; CD20

UniProt Accession Number of Target Protein: P11836

Published Application(s): FC

Published Species Reactivity: Human, Rhesus Monkey, Cynomolgus Monkey

Immunogen: Human lymphoblastoid cell line SB.

Specificity: CD20 (Human B-lymphocyte-restricted differentiation antigen, Bp35), is a hydrophobic transmembrane protein with a molecular weight of approximately 35 kDa located on pre-B and mature B lymphocytes, and most B-cell non-Hodgkin's lymphomas, but is not found on stem cells, pro-B cells, normal plasma cells or other normal tissues .

Application Notes:

Antibody First Published in: Reff ME, Carner K, Chambers KS, Chinn PC, Leonard JE, Raab R, Newman RA, Hanna N, Anderson DR. Depletion of B cells in vivo by a chimeric mouse human monoclonal antibody to CD20. Blood. 1994 Jan 15;83(2):435-45. [PMID:7506951](#)

Note on publication: Describes the making of the chimeric murine anti-CD20 antibody 2B8 in conjunction with human kappa and IgG1 heavy-chain constant region sequences, and analysed using flow cytometry, in vivo pharmacology and animal systemic/tissue toxicity tests.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.