



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Alpha-Fetoprotein [AB2] Standard Size Ab03493-1.1

Isotype and Format: Mouse IgG1, Kappa

Clone Number: AB2

Alternative Name(s) of Target: AFP; Alpha-fetoglobulin; A-Feto-protein

UniProt Accession Number of Target Protein: P02771

Published Application(s): ELISA, IF, IHC

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing BALB/c mice with human alpha-fetoprotein.

Specificity: This antibody binds human alpha-fetoprotein (AFP). AFP is made in the liver of developing babies. It binds copper, nickel, and fatty acids as well as, and bilirubin less well than, serum albumin. AFP levels in healthy adults is very low. Elevated levels of AFP in adult human blood is a marker for cancer.

Application Notes: This antibody can be used in combination with another anti-alpha fetoprotein antibody AB3 for detection of human AFP using sandwich ELISA. AB3 is used as the capture antibody and HRP labelled AB2 is used as detection antibody. This antibody was also used for the immunofluorescent staining of HepG2 hepatoma cells and immunohistochemical analysis of human liver cancer tissue (CN107022029).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.