



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-HLA-G [YWHG-5] Standard Size Ab03656-10.0

Isotype and Format: Human IgG1, Kappa

Clone Number: YWHG-5

Alternative Name(s) of Target: HLAG; HLA-6.0; HLA class I histocompatibility antigen alpha chain G; HLA G antigen; MHC class I antigen G

UniProt Accession Number of Target Protein: P17693

Published Application(s): WB, ELISA, FC, IHC

Published Species Reactivity: Human

Immunogen: The original antibody was generated by immunizing BALB/c mice with synthetic human HLA-G molecule heavy chain $\alpha 3$ structural domain and HLA-G5/6 molecule specific transmembrane region amino acid sequence 'EGLPEPLMLRWSKEGDGGIMS'.

Specificity: This antibody specifically binds the amino acid sequence 'EGLPEPLMLRWSKEGDGGIMS' in the $\alpha 3$ structural domain of the human HLA-G5 and HLA-G6. HLA-G5 and HLA-G6 are secreted forms of HLA-G that are non-classical major histocompatibility class Ib molecules involved in immune regulatory processes at the maternal-fetal interface. HLA-G expression has been reported in numerous types of cancer, always associated with more advanced stage and aggressive development of the tumor.

Application Notes: This antibody can bind human HLA-G peptide 'EGLPEPLMLRWSKEGDGGIMS' in an ELISA with a binding affinity of $K_a = 1.01 \times 10^9$ L/mol. This antibody was capable of detecting G5 and G6 isoforms of human HLA-G in a western blot and does not cross react with any other isoforms of HLA-G. This antibody was also used in the detection of soluble HLA-G5 and HLA-G6 using intracellular flow cytometry of K562-HLA-G5 and K562-HLA-G6 cells. This antibody can also be used for the immunohistochemical staining of HLA-G5/6 molecular expression in gastric cancer tissue using immunohistochemistry (CN114605543).

Antibody First Published in: [PMID:](#)

Note on publication:

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration:

1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.