



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Integrin alpha 6 beta 1 [TS2/16] Standard Size Ab03837-23.0

Isotype and Format: Rabbit IgG, Kappa

Clone Number: TS2/16

Alternative Name(s) of Target: CD29; Integrin $\alpha 6\beta 1$; Integrin alpha-6/beta-1 (ITGA6:ITGB1); Integrin alpha VI beta 1; ITGA6; CD49F; Integrin alpha-6; CD49 antigen-like family member F; VLA-6; ITGB1; FNRB; MDF2; MSK12; Integrin beta-1; Fibronectin receptor subunit beta; Glycoprotein IIa; GPIIA; VLA-4 subunit beta

UniProt Accession Number of Target Protein: P23229; P05556

Published Application(s): Cristallography, in vitro, in vivo, IP, FC

Published Species Reactivity: Human

Immunogen:

Specificity: The antibody is specific for human integrin alpha 6 beta 1. It does not cross-react with mouse integrin $\beta 1$.

Application Notes: The antibody immunoprecipitated the 130 kDa $\beta 1$ form of in U87MG cells. Flow cytometry analysis performed with the antibody confirmed that it could recognise $\beta 1$ -A172 cells (Bartik et al., 2008; PMID: 18425328). The structure of the Fv-clasp fragment of the antibody was determined. Further, the crystal structure of the $\alpha 6\beta 1$ headpiece complexed with Fv-clasp was determined (Arimori et al., 2017; PMID: 28919443). The antibody increased integrin $\beta 1$ in vitro and in vivo (Ritsma et al., 2017; PMID: 28448494)

Antibody First Published in: Hemler et al. Glycoproteins of 210,000 and 130,000 m.w. on activated T cells: cell distribution and antigenic relation to components on resting cells and T cell lines. J Immunol June 1, 1984, 132 (6) 3011-3018; [PMID:6327814](#)

Note on publication: The original paper describes the generation and characterization of the antibody.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.