



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Number	ARP54606_P050-FITC
Product Page	www.avivasysbio.com/fcn1-antibody-middle-region-fitc-arp54606-p050-fitc.html
Name	FCN1 Antibody - middle region : FITC (ARP54606_P050-FITC)
Protein Size (# AA)	326 amino acids
Molecular Weight	32kDa
Conjugation	FITC: Fluorescein Isothiocyanate
NCBI Gene Id	2219
Host	Rabbit
Clonality	Polyclonal
Concentration	0.5 mg/ml
Gene Full Name	Ficolin (collagen/fibrinogen domain containing) 1
Alias Symbols	FCNM
Peptide Sequence	Synthetic peptide located within the following region: HQFAKYKSEFKVADEAEKYKLVLGAFVGGGAGNSLTGHNNNFFSTKDQDND
Product Format	Liquid. Purified antibody supplied in 1x PBS buffer.
Description of Target	The ficolin family of proteins are characterized by the presence of a leader peptide, a short N-terminal segment, followed by a collagen-like region, and a C-terminal fibrinogen-like domain. The collagen-like and the fibrinogen-like domains are also found separately in other proteins such as complement protein C1q, C-type lectins known as collectins, and tenascins. However, all these proteins recognize different targets, and are functionally distinct. Ficolin 1 (FCN1) is predominantly expressed in the peripheral blood leukocytes, and has been postulated to function as a plasma protein with elastin-binding activity.
Protein Interactions	FCN1; TGFB1; ELN;
Reconstitution and Storage	All conjugated antibodies should be stored in light-protected vials or covered with a light protecting material (i.e. aluminum foil). Conjugated antibodies are stable for at least 12 months at 4C. If longer storage is desired (24 months), conjugates may be diluted with up to 50% glycerol and stored at -20C to -80C. Freezing and thawing conjugated antibodies will compromise enzyme activity as well as antibody binding.
Datasheets/Manuals	Printable datasheet for anti-FCN1 (ARP54606_P050-FITC) antibody
Blocking Peptide	For anti-FCN1 (ARP54606_P050-FITC) antibody is Catalog# AAP54606 (Previous Catalog# AAPP44522)
Immunogen	The immunogen is a synthetic peptide directed towards the middle region of human FCN1
Uniprot ID	O00602
Protein Name	Ficolin-1
Protein Accession #	NP_001994
Purification	Affinity Purified
Nucleotide Accession #	NM_002003
Gene Symbol	FCN1
Predicted Species Reactivity	Human, Horse
Application	WB
Predicted Homology Based on Immunogen Sequence	Horse: 79%; Human: 100%

Image 1



AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.
Optimal conditions of its use should be determined by end users.

AVIVA SYSTEMS BIOLOGY

6370 Nancy Ridge Dr., Suite 104, San Diego, CA 92121 USA | Tel: (858)552-6979 | info@avivasysbio.com