



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

<b>Product Number</b>	OOSA10380
<b>Product Page</b>	<a href="http://www.avivasysbio.com/igg2b-negative-control-negative-isotype-control-oosa10380.html">www.avivasysbio.com/igg2b-negative-control-negative-isotype-control-oosa10380.html</a>
<b>Name</b>	IgG2b NEGATIVE CONTROL Negative/Isotype Control (OOSA10380)
<b>Isotype</b>	IgG2b
<b>Concentration</b>	0.1 mg/ml
<b>Product Format</b>	Liquid. Phosphate buffered saline
<b>Reference</b>	<p>1. Grant, A. et al. (2002) Hepatic expression of secondary lymphoid chemokine (CCL21) promotes the development of portal-associated lymphoid tissue in chronic inflammatory liver disease. <i>Am. J. Pathol.</i> 160: 1445 - 1455.</p> <p>2. Zheng, X. et al. (2002) Interleukin-3, but not granulocyte-macrophage colony-stimulating factor and interleukin-5, inhibits apoptosis of human basophils through phosphatidylinositol 3-kinase: requirement of NF-KappaB-dependent and-independent pathways. <i>Immunology.</i> 107:306-315.</p>
<b>Description of Target</b>	MOUSE IgG2b NEGATIVE CONTROL
<b>Reconstitution and Storage</b>	-20°C
<b>Datasheets/Manuals</b>	Printable datasheet for <a href="#">IgG2b NEGATIVE CONTROL Negative/Isotype Control (OOSA10380)</a>
<b>Specificity</b>	<p>This product is a mouse IgG2b monoclonal antibody arising from a spontaneous murine plasmacytoma. The antibody does not react with any human cell surface markers, and may therefore be used as an isotype matched negative control reagent to assess the level of non-specific binding of mouse IgG2b monoclonal antibodies to human cells.</p> <p>Test results show that This product is also suitable for use as a negative control with cow, sheep, pig, dog, rat and guinea-pig tissues.</p>
<b>Additional Information</b>	<p><b>Approx Protein Conc:</b> IgG concentration 0.1 mg/ml</p> <p><b>Buffer solution:</b> Phosphate buffered saline pH7.4</p>
<b>Additional Information</b>	<p><b>Label Protein Molar Ratio:</b> Purified IgG prepared by affinity chromatography on Protein A</p> <p><b>Preservative:</b> 0.09% - Sodium Azide</p> <p>1% - Bovine Serum Albumin</p>
<b>Purification</b>	Protein A Purified
<b>Predicted Species Reactivity</b>	Negative Control
<b>Application</b>	FC
<b>Predicted Homology Based on Immunogen Sequence</b>	Negative Control

AVIVA SYSTEMS BIOLOGY manufactures and sells quality antibody products covering genome wide proteins.

This product is for Research Use Only. Not for diagnostic, human, or veterinary use.  
Optimal conditions of its use should be determined by end users.