

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Mouse IgG2c Antibody



Goat Polyclonal Conjugate HRP

Antigen Affinity Purified Catalog No. A90-136P Lot No. A90-136P-30

APPLICATIONS WB, IHC, ICC, ELISA

SPECIES REACTIVITY Mouse **AMOUNT** 1 ml

CONCENTRATION 1 mg/ml

STORAGE/SHELF LIFE 2 - 8°C / 1 year from date of receipt

PHYSICAL STATE Liquid

Phosphate Buffered Saline (PBS) containing 0.2% BSA and 0.05% Pro-Clean 400 **BUFFER**

ISOTYPE IgG USA **ORIGIN**

PRODUCTION PROCEDURES

Antiserum was solid phase adsorbed to ensure subclass specificity to IgG2c; sometimes referred to as the Igh 1b allele of IgG2a. (Martin et al., Journal of Immunological Methods. 1998, 212, 187-192) The antibody was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to horseradish peroxidase (HRP).

Antibody concentration was determined by extinction coefficient prior to conjugation: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG. F/P ratio is 3 to 7.

By immunoelectrophoresis and ELISA, the antiserum reacts specifically with mouse IgG2c in C57BL/6, SJL, C57BL/10, CB20, C57BL/6 by Balb/C crosses and pools of serum of outbred mice obtained from several commercial sources. No antibody was detected against immunoglobulin light chains, other IgG subclasses or non-immunoglobulin serum

proteins. This antibody may cross react with IgG2c from other species.

APPLICATIONS Centrifuge tube to remove product from lid. Optimal working dilutions should be determined

experimentally by the investigator. Prepare working dilution immediately before use.

Western Blot 1:2,000 - 1:20,000

Immunohistochemistry 1:200 - 1:2.000 Immunocytochemistry 1:200 - 1:2,000

ELISA 1:10,000 - 1:100,000

APPLICATION NOTES Not all listed applications have been specifically tested by our laboratory.

ADDITIONAL INFO https://www.fortislife.com/p/A90-136P

Use the link above to view SDS, a current list of citations, and other product specific information.

This document certifies that this product has met all of the quality control standards defined by Bethyl Laboratories, Inc. Michael Spencer, PhD Date: Iulv 1, 2022

> Phone: 800.338.9579 • Fax: 866.597.6105 • Web: www.fortislife.com Orders: orders@fortislife.com · Support: technical@fortislife.com