



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product Information

Description:	Recombinant human FGFR1 (fibroblast growth factor receptor 1), encompassing amino acids 22-376 (extracellular domain). This construct contains a C-terminal Avi-tag™, followed by an His-tag (6xHis). This protein was affinity purified.
Background:	FGFR1 (fibroblast growth factor receptor 1), also known as CD331 and FLT2, is a member of the Fibroblast Growth Factor Receptor family, a family of four membrane-spanning tyrosine kinases (FGFR1-4) which serve as high-affinity receptors for 17 growth factors (FGF1-17). The FGF Receptor family plays an important role in multiple biological processes, including mesoderm induction and patterning, cell growth and migration, organ formation and bone growth. FGFR1 is alternatively spliced generating multiple splice variants that are differentially expressed during embryo development and in the adult body. Mutations in this protein can result in congenital disorders, such as Kallmann syndrome and osteoglophonic dysplasia. Its gene is frequently mutated, duplicated or fused with other genes, resulting in cancer. Binding to its ligand activates cell specific pathways, including RAS/ERK, phospholipase C/PI3K (phosphoinositide 3-kinase)/AKT, and others. Several inhibitors have been developed targeting the TK (tyrosine kinase) ATP pocket, such as dovitinib, which is used in the treatment of breast and lung cancer.
Species:	Human
Construct:	FGFR1 (22-376-Avi-His)
Concentration:	0.25 mg/ml
Expression System:	HEK293
Purity:	≥90%
Format:	Aqueous buffer solution.
Formulated In:	8 mM phosphate, pH 7.4, 110 mM NaCl, 2.2 mM KCl, and 20% glycerol
MW:	43 kDa + glycans
Glycosylation:	This protein runs at a higher MW by SDS-PAGE due to glycosylation.
Genbank Accession:	NM_023110.3
Stability:	At least 6 months at -80°C.
Storage:	-80°C
Instructions for Use:	Thaw on ice and gently mix prior to use. DO NOT VORTEX. Perform a quick spin before opening. Aliquot into small volumes and flash freeze for long term storage. Avoid multiple freeze/thaw cycles.
Applications:	Useful for SDS-PAGE.

Quality Control Data

4-20% SDS-PAGE Coomassie Staining

