

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



15-methyl Palmitic Acid methyl ester

Item No. 24815

| CAS Registry No.: | 6929-04-0 | |
|--|--|-------------------------------|
| Formal Name: | 15-methyl-hexadecanoic acid, methyl ester | |
| Synonym: | Methyl 15-methylhexadecanoate | COOCH |
| MF: | C ₁₈ H ₃₆ O ₂ | 5 |
| FW: | 284.5 | $\langle \land \land \rangle$ |
| Purity: | ≥98% | v v Y |
| Supplied as: | A liquid | |
| Storage: | -20°C | |
| Stability: | ≥2 years | |
| Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis. | | |

Laboratory Procedures

15-methyl Palmitic acid methyl ester is supplied as a liquid. A stock solution may be made by dissolving the 15-methyl palmitic acid methyl ester in the solvent of choice. 15-methyl Palmitic acid methyl ester is soluble in organic solvents such as ethanol and chloroform, which should be purged with an inert gas.

Description

15-methyl Palmitic acid methyl ester is a methylated fatty acid methyl ester that has been found in S. zeai sea sponges as the fatty acyl component of zeamide, oolong tea (C. sinensis), and P. sulcate extract.¹⁻³ It has been used as a standard for the quantification of 15-methyl palmitic acid (Item No. 24814) in various foods.⁴

References

- 1. Abdo, S.M., Ali, G.H., and El-Baz, F.K. Potential production of omega fatty acids from microalgae. Int. J. Pharm. Sci. 34(2), 210-215 (2015).
- 2. Zheng, L., Zhou, Y., Fu, X., et al. Does oolong tea (Camellia sinensis) made from a combination of leaf and stem smell more aromatic than leaf-only tea? Contribution of the stem to oolong tea aroma. Food Chem. 237, 488-498 (2017).
- 3. Ari, F., Ulukaya, E., Oran, S., et al. Promising anticancer activity of a lichen, Parmelia sulcata Taylor, against breast cancer cell lines and genotoxic effect on human lymphocytes. Cytotechnology 67(3), 531-543 (2015).
- 4. Thurnhofer, S. and Vetter, W. Application of ethyl esters and d₃-methyl esters as internal standards for the gas chromatographic quantification of transesterified fatty acid methyl esters in food. J. Agric. Food Chem. 54(9), 3209-3214 (2006).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 09/27/2018

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM