



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION



## 8-methylamino NAD<sup>+</sup> (sodium salt)

Item No. 38484

**Formal Name:** 8-(methylamino)-adenosine 5'-(trihydrogen diphosphate), P'→5'-ester with 3-(aminocarbonyl)-1-β-D-ribofuranosylpyridinium, inner salt, monosodium salt

**Synonyms:** 8-methylamino Nicotinamide adenine dinucleotide, β-Nicotinamide-8-methylaminoadenine Dinucleotide

**MF:** C<sub>22</sub>H<sub>29</sub>N<sub>8</sub>O<sub>14</sub>P<sub>2</sub> • Na


**FW:** 714.5

**Purity:** ≥98%

**Supplied as:** A solid

**Storage:** -80°C

**Stability:** ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

8-methylamino NAD<sup>+</sup> is supplied as a solid. A stock solution may be made by dissolving the 8-methylamino NAD<sup>+</sup> in the solvent of choice, which should be purged with an inert gas. 8-methylamino NAD<sup>+</sup> is soluble in water.

### Description

8-methylamino NAD<sup>+</sup> is a derivative of the signaling molecule and enzyme cofactor NAD<sup>+</sup> (Item No. 16077).<sup>1</sup> It has been used in the screening of analog-sensitive poly(ADP-ribose) polymerase 1 (PARP1) gatekeeper mutations. 8-methylamino NAD<sup>+</sup> has also been used in the synthesis of cyclic ADP-ribose (cADPR) derivatives.<sup>2</sup>

### References

1. Gibson, B.A., Zhang, Y., Jiang, H., *et al.* Chemical genetic discovery of PARP targets reveals a role for PARP-1 in transcription elongation. *Science* **353**(6294), 45-50 (2016).
2. Moreau, C., Ashamu, G.A., Bailey, V., *et al.* Synthesis of cyclic adenosine 5'-diphosphate ribose analogues: A C2' endo/syn "southern" ribose conformation underlies activity at the sea urchin cADPR receptor. *Org. Biomol. Chem.* **9**(1), 278-290 (2011).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/30/2023

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD

ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897

[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM