



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# Axygen® Strip and Individual PCR Tubes

For standard and real-time PCR

**AXYGEN**®

A Corning Brand



Strip tubes are available with attached or unattached caps



Individual tubes are available with attached caps or without a cap

Axygen PCR tubes are ideal for standard and real-time PCR applications. Our strip and individual tubes feature thin walls for precise thermal transfer and tight-fitting caps for a leakproof seal. Choose from a variety of configurations and cap styles.

## Strip Tubes with Attached Caps

- ▶ Designed to fit a wide variety of thermal cyclers
- ▶ Precisely aligned caps prevent evaporation and allow for easy opening and closing
- ▶ Strong plastic connections between the tubes prevent separation
- ▶ Numbered caps for easy identification
- ▶ Available with domed or flat caps

## Strip Tubes with Unattached Caps

- ▶ Designed to fit a wide variety of thermal cyclers
- ▶ Even insertion cap ensures a tight fit to prevent evaporation
- ▶ Choice of 0.1 mL or 0.2 mL capacity
- ▶ Available with a domed, flat frosted, or flat clear caps for qPCR

## Real-time Optimized Strip Tubes with Unattached Clear Caps

- ▶ Designed for low sample volume reactions
- ▶ Ideal for 0.1 mL thermal cyclers
- ▶ Low profile design has less dead air volume, which reduces reaction times and evaporation
- ▶ Recommended volume range of 5  $\mu$ L to 125  $\mu$ L
- ▶ Available in white or clear

## Individual Tubes

- ▶ Designed to fit standard 96-well blocks
- ▶ Even insertion cap ensures a tight fit to prevent evaporation
- ▶ Available without a cap or with flat or domed individual caps

## Features of all Axygen PCR Tubes

- ▶ Polypropylene
- ▶ RNase-/DNase-free
- ▶ Nonpyrogenic
- ▶ Nonsterile
- ▶ PCR inhibition-free

## Ordering Information



### Individual PCR Tubes

Cat. No.	Description	Color	Volume	Qty/Pk	Qty/Cs
PCR-02-C-500	Individual PCR tube with flat cap	Clear	0.2 mL	250	500
PCR-02-C	Individual PCR tube with flat cap	Clear	0.2 mL	1,000	10,000
PCR-02D-C	Individual PCR tube with domed cap	Clear	0.2 mL	1,000	10,000
PCR-02-NC	Individual PCR tube without cap	Clear	0.2 mL	1,000	10,000
PCR-05-C-500	Individual PCR tube with flat cap	Clear	0.5 mL	250	500
PCR-05-C	Individual PCR tube with flat cap	Clear	0.5 mL	1,000	10,000


### Strip Tubes and Caps

PCR-0208-CP-C-100	Thin wall PCR 8-strip tubes with domed strip caps	Clear	0.2 mL	100	100
PCR-0208-CP-C	Thin wall PCR 8-strip tubes and domed strip caps	Clear	0.2 mL	125	1,250
PCR-0208-C-100	Thin wall PCR 8-strip tubes	Clear	0.2 mL	100	100
PCR-0208-C	Thin wall PCR 8-strip tubes	Clear	0.2 mL	125	1,250
PCR-02CP-C-100	Thin wall domed PCR 8-strip caps	Clear	0.2 mL	100	100
PCR-02-FCP-C	Flat 8-strip caps with writing surface	Clear	–	125	1,250
PCR-02CP-C	Domed 8-strip caps	Clear	–	125	1,250
PCR-2CP-RT-C	Thin wall PCR 8-strip caps for qPCR	Clear	–	125	1,250
PCR-0209-FCP-C	Thin wall PCR 8-strip tubes and flat strip caps	Clear	0.2 mL	125	1,250
PCR-0212-C	Thin wall PCR 12-strip tubes	Clear	0.2 mL	125	1,250
PCR-0212-FCP-C	Thin wall PCR 12-strip tubes and flat strip caps	Clear	0.2 mL	125	1,250
PCR-0108-LP-C	Low profile 8-strip tubes	Clear	0.1 mL	80	800
PCR-0108-LP-W	Low profile 8-strip tubes	White	0.1 mL	80	800
PCR-0108-LP-RT-C	Low profile 8-strip tubes and real-time strip caps	Clear	0.1 mL	80	800
PCR-0108-LP-RT-W	Low profile 8-strip tubes and real-time strip caps	White	0.1 mL	80	800

### Strip Tubes with Attached Caps

 PCR-0208-AF-C	Thin wall PCR 8-strip tubes with individually attached flat strip caps	Clear	0.2 mL	126	1,260
 PCR-0208-AD-C	Thin wall PCR 8-strip tubes with individually attached domed strip caps	Clear	0.2 mL	126	1,260

### Cap Styles



For more specific information on claims, visit the Certificates page at [www.corning.com/lifesciences](http://www.corning.com/lifesciences).

**Warranty/Disclaimer:** Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

For additional product or technical information, visit [www.corning.com/lifesciences](http://www.corning.com/lifesciences) or call 800.492.1110. Outside the United States, call +1.978.442.2200 or contact your local Corning sales office.

# CORNING

**Corning Incorporated**  
Life Sciences

836 North St.  
Building 300, Suite 3401  
Tewksbury, MA 01876  
t 800.492.1110  
t 978.442.2200  
f 978.442.2476

[www.corning.com/lifesciences](http://www.corning.com/lifesciences)

**ASIA/PACIFIC**  
Australia/New Zealand  
t 61 427286832

**China**  
t 86 21 3338 4338  
f 86 21 3338 4300

**India**  
t 91 124 4604000  
f 91 124 4604099

**Japan**  
t 81 3-3586 1996  
f 81 3-3586 1291

**Korea**  
t 82 2-796-9500  
f 82 2-796-9300

**Singapore**  
t 65 6572-9740  
f 65 6861-2913

**Taiwan**  
t 886 2-2716-0338  
f 886 2-2516-7500

**EUROPE**  
CSEurope@corning.com

**France**  
t 0800 916 882  
f 0800 918 636

**Germany**  
t 0800 101 1153  
f 0800 101 2427

**The Netherlands**  
t 020 655 79 28  
f 020 659 76 73

**United Kingdom**  
t 0800 376 8660  
f 0800 279 1117

**All Other European Countries**  
t +31 (0) 206 59 60 51  
f +31 (0) 206 59 76 73

**LATIN AMERICA**  
grupoLA@corning.com

**Brasil**  
t 55 (11) 3089-7400

**Mexico**  
t (52-81) 8158-8400