



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

GAK antibody [9-13]

Cat No. GTX00873

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Application	WB, ICC/IF, IHC-P
Reactivity	Human, Rat

Package
100 µl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Dilution
WB	1:500
ICC/IF	1:50
IHC-P	Assay dependent

Not tested in other applications.

Calculated MW 143 kDa. ([Note](#))


PROPERTIES

Form	Liquid
Buffer	PBS, 50% glycerol
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant rat GAK (kinase domain, 1-430)
Purification	Purified IgG From culture supernatant
Conjugation	Unconjugated
Note	For laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

**GTX00873 ICC/IF Image**


ICC/IF analysis of TIG-1 cells using GTX00873 GAK antibody [9-13].

Dilution : 1:50

**GTX00873 IHC-P Image**

IHC-P analysis of human prostate cancer tissue section using GTX00873 GAK antibody [9-13]. It showed nuclear accumulation of GAK in cancer cells.

Dilution : 1:50

**GTX00873 WB Image**

WB analysis of TIG-1 and PC-3 whole cell lysates using GTX00873 GAK antibody [9-13].

Dilution : 1:500



For full product information, images and publications, please visit our [website](#).