



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7


mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)

Flipper-TR probe

Cat. No.:	HY-D2316
Molecular Formula:	C ₂₀ H ₁₄ O ₂ S ₆
Molecular Weight:	478.71
Target:	Fluorescent Dye
Pathway:	Others
Storage:	-20°C, protect from light * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light)



BIOLOGICAL ACTIVITY

Description	Flipper-TR probe (Compound FliptR probe) is a fluorescent probe specifically designed to measure cell membrane tension. Flipper-TR probe reports changes in membrane tension through variations in its fluorescence lifetime. Flipper-TR probe is applicable to a wide range of organisms including bacteria, yeast, mammals, and plants ^[1] .
In Vitro	<p>Usage Guidelines:</p> <p>Storage: Flipper-TR should be stored at -20°C upon receipt.</p> <p>Probe Preparation: Dissolve the probe in anhydrous DMSO to create a 1 mM stock solution, which should be stored at -20 °C or lower.</p> <p>Staining Solution Preparation: Prior to use, dilute Flipper-TR to the desired concentration (typically starting at 1 μM) in cell culture medium.</p> <p>Staining Protocol: After cells reach the desired density, replace the culture medium with the staining solution to cover all cells, then incubate at 37°C in a humidified atmosphere with 5 % CO₂ for 15 minutes before imaging.</p> <p>MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p>

REFERENCES

[1]. Colom A, et al. A fluorescent membrane tension probe. Nat Chem. 2018 Nov;10(11):1118-1125.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA