



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Human CD102, clone CBRIC2/2 (Monoclonal)

Clone no. CBRIC2/2

MONOSAN

---

Product name	Mouse anti-Human CD102, clone CBRIC2/2 (Monoclonal)
Host	Mouse
Applications	IHC-fr, FC, IP
Species reactivity	human
Conjugate	-
Immunogen	Transfected COS cells expressing ICAM-2 cDNA
Isotype	IgG2a
Clonality	Monoclonal
Clone number	CBRIC2/2
Size	0.2 mg
Concentration	IgG 1 mg/ml
Format	Purified
Storage buffer	PBS with <0.1% sodium azide
Storage until expiry date	aliquots -20°C. Thawed 2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Human CD102, clone CBRIC2/2 (Monoclonal)

Clone no. CBRIC2/2

MONOSAN

**Additional info**

Mouse anti Human CD102 antibody, clone CBRIC2/2 recognizes human CD102, also known as intercellular adhesion molecule-2 (ICAM-2). CD102 is a glycosylated cell surface protein that is broadly expressed on most leucocytes and is strongly expressed by endothelial cells. CD102 interacts with the CD11a/CD18 (LFA-1). CD102 may play a role in lymphocyte re-circulation and T-cell activation

**References**

1. Xu H et al. J Immunol 1996; 156: 4909-14
2. Diacovo TG et al. J Clin Invest 1994; 94: 1243-51
3. Porter JC & Hall A FASEB J 2009; 23: 492-502
4. -
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**