



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD79a, clone JCB117 (Monoclonal)

Clone no. JCB117

MONOSAN

Product name	Mouse anti-CD79a, clone JCB117 (Monoclonal)
Host	Mouse
Applications	IHC-P (1:100-1:500)
Species reactivity	human
Conjugate	-
Immunogen	Unknown or proprietary to MONOSAN and/or its suppliers
Isotype	IgG1-k
Clonality	Monoclonal
Clone number	JCB117
Size	1 ml
Concentration	n/a
Format	-
Storage buffer	Tris Buffer, pH 7.3-7.7, containing 1% BSA and <0.1% Sodium Azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD79a, clone JCB117 (Monoclonal)

Clone no. JCB117

MONOSAN

Additional info

The antibody is a B-cell marker that is generally used to complement CD20. This antibody will stain many of the same lymphomas as CD20, but also is more likely to stain precursor B-lymphoid leukemias than CD20. Anti-CD79a also stains more cases of plasma cell myeloma and occasionally some types of endothelial cells as well. Anti-CD79a will stain many cases of acute promyelocytic leukemia (FAB-M3), but only rarely stains other types of myeloid leukemia.

References

1. Mason DY, et al., Eur J Immun; 22:2753-2756 (1992)
2. Lin BT, Weiss LM. Hum Pathol.; 28(9):1083-90 (1997)
3. Pillozzi E et al. J Pathol.; 186(2):140-3 (1998)
4. Kurtin PJ et al. Am J Clin Pathol.; 112(3):319-29 (1999)
5. Blakolmer K et al. Mod Pathol.; 13(70):766-72 (2000)

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES